SIX MONTHLY ENVIRONMENTAL CLEARANCE COMPLIANCE REPORT

For "Proposed Establishment of Polymer Industries Park"

At Voyalur & Puzhidivakkam Villages, Ponneri Taluk, Tiruvallur District, Tamil Nadu.

EC OBTAINED vide Letter No. SEIAA-TN/F.6957/EC/8(b)/683/2019 dated: 11.12.2019

Submitted by

M/S. TAMILNADU POLYMER INDUSTRIES PARK LIMITED III Floor, 19- A, Rukmini Lakshmipathy Road, Egmore, Chennai-600008.

December 2020



TABLE OF CONTENTS

S. No	List of Contents	Page No
1.	Project details	3
2.	Location map	4
3.	Six monthly environmental clearance statement	5
4.	Environmental Monitoring Details	21
5.	Conclusion	22

LIST OF ANNEXURE

S. No.	List of Contents	
Annexure 1	Copy of Environmental Clearance	
Annexure 2	Consent To Establishment submission screenshot	
Annexure 3	Environmental Monitoring Report	
Annexure 4	Newspaper Advertisement	
Annexure 5	Newspaper Advertisement submission acknowledgement at MoEF&CC and SEIAA	
Annexure 6	EC submission to local bodies	
Annexure 7	EC copy uploaded at our website	
Annexure 8	Letter from DTCP	
Annexure 9	Letter from TWAD Board	




1. PROJECT DETAILS

Name of the Project Tamilnadu Polymer Industries Park at Puzhudivakkam Voyalur Villages, Ponneri Taluk, Thiruvallur District	
Name of the Proponent	M/s. Tamilnadu Polymer Industries Park Limited.
EC No.	SEIAA-TN/F.6957/EC/8(b)/683/2019 dated 11.12.2019 (Enclosed as Annexure 1)
Total Extent	239.82 Acres
Water Requirement:	x 3
a) Total Water Requirement	1 MLD
b) Source Tamil Nadu Water Supply and Drainage Board (TW	
Project Cost	Rs.216.91 Crores



2. LOCATION MAP





3. SIX MONTHLY ENVIRONMENTAL CLEARANCE COMPLIANCE STATEMENT

Part - A

Common Conditions Applicable for Pre-construction, Construction and Operational Phase:

S.NO	ITEM	STATUS OF COMPLIANCE	
1.	Any appeal against this environmental clearance shall lie with the Hon'ble National Green Tribunal, If preferred, within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act, 2010.	Details: Thiru.K.Saravanan, S/o.Kasinathan, Chennai – 90 has filed a	
2	The construction of STP, Solid Waste Management facility, E-waste management facility, DG sets, etc., should be made in the earmarked area only. In any case, the location of these utilities should not be changed later on.	All the member units will be advised to comply with.	
3	The Environmental safeguards contained in the application of the proponent/mentioned during the presentation before the State Level Environment Impact Assessment Authority / State Level Expert Appraisal Committee should be implemented in the letter and spirit.		
4 mide p	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, fire and Rescue Services Department, Civil Aviation	Condition is being complied. All the member units will be instructed to obtain all necessary statutory clearances	

	Department, Forest Conservation Act, 1980 and Wild	and approvals.
*	Life (Protection) Act, 1972, State / Central Ground Water Authority, Coastal Regulatory Zone Authority,	n agricultural de la companya de la
	other statutory and other authorities as applicable to	
	the project shall be obtained by project proponent	
	from the concerned competent authorities.	
5	The SEIAA reserves the right to add additional	Condition accepted and noted.
5	safeguard measures subsequently, if non-compliance	Condition accepted and noted.
	of any of the EC conditions is found and to take action,	
	including revoking of this Environmental Clearance as	
	the case may be.	
6		Condition accepted and noted.
6.	A proper record showing compliance of all the conditions of Environmental Clearance shall be	Condition accepted and noted.
	maintained and made available at all the times.	
7		Condition will be complied.
7.	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be	Condition will be complied.
	submitted by the project proponent to the concerned	product and to all contract when
	State Pollution Control Board as prescribed under the	_
	Environment (Protection) Rules, 1986, as amended	
	subsequently, shall also be put on the website of the	
	company. The status of compliance of environmental clearance conditions and shall also be sent to the	
	Regional Office of the Ministry of Environment and Forests, Chennai By e-mail.	
8.	The Regional Office of the Ministry located at Chennai	Condition accepted and noted.
0,	shall monitor compliance of the stipulated conditions.	Condition accepted and noted.
	The project authorities should extend full cooperation	n n
	to the officer (s) of the Regional Office by furnishing	
	the requisite data/ information/ monitoring reports.	
9.	"Consent for Establishment" shall be obtained from the	Consent to Establishment has bee
<i>5</i> .	Tamil Nadu Pollution Control Board and a copy shall be	applied with TNPCB. CTE application
	submitted to the SEIAA, Tamil Nadu.	screenshot copy is enclosed as Annexur
	Submitted to the SEIAA, Tahin Wadd.	2.
10.	In the case of any change(s) in the scope of the project,	Condition Accepted and Noted. There
10.	a fresh appraisal by the SEAC/SEIAA shall be obtained	no change in scope of the project.
	before implementation.	in shange in scope of the project.
11.	The conditions will be enforced inter-alia, under the	Agreed to the condition.
11.	provisions of the Water (Prevention & Control of	, .g. cea to the condition
	Pollution) Act, 1974, the Air (Prevention & Control of	
	Pollution) Act, 1981, the Environment (Protection) Act,	
	1986, the Public Liability Insurance Act, 1991, along	- William Wa
	with their amendments ,draft Minor Mineral	
	with their differences , draft willow willerdi	(500 mm/m (50)

	Conservation & Development Rules , 2010 framed under MMDR Act 1957, National Commission for	
*	protection of Child Right Rules ,2006 and rules made there under and also any other orders passed by the Hon 'ble Supreme Court of India/Hon'ble High Court of Madras and any other Courts of Law, including the Hon'ble National Green tribunal relating to the subject matter.	
12.	The Environmental Clearance shall not be cited for relaxing the other applicable rules to this project.	Condition Accepted and Noted.
13.	Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (protection) Act, 1986.	TPIPL is committed to comply with all the conditions of EC.
14.	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the	Condition is being complied.
	Regional Office of MoEF, Chennai, the respective Zonal Office of CPCB, Bengaluru and the TNPCB. The criteria pollutant levels namely; PMIO, PM2.5, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored.	
15.	The SEIAA, TN may cancel the environmental clearance granted to this project under the provisions of EIA Notification, 2006, if, at any stage of the validity of this environmental clearance, if it is found or if it comes to the knowledge of this SEIAA, TN that the deliberately concealed and/or submitted false or misleading information or inadequate data for obtaining the environmental clearance.	TPIPL is committed to comply with all the conditions of EC.
16.	The Environmental Clearance does not imply that the other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would be considering the project on merits and be taking decisions independently of the Environmental Clearance.	Condition Accepted and Noted.
17.	The SEIAA, TN may alter/modify the above conditions or stipulate any further condition in the interest of environment protection, even during the subsequent period.	Condition Accepted and Noted.

18.	The Environmental Clearance does not absolve the	Condition Accepted and Noted.
	applicant/proponent of his obligation/requirement to	
	obtain, other statutory and administrative clearances	
	from other statutory and administrative authorities.	
19.	Where the trees need to be cut, compensation	Condition Accepted and Noted.
	plantation in the ratio of 1:10 (i.e. planting of 10 trees	
	for every one tree that is cut) should be done with the	
	obligation to continue maintenance.	
20.	A separate environmental management cell with	Condition being complied.
	suitable qualified personnel should be set-up under the	
	control of a Senior Executive who will report directly to	
	the Head of the Organization and the shortfall shall be	the second second
	strictly reviewed and addressed.	
21.	The EMP cost of Rs. 1.09 crores shall be deposited in a	Condition will be complied.
	Nationalized bank by opening separate account and	
	the head wise expenses statement shall be submitted	
	to TNPCB with a copy to SEIAA annually.	Committee of the commit
22.	The project activity should not cause any disturbance	Condition will be complied.
	& deterioration of the local bio diversity.	
23.	The project activity should not impact the water	Condition will be complied. Surface
	bodies. A detailed inventory of the water bodies and	water quality monitoring report i
	forest should be evaluated and fact reported to the	enclosed as Annexure 3.
	Forest Department & PWD for monitoring.	
24.	All the assessed flora & fauna should be conserved and	Condition accepted and noted.
	protected.	
25.	The proponent should strictly comply with, Tamil Nadu	Condition will be complied. All the
	Government Order (Ms) No. 84 Environmental and	member units will be instructed to
	forest (EC 2) Department dated 25.06.2018 regarding	comply with.
	ban on one time use and throwaway plastics	
	irrespective of thickness with effect from 01.01.2019	
	under Environment (Protection) Act, 1986.	
26.	As per MoEF & CC, Gol, Office Memorandum dated	Not applicable.
	30.03.2015, prior clearance from Forestry & Wildlife	
	angle including clearance from obtaining committee of	
	the National Board for Wildlife as applicable shall be	
	obtained before starting the quarrying operation, if the	
	project site is located within 10KM from National Park	
	and Sanctuaries.	
27.	Traffic congestion near the entry and exit points from	Condition will be complied.
Z1:	the roads adjoining the proposed project site must be	No marie II
	avoided.	(600 00) E
	avoided.	1

2.0	T	C IV. III h. P. I. All III
28.	The safety measures proposed in the report should be	Condition will be complied. All the
	strictly followed.	member units will be instructed to
797	The state of the s	comply with.
29.	The Developer shall ensure that no allotment letter /	Condition will be complied.
	sale deed in any form shall be made to house category	
	A or category B industry as prescribed in the schedule	
	of EIA notification 2006. However, in case any category	
	A or category B type of industry as prescribed in the	
	schedule of EIA notification 2006 is proposed then the	
	individual unit shall apply and seek Environmental	
	Clearance under the EIA notification 2006.	
30.	The project proponent must submit the permissible	Condition complied. Letter regarding
	land use classification certificate obtained from	land use from DTCP is enclosed in
	competent authority for the proposed project before	Annexure 8.
	obtain the CTE from TNPCB.	Alliexure 6.
31.	The proponent shall obtain the necessary permission/	Condition complied. Letter regarding
	NOC of water supply from the TWAD Board.	permission is enclosed in Annexure 9.
32.	The Developer shall mandate the member industries of	Condition will be complied. All the
	the Industrial Park to allot 33% of the plot area for	member units will be instructed to
	green belt development and to install RWH structures.	comply with.
33.	The Developer has to ensure that all the member	Condition will be complied. All the
	industries within the Industrial Park shall make their	member units will be mandated to
	own arrangements to achieve zero discharge of the	provide individual ETP with Zero Liquid
	trade effluents, solid waste & E waste management,	Discharge system and to handle the
	gaseous emission and noise control measures to	domestic wastewater as per the
	achieve the standards prescribed by the TNPCB.	prescribed standards.
34.	The project proponent shall ensure that the individual	Condition will be complied.
	member units will not be allowed to carry out	
	manufacturing of products stipulated in G.O. (Ms) No.	
	84 dated 25/06/2018 on banning of one time use on	
	and throw away plastic.	
35.	The project proponent must submit the permissible	Condition complied. Letter regarding
	land use classification certificate obtained from	land use from DTCP is enclosed in
	competent authority for the proposed project before	Annexure 8.
	obtain the CTE from TNPCB.	A A
36.	The CER fund shall be utilized as per the office	Condition will be complied.
	memorandum of MoEF & CC dated 01.05.2018 before	
	obtaining CTO from TNPCB.	
37,	The allotted industrial units shall obtain consent from	All the member units will be instructed
	the TNPCB separately for their establishment &	to obtain all necessary statutor
	operation in this industrial estate.	clearances and approvals
	·	
		(\$\frac{\text{900 008}}{\text{Cheuusi}}\)

	1			
38.				Condition will be complied. All the
			member units will be instructed to	
	green belt.			comply with.
39.	The pro	ponent shall provide	e Rain Water Harvesting	Condition will be complied. All the
	pits so as	s to recharge the gro	ound water table.	member units will be instructed to
				comply with.
40.	Discharg	e of treated sewa	age shall conform to the	All the member units will be instructed
	norms 8	& standards presci	ribed by the Tamil Nadu	to comply with.
		Control Board.	in the "	
41.	It is the	sole responsibility	of the proponent that the	Condition will be complied. All the
			or greenbelt development	member units will be instructed to
			not pollute the soil/ ground	comply with.
		djacent canals/ lake		comply with.
42.		<u> </u>	sure that all the member	Condition will be complied. All the
42,		·	trial Park shall make their	member units will be mandated to
			eve zero discharge of the	provide individual ETP with Zero Liquid
	trade Eff	iuents.		Discharge system and to handle the
				domestic wastewater as per the
				prescribed standards.
43.	The project proponent shall ensure that all the			Condition will be complied. All the
	member	units should treat	and dispose solid waste &	member units will be instructed to
	E-waste	as per the Solid Was	ste Management Rule 2016	comply with.
	as amen	ded and E-Waste M	anagement Rules, 2016.	
44.	There sh	nall be no discharg	ge of effluent outside the	All the member units will be instructed
	Industria	l Park at any time.		to comply with. All the member units
				will be mandated to provide individual
				ETP with Zero Liquid Discharge system.
45.	The Deve	eloper shall mandat	e the member units of the	Condition will be complied. Individual
,,,			dequate APC measures /	industries will be advised to adopt Air
			missions standards within	Pollution Control measure to achieve air
	permissible limits prescribed by the CPCB.			emissions standards within permissible
				limits prescribed by the statutory
				authority.
46.		_ · _ ·	l embark the following Co-	The Co-ordinates in the project site are
	ordinates in the project site as per CRZ map issued by			
	IRS, Anna University and shall provide with pillar stone.			Anna University and shall be provided
				with pillar stone.
	LABLE	LATTITUDE	LONGITUDE	
	A.	13°17'53.829"N	80°18'57.149"E	
	В.	13°17'51.613"N	80°19'6.267"E	want land
	C.	13°17'29.520"N	80°19'17.462"E	(1,0)

	D.	13°17'25.876"N	80°19'17.624"E	
	E,	13°17'0.406"N	80°19'11.241"E	
	· F.	13°16'45.849"N	80°19'2.924"E	•-
	G.	13°16'11.552"N	80°18'54.004"E	
	Н,	13°16'10.676"N	80°18'48.620"E	
	1.	13°16'15.943"N	80°18'48.161"E	
	J,	13°16'16.212"N	80°18'46.548"E	*
	K.	13°16'39.554"N	80°18'52.076"E	
	L.	13°16'44.580"N	80°18'50.337"E	
	M.	13°16'56.035"N	80°18'44.163"E	
	N.	13°17'3.801"N	80°18'42.680"E	
	0.	13°17'5.139"N	80°18'43.162"E	8
	P.	13°17'2.214"N	80°18'53.224"E	
	Q.	13°16'59.337"N	80°18'57.518"E	
	R.	13°16'59.532"N	80°19'3.514"E	
	S.	13°17'18.118"N	80°19'8.899"E	
	T.	13°17'26.234"N	80°19'9.191"E	
	U.	13°17'29.254"N	80°19'8.933"E	
	V.	13°17'30.657"N	80°19'6.172"E	
	W.	13°17'33.153"N	80°19'8.035"E	
47.	The Env	ironmental Cleara	Condition accepted and noted.	
	revised p	roposal submitted		
		as per CRZ (Ref.N		
		19) map issued by I		
	05.12.20	15) map issued by i	no, Anna Oniversity.	

<u>Part – B</u> <u>Specific Conditions - Pre construction phase</u>

S.NO	ITEM	STATUS OF COMPLIANCE	
1.	The project authorities should advertise with basic details at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of clearance. The press releases also mention that copy of the clearance letter is available with the state pollution Control Board and also at website of SEIAA, TN. The copy of the press release should be forwarded to the Regional Office of the Ministry of Environment and Forests located at Chennai and SEIAA-TN.	Condition complied. Newspaper advertisement copy is enclosed as Annexure 4. The copy of the press release has been forwarded to the Regional Office of the Ministry of Environment and Forests located at Chennai and SEIAA - TN. Acknowledgement copy of the same is enclosed as Annexure 5.	

2.	In the case of any change(s) in the scope of the	Condition accepted and noted. There is no
	project, a fresh appraisal by the SEAC/SEIAA shall	change in scope of the project.
	be obtained before implementation	7
3.	A copy of the clearance letter shall be sent by the	Condition complied. Acknowledgement cop
	proponent to the Local Body. The clearance letter	is attached as Annexure 6. The clearanc
	shall also be put on the website of the Proponent.	letter has also uploaded on our website an
		screenshot is enclosed as Annexure 7.
4.	The approval of the competent authority shall be	Condition will be complied. Individua
	obtained for structural safety of the buildings	member units will be instructed to obtain a
	during earthquake adequacy of fire fighting	necessary statutory clearances an
	equipments, etc as per National Building Code	approvals.
	including protection measures from lightning etc	
	before commencement of the work.	
5.	All required sanitary and hygienic measures for the	Condition will be complied. All the member
	workers should be in place before starting	units will be instructed to comply with.
	construction activities and they have to be	person and the second
	maintained throughout the construction phase.	
6.	Design of building should be in conformity with the	All the member units will be instructed t
	Seismic Zone Classifications.	comply with.
7.	The Construction of the structures should be	All the member units will be instructed t
	undertaken as per the plans approved by the	comply with.
	concerned local authorities/local administration.	
8.	No construction activity of any kind shall be taken	Condition will be complied.
	up in the OSR area.	(I – Cm1
9	Consent of the local body concerned should be	Condition will be complied.
	obtained for using the treated sewage in the OSR	
	area for gardening purpose. The quality of treated	
	sewage shall satisfy the bathing quality prescribed	
10	by the CPCB. The height and severage of the constructions shall	All the member units will be instructed t
10.	The height and coverage of the constructions shall	
	be in accordance with the existing FSI/FAR norms as per Coastal Regulation Zone Notification, 2011.	comply with.
11.	The Project Proponent shall provide car parking	All the member units will be instructed to
T T ⁽²⁾	exclusively for the visiting guest In the proposed	comply with.
	residential apartments as per CMDA norms.	compty with.
12.	The project proponent shall ensure the level of	Condition will be complied. All the membe
	basement shall be above maximum flood level.	units will be instructed to comply with.
13.	The proponent shall prepare completion plans	Condition will be complied. All the memb
	showing Separate pipelines marked with different	units will be instructed to comply with.
	colours with the following details	
	i. Location of STP, compost system,	industries
		13/ 60 15
		2 0 0 1 12
		* 12

	underground sewer line ii. Pipe Line conveying the treated effluent for green belt development iii. Pipe Line conveying the treated effluent for toilet flushing iv. Water supply pipeline v. Gas supply pipe line, if proposed vi. Telephone cable vii. Power cable viii. Strom water drains, and ix. Rain water harvesting system, etc., and it shall be made available to the owners.	
14.	A First Aid Room shall be provided in the project site during the entire construction and operation phases of the project.	Condition will be complied. All the member units will be instructed to comply with.
15.	The present land use surrounding the project site shall not be disturbed at any point of time.	Condition will be complied.
16.	The green belt area shall be planted With indigenous native trees.	Greenbelt will be developed with indigenous native species.
17	Natural vegetation listed particularly the trees shall not be removed during the construction/operation phase. In case any trees are likely to be disturbed, shall be Replanted.	Condition accepted and noted.
18.	During the construction and operation phase, there should be no disturbance to the aquatic ecosystem within and outside the area.	Condition will be complied.
19.	The Provisions of Forest conservation Act 1980, Wild Life Protection Act 1972 & Bio diversity Act 2002 should not be violated.	Condition accepted and noted.
20.	There should be Fire fighting plan and all required safety plan.	Condition will be complied. All the member units will be instructed to comply with.
21.	Regular fire drills should be held to create awareness among owners/ residents.	All the member units will be instructed to comply with.

Part C - Specific Condition Construction Phase

S.NO	O ITEM STATUS OF COMPLIANCE		
1.	Construction Schedule:		
	N		
	i) The Project proponent shall have to furnish the	Condition accepted and noted.	

	supported with necessary bar charts to SEIAA-TN.	
2.	Labour Welfare:	
	i) All the labourers to be engaged for construction should be screened for health and adequately treated before and during their employment on the work at the site.	Condition will be complied. All the member units will be instructed to comply with.
	ii) Personnel working In dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health Surveillance program of the workers should be undertaken periodically to observe any contradictions due to exposure to dust	Condition will be complied. All the member units will be instructed to comply with.
	and take corrective measures, if needed. iii) Periodical medical examination of the workers engaged in the project shall be carried out and maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly. The workers shall be provided with personnel protective measures such	Condition will be complied. All the member units will be instructed to comply with.
3.	as masks, gloves, boots, etc. Water Supply:	
	i) The entire water requirement during construction phase may be met from ground water source from the source with approval of the PWD Department of water resources/ may be out source.	Condition will be complied.
	ii) Provision shall be made for the housing labour within the site with all necessary infrastructures and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.	Condition will be complied. All the member units will be instructed to comply with.
	iii) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The treatment and disposal of waste water shall be through dispersion trench after treatment through septic tank. The MSW generated shall be disposed through Local Body and the identified dumpsite only.	Condition will be complied. All the member units will be instructed to comply with.

	iv) Water demand during construction should be	Condition will be complied. All th
	iv) Water demand during construction should be reduced by use of premixed concrete, curing	·
	agents and other best practices prevalent.	member units will be instructed to
		comply with.
	v) Fixtures for showers, toilet flushing and drinking	Condition will be complied. All th
	water should be of low flow type by adopting the	member units will be instructed to
	use of aerators / pressure reducing devises /	comply with.
	sensor based control.	
4.	Solid Waste Management:	
	i) In the solid waste management plan, the STP	All the member units will be instructed
8	sludge management plan for direct use as manure,	to comply with.
	gardens is not acceptable; it must be co-	
	composted with biodegradables.	
	ii) House hold hazardous wastes such as batteries,	All the member units will be instructed
	small electronics, CFL bulbs expired medicines and	to comply with.
	used cleaning solvent bottles should be segregated	
	at source, in a month from residences and	
	disposed as per the SWM rules 2016.	
	iii) Domestic solid wastes to be regularly collected	Condition will be complied. All th
	in bins or waste handling receptacles and solid	member units will be instructed t
	waste management rules 2016.	comply with.
	iv) No waste of any type disposed of in any	Condition will be complied. All th
	watercourse including drains, canals and the	member units will be instructed t
	surrounding environment.	comply with.
	v) E-waste shall be disposed through Authorized	Condition will be complied. All th
	vendor as per E-waste (Management and Handling)	member units will be instructed t
	Rules, 2016 and subsequent amendment.	comply with.
5.	Top Soil Management:	
	i) All the top soil excavated during construction	Condition will be complied. All th
	activities should be stored for use in horticulture/	member units will be instructed t
	landscape development within the project site.	comply with.
6.	Construction Debris disposal:	
	i) Disposal of construction debris during	Condition will be complied. All th
	construction phase should not create any adverse	member units will be instructed t
	effect on the neighbouring communities and be	comply with.
	disposed off only in approved sites, with the	ş.
	approval of Competent Authority with necessary	,
	precautions for general safety and health aspects	
	of the people, The construction and demolition	
	waste shall be managed as per Construction &	
	Demolition Waste Management rules, 2016.	

materials and other hazardous materials must not member units will be instructed to be allowed to contaminate watercourses. The comply with. dump sites for such materials must be secured so that they should not leach into the adjacent land/lake/ stream etc. Diesel Generator sets: 7. All the member units will be instructed i) Low Sulphur Diesel shall be used for operating diesel generator sets to be used to comply with. construction phase. The air and noise emission shall conform to the standards prescribed in the Rules under the Environment (Protection) Act, 1986, and the Rules framed thereon. All the member units will be instructed ii) The diesel required for stand by DG sets shall be stored in underground tanks fulfilling the safety to comply with. norms and if required, clearance from Chief Controller of explosives shall be taken. All the member units will be instructed iii)The acoustic enclosures installed at all noise generating equipments such as DG sets, air to comply with. conditioning systems, cooling water tower etc. 8. Air & Noise Pollution Control: Condition will be complied. All the i) Vehicles hired for bringing construction materials member units will be instructed to to the site should be in good condition and should comply with. conform to air and noise emission standards, prescribed by TNPCB/CPCB. The vehicles should be operated only during non-peak hours. ii) Ambient air and noise levels should conform to residential standards prescribed by the TNPCB, Condition is being complied. All the both during day and night. Incremental pollution member units will be instructed to loads on the ambient air and noise quality should comply with. Ambient Air and Noise be closely monitored during the construction monitoring Reports are enclosed as phase. The pollution abatement measures shall be Annexure 3. strictly implemented. Condition will be complied. All the iii) Traffic congestion near the entry and exit points member units will be instructed to from the roads adjoining the proposed project site comply with. shall be avoided. Parking shall be fully internalized and no public space should be utilized. Parking plan to be as per DTCP norms. The traffic department shall be consulted and any cost effective traffic regulative facility shall be meet before commissioning Condition accepted and noted. All the iv) The buildings should have adequate distance member units will be instructed to between them to allow free movement of fresh air

	and passage of natural light, air and ventilation.	comply with.
9.	Building material:	
	i) Fly-ash blocks should be used as building material in the construction as per the provision of Fly ash Notification of September, 1999 and amended as on 27th August, 2003 and Notification No. S.O. 2807 (E) dated: 03.11.2009.	Condition will be complied. All the member units will be instructed to comply with.
	ii) Ready-mix concrete used in building construction and necessary cube tests should be conducted ascertain their quality.	Condition will be complied. All the member units will be instructed to comply with.
	iii) Use of glass shall be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, high quality double glass with special reflecting coating shall be used in windows.	All the member units will be instructe to comply with.
.0.	Storm Water Drainage:	
	i) Storm water management around the site and on site shall be established by following the guidelines laid down by the storm water manual.	Condition accepted and noted. All the member units will be instructed to comply with.
	ii) Storm water management plan shall be obtained by engaging the services of Anna University/IIT.	All the member units will be instructed to comply with.
11.	i) Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material, to fulfil the requirement	All the member units will be instructed to comply with.
	ii) Opaque wall should meet prescribed requirement as per Energy Conservation Building Code which is mandatory for all air conditioned spaces by use of appropriate thermal insulation material to fulfil the requirement.	All the member units will be instructed to comply with.
	iii) All norms of Energy Conservation Building Code (ECBC) and National Building Code, 2005 as energy conservation have to be adopted Solar lights shall be provided for illumination of common areas.	Condition will be complied. All the member units will be instructed comply with.
	iv) Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting. A hybrids system or fully solar system for a portion of the apartments shall be provided.	Condition will be complied. All the member units will be instructed comply with.
	v) A report on the energy conservation measures	All the member units will be instructed

THURL

prescribed by the Bureau of Energy Efficiency shall be prepared incorporating details about building materials & technology; R & U factors etc and submitted to the SEIAA in three month's time. Condition will be complied. All the vi) Energy conservation measures like installation member units will be instructed to of CFLs/TFLs for lighting the areas outside the comply with. building should be integral part of the project design and should be in place before project commissioning. 12. Fire Safety: i) Adequate fire protection equipments and rescue All the member units will be instructed arrangements should be made as per the to comply with. prescribed standards. Condition will be complied. All the ii) Proper and free approach road for fire-fighting member units will be instructed to vehicles upto the buildings and for rescue in the comply with. event of emergency shall be made. **Green Belt Development:** 13. i) The Project Proponent shall plant tree species Condition accepted and noted. with large potential for carbon capture in the proposed green belt area based on recommendation of the Forest department well before the project is completed. Condition will be complied. Greenbelt ii) The purpose of Green belt around the project is will be developed with indigenous native to capture the fugitive emissions and to attenuate species. All the member units will be the noise generated, in addition to the instructed to comply with. improvement in the aesthetics. A wild range of indigenous plants species should be planted in and around the premise in consultation with the DFO, Viluppuram District / State Agriculture University. The plants species should have thick canopy cover, perennial green nature, native origin and large leaf areas. Medium size trees and small trees alternating with shrubs shall be plan ted. If possible Miyawaki method of planting i.e planting different types of trees at very close escapement may be tried which will give a good green cover. A total of 15% of the plot area should be designated for green belt which should be raised along the boundaries of the plot and in between blocks in an organized manner. Condition will be complied. iii) The proponent shall develop the green belt as per the plan furnished and area earmarked for the

	greenbelt shall not be alter at any point of time for	
	any other purpose.	
	iv) The proponent has to earmark the greenbelt	Condition will be complied.
	area with dimension and GPS coordinates for the	
	green belt area and the same shall be included in	
	the layout out plan to be submitted for DTCP	
	approval.	
14.	Sewage Treatment Plant:	
	i) The Sewage Treatment Plant (STP) installed	All the member units will be instructed
	should be certified by an independent expert/	to comply with.
	reputed academic institutions for its adequacy and	
	a report in this regard should be submitted to the	
	SEIAA, TN before the project is commissioned for	
	operation, Explore the less power consuming	
	systems viz baffle reactor, etc., for the treatment	
	of sewage.	9
	ii) The Proponent shall install STP as furnished. Any	All the member units will be instructed
	alteration to satisfy the bathing quality shall be	to comply with.
	informed to SEIAA-TN.	
	iii) The project proponent shall operate and	All the member units will be instructed
	maintain the Sewage treatment Plant effectively to	to comply with.
	meet out the standards prescribed by the CPCB.	
		÷.
	iv) The project proponent shall continuously	All the member units will be instructed
	operate and maintain the Sewage treatment plant	to comply with.
	to achieve the standards prescribed by the CPCB.	
	v) The project proponent has to ensure the	All the member units will be instructed
	complete recycling of treated sewage after	to comply with.
	achieving the standards prescribed by the CPCB	
	vi) The project proponent has to provide separate	All the member units will be instructed
	standby D.G set for the STP for the continuous	to comply with.
	operation of the STP in case of power failure.	
	aparation of the one in case of power tanking	
15.	Rain Water Harvesting:	
	i) The proponent/Owner of the Flats shall ensure	All the member units will be instructed
	that roof rain water collected from the covered	to comply with.
	roof of the buildings, etc shall be harvested so as to	
	ensure the maximum beneficiation of rain water	
	harvesting by constructing adequate sumps so that	er Indus
	100% of the harvested water shall be reused.	
		S Cheuns

	ii) Rain water harvesting for surface run-off, as per plan submitted should be implemented. Before recharging the surface run off, pre-treatment with screens, settlers etc. must be done to remove suspended matter, oil and grease, etc.	All the member units will be instructed to comply with.
	iii) The project activity should not cause any disturbance & deterioration of the local bio diversity.	Condition accepted and noted.
16.	Building Safety:	
	Lightning arrester shall be properly designed and installed at top of the building and where ever is necessary.	All the member units will be instructed to comply with.



4. ENVIRONMENTAL MONITORING DETAILS

It is mandatory to submit six month compliance report to MoEF&CC Regional Office by the proponent. For the purpose of obtaining Six-Monthly Compliance Certificate, the environmental monitoring was carried out at site by M/s. Life Shell Labs India Pvt Ltd for the period of April 2020 – September 2020.

5.1 Ambient air quality monitoring

During construction phase, particulate matter and gaseous emissions are likely to arise from the site movement of vehicles, operation of DG sets etc., the ambient air quality parameters such as suspended Particulate matter (PM10), Respirable Particulate matter (PM 2.5), Sulphur dioxide, Oxides of Nitrogen (NOx), VOC, Hydro carbons and Carbon monoxide were monitored. The test report of ambient air quality for the period of April 2020 – September 2020 is enclosed as **Annexure 3**.

5.2 Ambient Noise level monitoring

The location was selected for monitoring the ambient noise level. The test report of ambient noise recorded during the period of April 2020 – September 2020 is enclosed in **Annexure 3**.

5.3 Soil quality monitoring

The location was selected for monitoring the soil quality. The Soil samples were collected and analyzed for nutrients and heavy metals. The test report of soil samples collected and analyzed during April 2020 – September 2020 is enclosed as **Annexure 3**.

5.4 Ground water quality monitoring

During construction phase the ground water may get polluted due to infiltration of rainwater mixed with soil contaminants in the site. The ground water was tested at three locations for various water quality parameters during April 2020 – September 2020. The test report of bore well water collected and analyzed is enclosed as **Annexure 3.** The results are within the stipulated norms when compared with Baseline data.

5.5 Surface water quality monitoring

The surface water is collected and tested at two locations for various water quality parameters during April 2020 – September 2020. The test report of surface water collected and analyzed is enclosed as **Annexure 3**. The results are within the stipulated norms when compared with Baseline data.

5. CONCLUSION

- 1. The environmental monitoring was carried out at site during the period of April 2020 September 2020.
- 2. All the conditions stipulated in Environmental Clearance are being complied / will be complied.



ANNEXURE- 1



Dr. JAYANTHI. M, LF.S MEMBER SECRETARY

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY – TAMIL NADŪ

3rd Floor, Panagal Maaligai, No.1 Jeenis Road, Saidapet, Chennai-15. Phone No.044-24359973 Fax No. 044-24359975

ENVIRONMENTAL CLEARANCE (EC) Letter No. SEIAA-TN/F. 6957/EC/ 8(b)/683/2019 dated: 11.12.2019.

To

The Managing Director

M/s. Tamil Nadu Polymer Industries Park Ltd.

19-A, Rukmani Lakshmipathy Road

Post Box No.7223

Egmore

Chennai-600 008

Sir,

Sub: SEIAA, TN - Environmental Clearance – Proposed establishment of Polymer Industries Park at Voyalur & Puzhidivakkam by M/s. Tamil Nadu Polymer Industries Park Ltd at S.F. No. 143 & 187 of Puzhidivakkam village, 2053B part of Voyalur Village, Ponneri Taluk, Tiruvallur District, Tamil Nadu - Issued – Regarding.

Ref: 1. Your application for Terms of Reference dated: 22.07.2019

- 2. ToR Issued by SEIAA-TN Vide Lr. No. SEIAA/ TN/ F.No.6957/ SEAC/ ToR-654/ 2019 dated: 31.10.2019
- 3. Proponent EIA report submitted to SEIAA-TN on 20.11.2019
- 4. Minutes of the 139th SEAC Meeting held on 23,11,2019

5. Minutes of the Wald Stran Meeting held on 27.11.2019

1 1 DEC 2019

Maken, Saidape

MEMBER SECRETARY
SEIAA-TN

Page 1 of 26

- 6. Proponent revised EIA report submitted to SEIAA-TN on 09.12.2019
- 7. Minutes of the 363rd SEIAA Meeting held on 11.12.2019

This has reference to your application 3rd cited, the proposal is for obtaining Environmental Clearance to establish a construction project under Category B2 and Schedule S.No. 8(b) under the Environment Impact Assessment Notification, 2006, as amended.

The Competent Authority and Authorized signatory furnished detailed information in Form 1 and Form 1A and liquidate enclosures are as Annexures:

Annexure 1

	PROJECT	DETAILS
SL No	Description	Details
1)	Name of the Project proponent an address	d The Managing Director Tamilnadu Polymer Industries Park Limited,
		19/A, Rukmani Lakshmipathy Road, Egmore, Chennai – 600 008
2)	Proposed Activity	Proposed establishment of Polymer Industries Park at Voyalur & Puzhidivakkam Villages
3)	Schedule No.	8(b)
4)	Project Location	
	i)Survey No	143 & 187 of Puzhidivakkam village 2053B part of Voyalur Village
	ii)Revenue Village	Puzhidivakkam & Voyalur Village
	iii)Taluk	Ponneri
	iv)District	Tiruvallur
5)	Area of the Land	239.82 acres
6)	Built up Area	

1 1 DEC 2019

MEMBER SECRETARY SEIAA-TN

	Sl.No.	Description	Area (Acres)
	Plot area		167.21
		2 OSR	
	3 Amenities		5.01
	4	Logistics (Truck Terminal)	6.00
	5	Solid Waste Management	9.00
	6	Road, Water supply, Storm water drain & Street Lights	25,22
	7	Utility Corridor	3.00
		Total area	
7)	The propo	oription of the project osal is an infrastructure development project. It involves water supply, storm water drainage, street lights, green	ves development
7)	The proposition of roads, we developm Industrial 2006 and a Po En Pla	cription of the project osal is an infrastructure development project. It involves water supply, storm water drainage, street lights, green ent, and such other amenities. Park will house industries which do not fall under E amendments thereof. The proposed industries include lymer and Plastic Components/Parts/Products gineering Manufacturing / Production, specifically, M estic component manufacturing with Metal Finishing	ves development in belt EIA Notification the following:
7)	The proposition of roads, we developm Industrial 2006 and a Po En Pla Co. Any Note The Proposition of Points Industrial 2006 and a Po Points Industrial Poi	osal is an infrastructure development project. It involves water supply, storm water drainage, street lights, greenent, and such other amenities. Park will house industries which do not fall under Examendments thereof. The proposed industries include lymer and Plastic Components/Parts/Products gineering Manufacturing / Production, specifically.	ves development in belt EIA Notification the following: Machines for and Surface





Indus

9)	Green B	elt		
	Sl.No.	Description		Area (Acres)
	1.	In OSR		24.38
	2.	By Member Industries (33 % of the total plot area allotted to Member Industries) i.e 33% of 167.21 Ha		56.30
	Total		80.68	
		Percentage of Green Belt a Industrial Park i.e 239.82 h		33.09%
10)	I	TILITIES-WATER		
		Total Water Requirements	1 N	MLD
) Source from where the	Tamil Nadu Water	Supply and Drainag
	b		Board (TWAD)	
		water is proposed to be	Board (TWAD)	
		drawn		'11 ha mandatad t
		c) Sewage system	install "Zero Liqu Effluent Treatmen water for recycle/n and green belt deve The quantity of generated from Sl office will be ma followed by soak p	sewage that will be PCOT administrative targed in septic target
		d) ETP & Recycle line	install "Zero Liqu Effluent Treatme water for recycle/ and green belt dev	uid Discharge" base nt Plants to reclain reuse in their utilities relopment.
11)	S	olid Waste Management		

1 1 DEC 2019

MEMBER SECRETARY
SEIAA-TN

		SIPCOT will identify a TSDF provider and facilitate to establish such a treatment, storage and disposal facility(TSDF) in line with guidelines of CPCB & MoEF & CC.
		Solid waste generated will be disposed to the approved Municipal Solid Waste Management or else SIPCOT will set up its facility through renowned agencies by outsourcing their services on annual contract basis
12)	Power requirement	50MW from TANGEDCO
13)	Project Cost	Rs. 216.91 Crores
14)	EMP Cost	For Operation Phase: Capital Cost -72.76 lakhs Operation cost- 36.60 Lakhs per annum

Annexure 2- Affidavit

The Proponent has furnished affidavit in Twenty Rupees stamp paper attested by the Notary stating that

I, Dr. S. AneeshSekhar, IAS, Managing Director, Authorised Signatory, represent M/s. Tamil Nadu Polymer Industries Park Ltd (TPIPL), 19-A, RukmaniLakshmipathy Road, Egmore, Chennai – 600008. We have proposed to establish a polymer industries park over an extent of 239.82acres at Voyalur and Puzhudivakkam Villages, Ponneri taluk, Thiruvallur District. An application submitted by us seeking Environmental Clearance under the EIA Notification, 2006 is under scrutiny in the Authority. I am furnishing the following undertaking to the Authority, hereby solemnly affirm and state as follows:-

1. We commit to SEIAA that will develop Green belt in 10.16% of the total area i.e 24.38 acres. Further, we will also ensure the development of green belt in 33% of the allotted area by the member units i.e 55.18 acres, which is 23.01% of total area. It will be made as a mandatory condition in the land allotment order as well as the lease deed the executed between TPIPL and allottees. The net area of

1 1 DEC 2019

MEMBER SECRETARY
SEIAA-TN

Chennai

green belt of the proposed industrial park in the post project scenario will be 79.56 acres, which is 33.17% of the total area of the park.

2. We commit to SEIAA that the area proposed for the park does not fall under CRZ area. The co-ordinates of the site as per the map prepared by Institute of Remote Sensing, Anna University superimposing the site on approved CZMP as per CRZ notification 2011 vide Ref.No.AU/IRS/CU/229-2019 are as follows:

Label	Latitude	Longitude
A	13 ⁰ 17'53.829"N	80 ⁰ 18'57.149"E
В	13 ⁰ 17'51.613"N	80 ⁰ 19'6.267"E
С	13 ⁰ 17'29.520"N	80°19'17.462"E
D	13 ⁰ 17'25.876"N	80 ⁰ 19'17.624"E
Е	13 ⁰ 17'0.406"N	80 ⁰ 19'11.241"E
F	13 ⁰ 16'45.849"N	80 ⁰ 19'2.924"E
G	13 ⁰ 16'11.552"N	80°18'54.004"E
Н	13°16'10.676"N	80°18'48.620"E
I	13°16'15.943"N	80°18'48.161"E
J	13°16'16.212"N	80°18'46.548"E
K	13°16'39.554"N	80°18'52.076"E
L	13 ⁰ 16'44.580"N	80°18'50.337"E
M	13°16'56.035"N	80°18'44.163"E
N	13°17'3.801"N	80°18'42.680"E
0	13°17'5.139"N	80°18'43.162"E
P	13°17'2.214"N	80°18'53.224"E
Q	13°16'59.337"N	80°18'57.518"E
R	13°16'59.532"N	80°19'3.514"E
S	13°17'18.118"N	80°19'8.899"E
T	13°17'26.234"N	80°19'9.191"E
U	13°17'29.254"N	80°19'8.933"E
V	13°17,70008077N	80°19'6.172"E

1 1 DEC 2019

MEMBER SECRETARY

W	13°17'33 153"N	80°19'8.035"E	Ì
---	----------------	---------------	---

- 3. We commit to SElAA that the total water requirement for the park is 1MLD, which will be obtained from Tamil Nadu Water Supply and Drainage Board (TWAD). TWAD Board has already issued approval for 2.2 MLD (Letter No. 1609/F.CBIC/DO/PF Dn/VLR/date: 16.09.2015.
- 4. We commit to SEIAA that all member units will be mandated to install "Zero Liquid Discharge" based Effluent Treatment Plants to reclaim water for recycle/reuse in their utilities and green belt development. We will mandate to member units to manage the sewage as per TNPCB norms. The solid waste stream will be sent to TNPCB approved vendors/TSDF for proper and ultimate disposal. The quantity of sewage that will be generated from TPIPL administrative office will only be 1000litres/day and it will be managed in septic tank followed by soak pit as onsite construction.
- 5. We commit to SEIAA that all member units will be mandated to provide rain water harvesting structures as per norms. TPIPL will construct percolation tanks for harvesting the rainwater in the project office.
- 6. We commit to SEIAA that we will provide storm water drainage system as open concrete channels, all along the road side for ensuring proper collection of storm water and will let out in the nearby water bodies. We also assure that the storm water drain would not carry any untreated or treated sewage.
- 7. We commit to SEIAA that we will undertake CER activities as per norms with the approval of board of TPIPL.
- 8. We also assure that our project site does not encroach any water bodies such as rivers, canals, nallas, lakes, ponds, tanks, etc., from its original boundary.
- 9. We are aware that we can be prosecuted under relevant Act and Rules, if we are not ensuring the adherence of the above commitment

The project activity is covered in 8(b) of the Schedule and is of B2 category. It does not require Public Consultation as per Para 7 III Stage (3) (i) (d) of EIA

Notification, 2006.



MEMBER SECRETARY SEIAA-TN The Authority after consideration all the requisite documents with status and data and based on SEAC appraisal and recommendations for issue of Environmental Clearance in its 139th meeting held on 23.11.2019, SEIAA placed the proposal in the 363rd SEIAA meeting held on 19.12.2019 hereby conveyed Environmental Clearance along with the conditions containing four parts namely

Part - A -Common conditions applicable for Pre-construction, Construction and Operational Phases

Part - B - Specific Conditions - Pre construction phase

Part - C - Specific Conditions - Construction phase

Part – D - Specific Conditions – Operational Phase/Post constructional Phase / Entire life of the project.

Validity:

The SEIAA hereby accords Environmental Clearance to the above project under the provisions of EIA Notification dated 14th September, 2006 as amended, with validity for Seven years from the date of issue of EC, subject to the compliance of the terms and conditions stipulated below:

Part - A - Common conditions applicable for Pre-construction, Construction and Operational Phases:

- Any appeal against this environmental clearance shall lie with the Hon'ble National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- The construction of STP, Solid Waste Management facility, E-waste management facility, DG sets, etc., should be made in the earmarked area only.
 In any case, the location of these utilities should not be changed later on.
- 3. The Environmental safeguards contained in the application of the proponent /mentioned during the presentation before the State Level Environment Impact



MEMBER SECRETARY
SEIAA-TN

- Assessment Authority / State Level Expert Appraisal Committee should be implemented in the letter and spirit.
- 4. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire and Rescue Services Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wild Life (Protection) Act, 1972, State / Central Ground Water Authority, Coastal Regulatory Zone Authority, other statutory and other authorities as applicable to the project shall be obtained by project proponent from the concerned competent authorities.
- 5. The SEIAA reserves the right to add additional safeguard measures subsequently, if non-compliance of any of the EC conditions is found and to take action, including revoking of this Environmental Clearance as the case may be.
- 6. A proper record showing compliance of all the conditions of Environmental Clearance shall be maintained and made available at all the times.
- 7. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company. The status of compliance of environmental clearance conditions and shall also be sent to the Regional Office of the Ministry of Environment and Forests, Chennai by e-mail.
- 8. The Regional Office of the Ministry located at Chennai shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.
- 9. "Consent for Establishment" shall be obtained from the Tamil Nadu Pollution Control Board and a copy shall be submitted to the SEIAA, Tamil Nadu.
- 10. In the case of any change(s) in the scope of the project, a fresh appraisal by the SEAC/SEIAA shall be obtained before implementation.

11. The conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Polymers 1974, the Air (Prevention & Control of

1 1 DEC 2019

MEMBER SECRETARY
SEIAA-TN

Page 9 of 26

Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability Insurance Act, 1991, along with their amendments ,draft Minor Mineral Conservation & Development Rules, 2010 framed under MMDR Act 1957, National Commission for protection of Child Right Rules, 2006 and rules made there under and also any other orders passed by the Hon'ble Supreme Court of India/Hon'ble High Court of Madras and any other Courts of Law, including the Hon'ble National Green Tribunal relating to the subject matter.

- 12. The Environmental Clearance shall not be cited for relaxing the other applicable rules to this project.
- 13. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.
- 14. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, Chennai, the respective Zonal Office of CPCB, Bengaluru and the TNPCB. The criteria pollutant levels namely; PM10, PM2.5, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored.
- 15. The SEIAA, TN may cancel the environmental clearance granted to this project under the provisions of EIA Notification, 2006, if, at any stage of the validity of this environmental clearance, if it is found or if it comes to the knowledge of this SEIAA, TN that the project proponent has deliberately concealed and/or submitted false or misleading information or inadequate data for obtaining the environmental clearance.
- 16. The Environmental Clearance does not imply that the other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would be considering the project on merits and be taking decisions independently of the Environmental Clearance.



MEMBER SECRETARY SEIAA TN 3183

- 17. The SEIAA, TN may alter/modify the above conditions or stipulate any further condition in the interest of environment protection, even during the subsequent period.
- 18. The Environmental Clearance does not absolve the applicant/proponent of his obligation/requirement to obtain other statutory and administrative clearances from other statutory and administrative authorities.
- 19. Where the trees need to be cut, compensation plantation in the ratio of 1:10 (i.e. planting of 10 trees for every one tree that is cut) should be done with the obligation to continue maintenance.
- 20. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive who will report directly to the Head of the Organization and the shortfall shall be strictly reviewed and addressed.
- 21. The EMP cost of Rs.1.09 Crores shall be deposited in a Nationalized bank by opening separate account and the head wise expenses statement shall be submitted to TNPCB with a copy to SEIAA annually.
- 22. The project activity should not cause any disturbance & deterioration of the local bio diversity.
- 23. The project activity should not impact the water bodies. A detailed inventory of the water bodies and forest should be evaluated and fact reported to the Forest Department & PWD for monitoring.
- 24. All the assessed flora & fauna should be conserved and protected.
- 25. The proponent should strictly comply with, Tamil Nadu Government Order (Ms) No.84 Environment and forests (EC.2) Department dated 25.06.2018 regarding ban on one time use and throwaway plastics irrespective of thickness with effect from 01.01.2019 under Environment (Protection) Act, 1986.
- 26. As per MoEF & CC, GoI, Office Memorandum dated 30.03.2015, prior clearance from Forestry & Wildlife angle including clearance from obtaining committee of the National Board for Wildlife as applicable shall be obtained





- before starting the quarrying operation, if the project site is located within 10KM from National Park and Sanctuaries.
- 27. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided.
- 28. The safety measures proposed in the report should be strictly followed.
- 29. The Developer shall ensure that no allotment letter/ sale deed in any form shall be made to house category A or category B industry as prescribed in the schedule of EIA notification 2006. However, in case any category A or category B type of industry as prescribed in the schedule of EIA notification 2006 is proposed then the individual unit shall apply and seek Environmental Clearance under the EIA notification 2006.
- 30. The project proponent must submit the permissible land use classification certificate obtained from competent authority for the proposed project before obtain the CTE from TNPCB.
- 31. The proponent shall obtain the necessary permission/ NOC of water supply from the TWAD board
- 32. The Developer shall mandate the member industries of the Industrial Park to allot 33% of the plot area for green belt development and to install RWH structures.
- 33. The Developer has to ensure that all the member industries within the Industrial Park shall make their own arrangements to achieve zero discharge of the trade effluents, solid waste & E waste management, gaseous emission and noise control measures to achieve the standards prescribed by the TNPCB.
- 34. The project proponent shall ensure that the individual member units will not be allowed to carry out manufacturing of products stipulated in G.O. (Ms) No. 84 dated 25/06/2018 on banning of one time use on and throwaway plastics.
- 35. The project proponent must submit the permissible land use classification certificate obtained from competent authority for the proposed project before obtain the CTE from TNPCB.



MEMBER SE RETARY
Midd SEIAA-TN

- 36. The CER fund shall be utilized as per the office memorandum of MoEF & CC dated 01.05.2018 before obtaining CTO from TNPCB.
- 37. The allotted industrial units shall obtain consent from the TNPCB separately for their establishment & operation in this industrial estate.
- 38. The project proponent shall ensure that 33% of the total area of the project site should be covered with green belt.
- 39. The proponent shall provide Rain Water Harvesting pits so as to recharge the ground water table.
- 40. Discharge of treated sewage shall conform to the norms & standards prescribed by the Tamil Nadu Pollution Control Board.
- 41. It is the sole responsibility of the proponent that the treated sewage disposed for green belt development/ avenue plantation should not pollute the soil/ ground water/ adjacent canals/ lakes/ ponds, etc.
- 42. The Developer has to ensure that all the member industries within the Industrial Park shall make their own arrangements to achieve zero discharge of the trade effluents,
- 43. The project proponent shall ensure that all the member units should treat and dispose solid waste & E-waste as per the Solid Waste Management Rule2016 as amended and E-Waste Management Rules, 2016
- 44. There shall be no discharge of effluent outside the Industrial Park at any time.
- 45. The Developer shall mandate the member units of the Industrial Park to install adequate APC measures/Acoustic to achieve air emissions standards within permissible limits prescribed by the CPCB.
- 46. The Project proponent shall earmark the following Co ordinates in the project site as per CRZ map issued by IRS, Anna University and shall provide with pillar stone.

LABLE	LATITUDE	LONGITUDE
A	13°17'53.829"N	80°18'57.149"E
В	13°17'51.613"N	80°19'6.267"E
C	13°17'29.520"N	80°19'17.462"E
D	13°17'25.876"N	80°19'17.624"E
E	13°17'0.406"N	80°19'11.241"E

1 1 DEC 2019

MEMBER SECRETARY
SEIAA-TN

Chenna

F	13°16'45.849"N	80°19'2.924"E
G	13°16'11.552"N	80°18'54.004"E
H	13°16'10.676"N	80°18'48.620"E
I	13°16'15.943"N	80°18'48.161"E
J	13°16′16.212″N	80°18'46.548"E
K	13°16'39.554"N	80°18'52.076"E
L	13°16'44.580"N	80°18'50.337"E
M	13°16'56.035"N	80°18'44.163"E
N	13°17'3.801"N	80°18'42.680"E
0	13°17'5.139"N	80°18'43.162"E
P	13°17'2.214"N	80°18'53.224"E
Q	13°16'59.337"N	80°18'57.518"E
R	13°16'59.532FN	80°19'3.514"E
S	13°17'18.118"N	80°19'8.899"E
T	13°17'26.234"N	80°19'9.191"E
U	13°17'29/254''JN	80°19'8.933"E
V	13°17'80:657"N	80°19'6.172"E
W	13°17′33″.153°N	80°19'8.035"E
VV	13°17'33.133"N	00 13 0.033

47. The Environmental Clearance issued only for the revised proposal submitted by the proponent for the project site fall non CRZ area as per CRZ (Ref.No AU/IRS/CU/229-2019 Dt.9.12,2019) map issued by IRS, Anna University.

Part - B - Specific Conditions - Pre construction phase:

- 1. The project authorities should advertise with basic details at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of clearance. The press releases also mention that a copy of the clearance letter is available with the State Pollution Control Board and also at website of SEIAA, TN. The copy of the press release should be forwarded to the Regional Office of the Ministry of Environment and Forests located at Chennai and SEIAA-TN.
- 2. In the case of any change(s) in the scope of the project, a fresh appraisal by the SEAC/SEIAA shall be obtained before implementation.
- 3. A copy of the clearance letter shall be sent by the proponent to the Local Body. The clearance letter shall also be put on the website of the Proponent.

4. The approval of the competent authority shall be obtained for structural safety of the buildings during earthquaken approval of fire fighting equipments, etc as per

1 1 DEC 2019

MEMBER SECRETARY

National Building Code including protection measures from lightning etc before commencement of the work.

- 5. All required sanitary and hygienic measures for the workers should be in place before starting construction activities and they have to be maintained throughout the construction phase.
- 6. Design of buildings should be in conformity with the Seismic Zone Classifications.
- 7. The Construction of the structures should be undertaken as per the plans approved by the concerned local authorities/local administration.
- 8. No construction activity of any kind shall be taken up in the OSR area.
- 9. Consent of the local body concerned should be obtained for using the treated sewage in the OSR area for gardening purpose. The quality of treated sewage shall satisfy the bathing quality prescribed by the CPCB.
- 10. The height and coverage of the constructions shall be in accordance with the existing FSI/FAR norms as per Coastal Regulation Zone Notification, 2011.
- 11. The Project Proponent shall provide car parking exclusively for the visiting guest in the proposed residential apartments as per CMDA norms.
- 12. The project proponent shall ensure the level of basement shall be above maximum flood level.
- 13. The proponent shall prepare completion plans showing Separate pipelines marked with different colours with the following details
 - i. Location of STP, compost system, underground sewer line.
 - ii. Pipe Line conveying the treated effluent for green belt development.
 - iii. Pipe Line conveying the treated effluent for toilet flushing
 - iv. Water supply pipeline
 - v. Gas supply pipe line, if proposed
 - vi. Telephone cable
 - vii. Power cable
 - viii. Strom water drains, and





- ix. Rain water harvesting system, etc., and it shall be made available to the owners
- 14. A First Aid Room shall be provided in the project site during the entire construction and operation phases of the project.
- 15. The present land use surrounding the project site shall not be disturbed at any point of time.
- 16. The green belt area shall be planted with indigenous native trees.
- 17. Natural vegetation listed particularly the trees shall not be removed during the construction/operation phase. In case any trees are likely to be disturbed, shall be replanted.
- 18. During the construction and operation phase, there should be no disturbance to the aquatic eco-system within and outside the area.
- The Provisions of Forest conservation Act 1980, Wild Life Protection Act 1972
 Bio diversity Act 2002 should not be violated.
- 20. There should be Fire fighting plan and all required safety plan.
- 21. Regular fire drills should be held to create awareness among owners/ residents.

Part - C - Specific Conditions - Construction phase:

1. Construction Schedule:

 The Project proponent shall have to furnish the probable date of commissioning of the project supported with necessary bar charts to SEIAA-TN.

2. Labour Welfare:

- All the labourers to be engaged for construction should be screened for health and adequately treated before and during their employment on the work at the site.
- ii) Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to

1 1 DEC 2019

MEMBER SECRETARY

- observe any contradictions due to exposure to dust and take corrective measures, if needed.
- iii) Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly. The workers shall be provided with personnel protective measures such as masks, gloves, boots etc.

3. Water Supply:

- i) The entire water requirement during construction phase may be met from ground water source from the source with approval of the PWD Department of water resources/ may be out sourced.
- ii) Provision shall be made for the housing labour within the site with all necessary infrastructures and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iii) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The treatment and disposal of waste water shall be through dispersion trench after treatment through septic tank. The MSW generated shall be disposed through Local Body and the identified dumpsite only.
- iv) Water demand during construction should be reduced by use of premixed concrete, curing agents and other best practices prevalent.
- v) Fixtures for showers, toilet flushing and drinking water should be of low flow type by adopting the use of aerators / pressure reducing devises / sensor based control.


4. Solid Waste Management:

i) In the solid waste management plan, the STP sludge management plan for direct use as manure for gardens is not acceptable; it must be co-composted with biodegradables.



MEMBER SECRETARY
SEIAA-TN

Chennai 600 008



- ii) House hold hazardous waste such as batteries, small electronics, CFL bulbs, expired medicines and used cleaning solvent bottles should be segregated at source, collected once in a month from residences and disposed as per the SWM rules 2016.
- iii) Domestic solid wastes to be regularly collected in bins or waste handling receptacles and disposed as per the solid waste management rules 2016.
- iv) No waste of any type to be disposed of in any watercourse including drains, canals and the surrounding environment.
- v) E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016 and subsequent amendment.

. 5. Top Soil Management:

i) All the top soil excavated during construction activities should be stored for use in horticulture/landscape development within the project site.

6. Construction Debris disposal:

- i) Disposal of construction debris during construction phase should not create any adverse effect on the neighboring communities and be disposed off only in approved sites, with the approval of Competent Authority with necessary, precautions for general safety and health aspects of the people. The construction and demolition waste shall be managed as per Construction & Demolition Waste Management Rules, 2016.
- ii) Construction spoils, including bituminous materials and other hazardous materials, must not be allowed to contaminate watercourses. The dump sites for such materials must be secured so that they should not leach into the adjacent land/ lake/ stream etc.

7. Diesel Generator sets:

i) Low Sulphur Diesel shall be used for operating diesel generator sets to be used during construction phase. The air and noise emission shall conform to the standards prescribed in the Rules under the Environment (Protection) Act. 1986 WALLES Rules framed thereon.

1 1 DEC 2019

- ii) The diesel required for operating stand by DG sets shall be stored in underground tanks fulfilling the safety norms and if required, clearance from Chief Controller of Explosives shall be taken.
- iii) The acoustic enclosures shall be installed at all noise generating equipments such as DG sets, air conditioning systems, cooling water tower etc.

8. Air & Noise Pollution Control:

- i) Vehicles hired for bringing construction materials to the site should be in good condition and should conform to air and noise emission standards, prescribed by TNPCB/CPCB. The vehicles should be operated only during non-peak hours.
- ii) Ambient air and noise levels should conform to residential standards prescribed by the TNPCB, both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during the construction phase. The pollution abatement measures shall be strictly implemented.
- iii) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site shall be avoided. Parking shall be fully internalized and no public space should be utilized. Parking plan to be as per DTCP norms. The traffic department shall be consulted and any cost effective traffic regulative facility shall be met before commissioning.
- iv) The buildings should have adequate distance between them to allow free movement of fresh air and passage of natural light, air and ventilation.

9. Building material:

- i) Fly-ash blocks should be used as building material in the construction as per the provision of Fly ash Notification of September, 1999 and amended as on 27th August, 2003 and Notification No. S.O. 2807 (E) dated: 03.11.2009.
- ii) Ready-mix concrete shall alone be used in building construction and necessary cube-tests should be conducted to ascertain their quality.



iii) Use of glass shall be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, high quality double glass with special reflecting coating shall be used in windows.

10. Storm Water Drainage:

- i) Storm water management around the site and on site shall be established by following the guidelines laid down by the storm water manual.
- ii) Storm water management plan shall be obtained by engaging the services of Anna University/IIT.

11. Energy Conservation Measures:

- Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material, to fulfill the requirement.
- ii) Opaque wall should meet prescribed requirement as per Energy Conservation Building Code which is mandatory for all air conditioned spaces by use of appropriate thermal insulation material to fulfill the requirement.
- iii) All norms of Energy Conservation Building Code (ECBC) and National Building Code, 2005 as energy conservation have to be adopted Solar lights shall be provided for illumination of common areas.
- iv) Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting. A hybrids system or fully solar system for a portion of the apartments shall be provided.
- v) A report on the energy conservation measures conforming to energy conservation norms prescribed by the Bureau of Energy Efficiency shall be prepared incorporating details about building materials & technology;
 R & U factors etc and submitted to the SEIAA in three month's time.
- vi) Energy conservation measures like installation of CFLs/TFLs for lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning.

12. Fire Safety:





- i) Adequate fire protection equipments and rescue arrangements should be made as per the prescribed standards.
- ii) Proper and free approach road for fire-fighting vehicles upto the buildings and for rescue operations in the event of emergency shall be made.

13. Green Belt Development:

- i) The Project Proponent shall plant tree species with large potential for carbon capture in the proposed green belt area based on the recommendation of the Forest department well before the project is completed.
- ii) The purpose of Green belt around the project is to capture the fugitive emissions and to attenuate the noise generated, in addition to the improvement in the aesthetics. A wild range of indigenous plants species should be planted in and around the premise in consultation with the DFO, Viluppuram District / State Agriculture University. The plants species should have thick canopy cover, perennial green nature, native origin and large leaf areas. Medium size trees and small trees alternating with shrubs shall be planted. If possible Miyawaki method of planting i.e planting different types of trees at very close escapement may be tried which will give a good green cover. A total of 15% of the plot area should be designated for green belt which should be raised along the boundaries of the plot and in between blocks in an organized manner
- iii) The proponent shall develop the green belt as per the plan furnished and area earmarked for the greenbelt shall not be alter at any point of time for any other purpose.
- iv) The proponent has to earmark the greenbelt area with dimension and GPS coordinates for the green belt area and the same shall be included in the layout out plan to be submitted for DTCP approval

14. Sewage Treatment Plant:





- independent expert/ reputed Academic institutions for its adequacy and a report in this regard should be submitted to the SEIAA, TN before the project is commissioned for operation. Explore the less power consuming systems viz baffle reactor, etc., for the treatment of sewage.
- ii) The Proponent shall install STP as furnished. Any alteration to satisfy the bathing quality shall be informed to SEIAA-TN.
- iii) The project proponent shall operate and maintain the Sewage treatment Plant effectively to meet out the standards prescribed by the CPCB.
- iv) The project proponent shall continuously operate and maintain the Sewage treatment plant to achieve the standards prescribed by the CPCB.
- v) The project proponent has to ensure the complete recycling of treated sewage after achieving the standards prescribed by the CPCB.
- vi) The project proponent has to provide separate standby D.G set for the STP for the continuous operation of the STP in case of power failure.

15. Rain Water Harvesting:

- i) The proponent/ Owner of the Flats shall ensure that roof rain water collected from the covered roof of the buildings, etc shall be harvested so as to ensure the maximum beneficiation of rain water harvesting by constructing adequate sumps so that 100% of the harvested water shall be reused.
- ii) Rain water harvesting for surface run-off, as per plan submitted should be implemented. Before recharging the surface run off, pre-treatment with screens, settlers etc. must be done to remove suspended matter, oil and grease, etc.
- iii) The project activity should not cause any disturbance & deterioration of the local bio diversity.

16. Building Safety:

Lightning arrester shall be properly designed and installed at top of the building and what are essary.

1 1 DEC 2019



<u>Part - D - Specific Conditions - Operational Phase/Post constructional phase/Entire life of the project:</u>

- 1. There should be Fire fighting plan and all required safety plan.
- 2. Regular fire drills should be held to create awareness among owners/ residents.
- 3. House hold hazardous waste such as batteries, small electronics, CFL bulbs, expired medicines and used cleaning solvent bottles should be segregated at source, collected once in a month from residences and disposed as per the SWM rules 2016.
- 4. The building should not spoil the green views and aesthetics of surroundings and should provide enough clean air space.
- 5. The project proponent has to furnish the certificate stating that the proposed site had not encroached any water body (rivers, canals, lakes, ponds, tanks, etc) from its original boundary shall be obtained from the competent authority before obtaining CTE from TNPCB.
- 6. The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
- 7. Solar energy saving shall be increased to atleast10% of total energy utilization.
- 8. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
- 9. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF & CC as a part of sixmonthly report.



- 10. The EMP cost shall be printed in the Brochure / Pamphlet for the preparation of the sale of the property and should also mention the component involved.
- 11. The Project proponent shall get due permission from the wetland Authority before the commencement of the work, if applicable.
- 12. The project activities should in no way disturb the manmade structures.
- 13. The Proponent shall do afforestation/ restoration programme contemplated to strengthen the open spaces shall preferably include native species along with the financial forecast for planting and maintenance for 5 years.
- 14. "Consent to Operate" should be obtained from the Tamil Nadu pollution Control Board before the start of the operation of the project and copy shall be submitted to the SEIAA-TN.
- 15. Raw water quality to be checked for portability and if necessary RO plant shall be provided.
- 16. The Proponent should be responsible for the maintenance of common facilities including greening, rain water harvesting, sewage treatment and disposal, solid waste disposal and environmental monitoring including terrace gardening for a period of 3 years. Within one year after handing over the flats to all allottees a viable society or an association among the allottees shall be formed to take responsibility of continuous maintenance of all facilities with required agreements for compliance of all conditions furnished in Environment Clearance (EC) order issued by the SEIAA-TN or the Proponent himself shall maintain all the above facilities for the entire period. The copy of MOU between the buyers Association and proponent shall be communicated to SEIAA-TN.
- 17. The ground water level and its quality should be monitored and recorded regularly in consultation with Ground Water Authority.
- 18. Treated effluent emanating from STP shall be recycled / reused to the maximum extent possible. The treated sewage shall conform to the norms and standards for bathing quality laid down by CPCB irrespective of any use. Necessary measures should be made to mitigate the odour and mosquito problem from STP.

1 1 DEC 2019

- 19. The Proponent shall operate STP continuously by providing stand by DG set in case of power failure.
- 20. Adequate measures should be taken to prevent odour emanating from solid waste processing plant and STP.
- 21. The E waste generated should be collected and disposed to a nearby authorized e-waste centre as per E- waste (Management & Handling), Rules 2016 as amended.
- 22. Diesel power generating sets proposed as source of back-up power during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets.
- 23. The noise level shall be maintained as per MoEF/CPCB/TNPCB guidelines/norms both during day and night time.
- 24. Spent oil from D.G sets should be stored in HDPE drums in an isolated covered facility and disposed as per the Hazardous & other Wastes (Management & Transboundary Movement) Rules 2016. Spent oil from D.G sets should be disposed off through registered recyclers.
- 25. The proponent is required to provide a house hold hazardous waste / E-waste collection and disposal mechanism.
- 26. The proponent/ Owner of the Flats shall ensure that storm water drain provided at the project site shall be maintained without choking or without causing stagnation and should also ensure that the storm water shall be properly disposed off in the natural drainage / channels without disrupting the adjacent public. Adequate harvesting of the storm water should also be ensured.
- 27. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.
- 28. A copy of the Environmental clearance (EC) letter shall be made available to all the allottees along with the allotment order / sale deed.



MEMBER SECRETARY
SEIAA-TN

ner Inc

Chennal 600 008 29. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.

MEMBER SECRETARY SEIAA-TN

Copy to:

- 1. The Principal Secretary to Government, Environment & Forests Dept, Govt. of Tamil Nadu, Fort St. George, Chennai 9.
- The Chairman, Central Pollution Control Board, Parivesh Bhavan,
 CBD Cum-Office Complex, East Arjun Nagar, New Delhi 110032.
- The Member Secretary, Tamil Nadu Pollution Control Board,
 Mount Salai, Guindy, Chennai-600 032.
- The APCCF (C), Regional Office, Ministry of Environment & Forest (SZ),
 HEPC Building, 1st & 2nd Floor, Cathedral Garden Road, Nungambakkam,
 Chennai 34.
- Monitoring Cell, I A Division, Ministry of Environment & Forests, Paryavaran Bhavan, CGO Complex, New Delhi 110003.
- 6. The District Collector, Tiruvallur District
- 7. Stock File.





x 3 1PCE Industry Home

Type here to search

acmms.tn.gov.in/OCMMS/indUser/openIndustryFrome#country2 🥅 Griai 🍙 rouliuse 😿 Maps Online Consent Management & Monitoring System Ministry of Environment, Forest and Climate Change Government of India Woste Management Leboratory Management CESS Management Industry Profile Apply For Consent * Change Password Delete Application TAMIL NADU POLYMER INDUSTRIES PARK LIMITED Coline Payment Verification View Notices If you want to edit some data click on Industry Profile In-progress Application Completed Application 32436303 24-06-2020 Air & Water CIE Progress Іп-Ртосеня



ヘ智 dy ENS 10-12-23











11% Complete Environmental Service Prosider)

2. 32 Nebru Street, Marutti Nagar, Phase I,
beamparthangal Chennai = 60007 - Tatort Nadu

1.1 + (21-44) 48634849, 63809 68684

Limal: labs@irteshellan, lifeshellabsl@gneail.com.
www.hteshelllabs.com

TEST REPORT

Sample ID 20012245	JOE: 577		Report Date: 14.09.2020		
Customer Name	M/s. Tamil Nadu Polymer Industr	M/s. Tamil Nadu Polymer Industries Park Limited			
Address	S F NO: 143 & 189 of Puzhidivakka Tiruvallur District, Tamil Nadu	am Village, 2053B Part of Vayalur V	filiage, Ponneri Taluk		
Date of Sampling	07.09.2020	Sampled by	l SL		
Sample Received on	08.09.2020	Sample Description	Ambient Air Quality - AAQ		
Test Commenced on	08.09.2020	Sampling duration	24 hrs		
Test Completed on	14.09.2020	Ambient Temp during sampling	29°C (Avg.)		
Sampling Location	South Corner Of the Project Site	RH during sampling	71% (Avg.)		
Sampling Procedure	Prescribed as per Test Method				

DISCIPLINE PRODUCT GROUP		CHEMICA	CHEMICAL TESTING				
		ATMOSPHERIC POLLUTION					
S. No	PARAMETERS	UNIT	TEST METHOD	RESULTS	*NAAQ STAND	ARDS:2009	
1	Particulate Matter in (PM ₁₀)	µg/m³	IS 5182 (Part 23)	56.2	100 (24 Hours)	60 (Annual)	
2	Particulate Matter in (PM _{2.5})	μg/m³	EPA-Appendix-L (Part-50)	15.4	60 (24 Hours)	40 (Annual)	
3	Sulphur dioxide as SO ₂	μg/m³	(S 5182 (Part 2)	5 55	80 (24 Hours)	50 (Annual)	
4	Nitrogen Dioxide as NO ₂	μg/m³	IS 5182 (Part 6)	12.4	80 (24 Hours)	40 (Annual)	
>	Ozone as O ₁	μg/m³	IS 5182 (Part 9)	13.8	180 (1 Hours)	100 (8Hours)	
6	Ammonia as NH ₃	μg/m³	CPCB Manual 2013	25.9	400 (24 Hours)	(Ganna) 001	
7	Carbon Monoxide as CO (1hr)	mg/m [†]	IS 5182 (Part 10)	BDL (Dt 1 15)	4 (1 Hours)	2 (1 Hours)	
8	· Lead as Pb	μg/m [*]	IS 5182 (Part 22)	BDL (01 0 5)	1 (24 Hours)	0.5 (Annual)	
9	Benzene as C ₆ H ₆	μg/m³	IS 5182 (Part 11)	BOL (0(1 0)	5 (Annual)	5 (Annual)	
10	Arsenic as As	ng/m³	IS 5182 (Part 22)	BDL (OLLI 0)	G (Annual)	6 (Annual)	
11	Nickel as Ni	ng/m³	IS 5182 (Part 22)	BDL (Dt 1 0)	20 (Annual)	20 (Anniai)	
12	Benzo(a)Pyene in C ₂ OH ₁₂	ng/m1	IS 5182 (Part 12)	BDL (DC 1 0)	[[(Annual)	1 (Annual)	

Note: BDL Below Detectable Limit, DL Detectable Limit, pg/m. Micrograms per cubic meter, ng/m. Nanograms per cubic meter

*NAAQ: National Ambient Air Quality.

Verified by

M. BALAJI

Deputy Quality Manager

Les (CHERNA)

For Life Shell Labs India Pvt. Ltd. Authorized Signatory

K. KAMALANATHA

Daputy Technical Mahadus

Perclot1

Note 1) The results listed herewith are only for the items rested 2) Endorsement of tent from neither interred not implied 3) The report in full of part shall not include items promotions activity or publicity purpose without scritten consend by us-4) Samples are not drawn by us incless otherwise mentioned. 5) Unless specifically requisited by the present by the energian will not be recained more than 5 days from the date of usene of the test report 6) Under no otherwise mentioned as several and stately for loss/consequences of the test report 6) Under no otherwise the accepts any battery for loss/consequences of users of the meaning the manner of amounts.







The state of the s

(The Complete Environmenta, Service Provider)
No. 20, Nehro Street, Maria — Nagar, Physe I.
Iyyappanthangal, Chennai — (1907)7 Tapad Nadu
Tel. ±91(44) 48634849, 63801 n8684
Email: labs@difeshell.in, life Fellabs@gmail.com
www.lifeshelllabs.com

TEST REPORT

Sample ID: 20012246	JOE: 577		Report Date: 14 09 2020
Custome: Name	M/s. Tamil Nadu Polymer Indust	ries Park Limited	
Address	S.F. NO: 143 & 189 of Puzhidivakl Tiruvallur District, Tamil Nadu	cam Village, 20538 Part of Voyalur ∀	filage Ponneri Taluk,
Date of Sampling	07 09 2020	Sampled by	LSL
Sample Received on	08 09 2020	Sample Description	Ambient Air Quality - AAQ
Test Commenced on	08.09.2020	Sampling duration	24 hrs
Test Completed on	14.09 2020	Ambient Temp during sampling	31°C (Avg.)
Sampling Location	East corner of the project site	RH during sampling	66% (Avg.)
Sampling Procedure	Prescribed as per Test Method		

DISCIPLINE		CHEMICAL TESTING				
PRODUC	CT GROUP	ATMOSP	HERIC POLLUTION			
S. No	PARAMETERS	TINU	TEST METHOD	RESULTS	*NAAQ STAND	ARDS:2009
1	Particulate Matter in (PM ₁₀)	μg/m³	IS 5182 (Part 23)	52.4	100 (24 Hours)	60 (Annual)
2	Particulate Matter in (PM _{2.5})	μg/m³	EPA-Appendix-L (Part-50)	18 3	60 (24 Hours)	40 (Annual)
3	Sulphur dioxide as SO ₂	μg/m³	IS 5182 (Part 2)	8.19	80 (24 Hours)	50 (Annual)
4	Nitrogen Dioxide as NO ₂	μg/m³	IS 5182 (Part 6)	18.3	80 (24 Hours)	40 (Annual)
5	Ozone as O ₃	μg/m³	IS 5182 (Part 9)	11.4	180 (1 Hours)	100 (8Hours)
6	Ammonia as NH;	μg/m³	CPCB Manual-2013	20.5	400 (24 Hours)	100 (Annual)
7	Carbon Monoxide as CO (1hr)	mg/m³	(S 5182 (Part 10)	BDL (DL 1 15)	4 (1 Hours)	2 (1 Hours)
8	Lead as Pb	μg/m³	IS 5182 (Part 22)	BDL (0) 0 5)	1 (24 Hours)	0.5 (Annual)
9	Benzene as C ₆ H ₄ ,	μg/m³	IS 5182 (Part 11)	BD1 (DC10)	5 (Annual)	5 (Annual)
10	Arsenic as As	ng/m³	IS 5182 (Part 22)	BDL (DL 17)	6 (Annual)	6 (Annual)
11	Nickel as Ni	ng/m³	IS 5182 (Part 22)	BDL (DC 1-0)	(Annual)	20 (Annual)
12	Benzo(a)Pyene in C ₂ OH ₁₂	ng/m³	IS 5182 (Part 12)	BDL (nr. 10)	1 (Annual)	1 (Annual)

Note: BDL Below Detectable Limit, DL Detectable Limit, pg/m Micrograms per cubic meter, ng/m Nanograms per sibit meter

*NAAQ: National Ambient Air Quality

Verified by

M. SALAH Deputy Quality Manager CHENNA!

For Life Shell Labs India Pvt. Ltd Authorized Signatory

k kamulunta











(The Complete Environmenta: Service Provider) No. 20, Nehru Street, Maruth, Nagar, Phase I, Jyyappanthangal, Chennai = 600077 Tamil Nadu Tel ±91(44) 48634849, 63809 68684 Email: labs@lifeshell.in, lifeshelllabs@gmail.com www.lifeshelllabs.com

TEST REPORT

Sample (D: 20012247	IOE: 577		Report Date: 14.09.2020
Customer Name	M/s. Tamil Nadu Polymer Industr	ies Park Limited	
Address	S.F. NO. 143 & 189 of Puzhidivakka Tiruvallur District, Tamil Nadu.	ant Village, 2053B Part of Vayalur V	fillage, Ponneri Taluk
Date of Sampling	07.09.2020	Sampled by	LSL
Sample Received on	08.09 2020	Sample Description	Ambient Air Quality - AAQ
Test Commenced on	08.09.2020	Sampling duration	24 hrs
Test Completed on	14.09.2020	Amblent Temp during sampling	33°C (Avg)
Sampling Location	North corner of the project site	RH during sampling	66% (Avg)
Sampling Procedure	Prescribed as per Test Method		

DISCIPLINE		CHEMICAL TESTING				
PRODUC	CT GROUP	ATMOSP	HERIC POLLUTION			
S. No	PARAMETERS	UNIT	TEST METHOD	RESULTS	*NAAQ STAND	ARDS:2009
1	Particulate Matter in (PM ₁₀)	μg/m	IS 5182 (Part 23)	56.2	100 (24 Hours)	60 (Annual)
2	Particulate Matter in (PM _{2.5})	ftB/w ₃	EPA-Appendix-L (Part-50)	15.4	60 (24 Hours)	40 (Annual)
3	Sulphur dioxide as SO₂	μg/m³	IS 5182 (Part 2)	5.55	80 (24 Hours)	50 (Annual)
4	Nitrogen Dioxide as NO₂	μg/m³	IS 5182 (Part 6)	12.4	80 (24 Hours)	40 (Annual)
6	Ozone as O ₃	μg/m³	IS 5182 (Part 9)	13.8	180 (1 Hours)	100 (8Hours
6	Ammonia as NH ₃	μg/m³	CPCB Manual 2013	25 9	400 (24 Hours)	100 (Annual
7	Carbon Monoxide as CO (1hr)	mg/m ³	IS 5182 (Part 10)	BDL (0) 1 (15)	4 (1 Hours)	2 (1 Hours)
8	Lead as Pb	μg/m³	IS 5182 (Part 22)	BDL (DI 0 5)	1 (24 Hours)	0.5 (Annual)
9	Benzene as C ₆ H ₆	μg/m³	IS 5182 (Part 11)	BDL (OL 1 0)	5 (Annual)	5 (Annual)
10	Arsenic as As	ng/m³	IS 5182 (Part 22)	BDL (0):10)	6 (Annual)	6 (Annual)
11	Nickel as Ni	ng/m	IS 5182 (Part 22)	BDL (DL 1.0)	20 (Annual)	20 (Annual)
12	Benzo(a)Pyene in C ₂ OH ₁₂	ng/m³	IS 5182 (Part 12)	BDL (DL LD)	1 (Annual)	I (Annoal)

Note: BDL: Below Detectable Limit; DL: Detectable Limit, µg/m. Micrograms per capic meter, ng/m. Nanograms per capic

*NAAQ: National Ambient Air Quality

Verlfied by

M. BALAJI Deputy Quality Manager nd of Repor

For Life Shell Labs India Pvt. Ltd. **Authorized Signatory**

k. Kaumhuuth.

K. KAMALANATHAN

Deputy Technic

Page Lof I

800.008









(The Complete Environment & Service Provider)
(No. 20 Nebru Street, Mayana Majar, Phase I,
Iyyappanthangai, Chemaa = 50007 Taniel Nadu
Tel +91;44) 48634849, 63865 68684
Email: labs(@liteshellan, bfeshellabs@gmad.com
www.lifeshellabs.com

TEST REPORT

Sample ID 20012248	JOE: 577	Report Date: 14.09.2020			
Customer Name	M/s. Tamil Nadu Polymer Industr				
	S.f. NO: 143 & 189 of Puzhidiyakk	am Village, 2053B Part of Vayalus V	illage, Porneri Laluk		
Address	Tiruvallur District, Tamil Nadu				
Date of Sampling	07.09.2020	Sampled by	USU		
Sample Received on	08 09 2020	Sample Description	Ambient Air Quality - AAQ		
Test Commenced on	08 09 2020	Sampling duration	24 hrs		
Test Completed on	14.09.2020	Ambient Temp during sampling	32°C (Avg.)		
Sampling Location	West corner of the project site	RH during sampling	64% (Avg.)		
Sampling Procedure	Prescribed as per Test Method				

DISCIPLI	NE	CHEMICAL	TESTING			
PRODUC	CT GROUP	ATMOSPI	HERIC POLLUTION			
S. No	PARAMETERS	UNIT	TEST METHOD	RESULTS	*NAAQ STANDA	ARDS:2009
1	Particulate Matter in (PM ₁₀)	μg/m³	IS 5182 (Part 23)	56.8	100 (24 Hours)	60 (Annual)
2	Particulate Matter in (PM _{2.5})	μg/m³	EPA-Appendix-L (Part 50)	25 1	60 (24 Hours)	40 (Annual)
3	Sulphur dioxide as SO ₂	μg/m³	IS 5182 (Part 2)	12.1	80 (24 Hours)	50 (Annual),
4	Nitrogen Dioxide as NO ₂	μg/m³	IS 5182 (Part 6)	19.6	80 (24 Hours)	40 (Annual)
5	Ozone as O ₃	μg/m³	15 5182 (Part 9)	10 4	180 (1 Hours)	100 (8Hours
6	Ammonia as NH ₃	μg/m³	CPCB Manual 2013	22.1	400 (24 Hours)	100 (Annual
7	Carbon Monoxide as CO (1hr)	mg/m ³	IS 5182 (Part 10)	BDL (DL 1 15	: 4 (1 Hours)	2 (1 Hours)
8	Lead as Pb	μg/m³	IŞ 5182 (Part 22)	BDL (01 0 5)	1 (24 Hours)	் 0.5 (Annual
9	Benzene as C ₆ H ₆	μg/m³	IS 5182 (Part 11)	BDL (Dt 10)	5 (Annual)	5 (Annual)
10	: Arsenic as As	ng/m³	IS 5182 (Part 22)	BDL on 10	6 (Annual)	6 (Annual)
11	Nickel as Ni	ng/m³	IS 5182 (Part 22)	BDL (OL 1-0)	20 (Annual)	20 (Annual)
12	Benzo(a)Pyene in C ₂ OH ₁₂	ng/m³	IS 5182 (Part 12)	BDL (Dc 1 0)	1 (Annual)	1 (Annual)

*NAAQ: National Ambient Air Quality

Verified by

M. BALAJI
Deputy Quality Manager


CHE HINA

For Life Shell Labs India Pvt. Ltd
Authorized Signatory

K. KAMALANATHAN
Deputy Technical I

Page 1 of 1

Note: 1) The results listed berewith are only for the nerus tested. 2) Endorsement of test flem is neither inferred not implied. 3) The report in full or part shall not be used for an promotional activity or publicity purpose without written consent by us. 4) Samples are not drawn by us unless otherwise mendland. 5) Unless specifically requested by the drawner the test items will not be retained more than? days from the date of issue of the test report. 6) Under no circumstances, lab as cepts any liability in linear in proven willful negligence and will in no case be more than the invoiced amount.









(The Complete Livinoimental Service Provider)
No. 120 Nehru Street, Marut - Nagat, Phase L
fyyappanthangai, Chermat = 600077 Tamel Nade
Tel +91(44) 48634849, 63809 68684
Email: labs@lifeshell.m, lifeshelllabs@gmail.com
www.liteshelllabs.com

TEST REPORT

Sample ID: 20012249	JOE: 577		Report Date: 14.09 2020
Customer Name	M/s. Tamil Nadu Polymer Indust		
Address	S F NO: 143 & 189 of Puzhidivaki Tiruvallur District, Tamil Nadu	kam Village, 2053B Part of Vay	alur Village, Portivir Taluk
Date of Sampling	07.09.2020	Sampled by	LSE
Sample Received on	08.09 2020	Sample Description	Surface Water
Test Commenced on	08 09.2020	Sampling Procedure	TSL/CHE/SOP/071
Test Completed on	14.09.2020	Sample Condition	Satisfactory
Sampling Location	Buckingham canal Up Stream	Sample Quantity	2 liters

DISCIPLINE		CHEMICAL TESTIN	G	
PRODUCT GROUP		WATER		
S. No	PARAMETERS	UNIT	TEST METHOD	RESULTS
1	pH @ 25°C	±+.	15 3025-Part 11	7_21
2	Total Dissolved Solids (TDS)	mg/l	IS 3025-Part 16	12504
3	Nitrate as No.	mg/l	IS 3025-Part 34	1.5
4	Total Suspended solids (TSS)	mg/l	IS 3025 part-17	50.0

Note: BDL Below Detectable Limit; DL Detectable Limit, mg/l-Milligrams peculter

Verified by

M. BALAJI

Deputy Quality Manager

VOIS PVIL

For Life Shell Labs India Pvt. Ltd.
Authorized Signatory

Authorized Signatory

Deputy Technical Manager

Indus

henne

nd of Report







(The Complete Priviounnest's Service Provider) No. 20, Nelina Street, Marie a Napat, Please I, Iwappanthangal Chennai — 2007. Hamil Nadu www.lifeshelliabs.com

TEST REPORT

Sample ID: 20012250	JOE: 577	Report Date: 14.09.2020				
Customer Name		: M/s. Tamil Nadu Polymer Industries Park Limited				
Address	S.F. NO: 143 & 189 of Puzhidivakka Tiruvallur District, Tamil Nadu.	m Village, 20538 Part of Vay	alur Village, Ponneri Taluk,			
Date of Sampling	07.09.2020	Sampled by	LSL -			
Sample Received on	08 09.2020	Sample Description	Surface Water			
Test Commenced on	08.09 2020	Sampling Procedure	LSL/CHE/SOP/071			
Test Completed on	14.09.2020	Sample Condition	Satisfactory			
Sampling Location	Buckingham canal Down Stream	Sample Quantity	2 liters			

DISCIPLINE PRODUCT GROUP		CHEMICAL TESTIN	G	
		WATER		
S. No	PARAMETERS	UNIT	TEST METHOD	RESULTS
1	pH @ 25°C	24	IS 3025 Part 11	7,34
2	Total Dissolved Solids (TDS)	mg/l	IS 3025 Part 16	11480
3	Nitrate as No ₃	mg/l	IS 3025-Part 34	0.95
4	Total Suspended solids (TSS)	mg/l	IS 3025 part · 17	48.0

Verified by

M. BALAII

Deputy Quality Manager

Note: BDL: Below Detectable Limit; DL: Detectable Limit, mg/l-Milligra

For Life Shell Labs India Pvt. Ltd. **Authorized Signatory**

k. Kamuhmith K. KAMALANATHAN Deputy Technical Manager











TESTELLAR INDIA

(The Complete Environments' Service Provider) No. 20, Nebro Street, Maruth, Nagar, Phase (, lyvappanthangal, Chennar - 6000°°, Tam I Nadu Tel. 401(44) 48634849, 6380°, 68684 Email: labs@lifeshell.m, lifeshelllabs@gmail.com

www.lifeshelllabs.com

TEST REPORT

Sample ID: 20012251	JOE: 577		Report Date: 14.09.2020
Customer Name	M/s. Tamil Nadu Polymer Industries Park Limited		
Address	S.F. NO. 143 & 189 of Puzhidivakkam Firuvallur District, Tamil Nadu	Village, 2053B Part of Vayald	n Village, Ponneri Taluk
Date of Sampling	07.09.2020	Sampled by	150
Sample Received on	08.09.2020	Sample Description	Soil
Test Commenced on	08 09.2020	Sampling Procedure	LSL/CHL/SOP/071
Test Completed on	14.09 2020	Sample Condition	Satisfactory
Sampling Location	South corner of the Project Site	Sample Quantity	? Kgs

DISCIPLI	NE	CHEMICAL TESTING		
PRODUCT GROUP		ENVIRONMENT & PO		
S. No	PARAMETERS	UNIT	TEST METHOD	RESULTS
1	Soil Texture		ASTM D421/422	Sandy Clay
- 1	pH @ 25°C		IS 2720 Part 26	8 56
3	Bulk Density	gm/cc	ASTM D6683 14	1.28
4	Cation Exchange Capacity	meg/100g	IS 2720 Part -24	5.72
5	Water Holding Capacity	%	IS 14765	20.90
6	Total Organic Carbon	%	IS 2720 Part -22	0.38
O	Organic Matter	%	IS 2720 Part 22	1.20
- 1		mg/l	IS 14684	154.3
- 8	Nitrogen	%	IS 10158	48 5
9	Total Phosphorus as P Soluble Potassium as K	meq/100g	FAO 2007	190

Note: BDL: Below Detection Limit, DL: Detection Limit

VerifiedBy

Palato

M. BALAJI

Deputy Quality Manager

TOO TOO THE TENT OF THE TENT O

For Life Shell Labs India Pvt. Ltd, Authorized signatory









Fine Complete Environmental Service Provider)
Nii 20 Nelsoi Street, Marotin Sapat, Phote Le
Lymppanthangal Chenhai = 500170 Tamil Nade
Trib + 91(44) 48634849, 63800 (8684
Finail: labs(@lifeshell in, lifes) elllabs(@gmail.com
www.lifeshelllabs.com

TEST REPORT

Sample ID: 20012252	JOE: 577		Report Date: 14.09 2020
Customer Name	M/s. Tamil Nadu Polymer Industries		
Address	S.F. NO. 143 & 189 of Puzhidivakkani Firuvallur District, Tamil Nadu.	Village, 2053B Part of Vayali	n Village, Ponneri Taluk.
Date of Sampling	07.09.2020	Sampled by	LSL
Sample Received on	08.09 2020	Sample Description	Soil
Test Commenced on	08.09.2020	Sampling Procedure	LSU/CHE/SOP/071
Test Completed on	14.09.2020	Sample Condition	Satisfactory
Sampling Location	East corner of the project site	Sample Quantity	2 Kgs

DISCIPLINE PRODUCT GROUP		CHEMICAL TESTING		
		ENVIRONMENT & POLLUTION		
S. No.	PARAMETERS	UNIT	TEST METHOD	RESULTS
1	Soil Texture		AS1M D421/422	Clay
- 3	pH @ 25°C	**	IS 2720 Part -26	7.08
,	Bulk Density	gm/cc	ASTM D6683-14	1.0
4	Cation Exchange Capacity	meg/100g	IS 2720 Part 24	9.8
C C	Water Holding Capacity	%	IS 14765	25.6
6	Total Organic Carbon	%	IS 2720 Part -22	0.28
- 0	Organic Matter	%	IS 2720 Part -22	0.45
		mg/I	IS 14684	98.71
8	Nitrogen	%	IS 10158	34-5
9	Total Phosphorus as P Soluble Potassium as K	meq/100g	FAO 2007	180.80

Note BDL: Below Detection Limit, DL: Detection Limit.

VerifiedBy

M. BALAJI

Deputy Quality Manager

CHENNAI P SOUND STANDS

For Life Shell Labs India Pvt. Ltd, Authorized signatory











(The Complete Environmental Service Provider)
No. 30 Nebra Street, Moror - Nagar Phase I.,
lyvappantiangal, Chennai - (2000 - Tampt Nado
Tel: +91(44) 486 34849, 6380 68684
Email: labs(addiesheil in , lifesheillabs/appnail com
www.hifesheillabs.com

TEST REPORT

Sample ID: 20012253	JOE: 577		Report Date: 14.09.2020	
Customer Name	M/s. Tamil Nadu Polymer Industries			
Address	5.F NO 143 & 189 of Puzhidivakkam Tiruvallur District, Tamil Nadu	Village, 2053B Part of Vayals	r Village, Ponogri Taluk,	
Date of Sampling	07 09 2020	Sampled by	121	
Sample Received on	08 09.2020	Sample Description	Soil	
Test Commenced on	08.09.2020	Sampling Procedure	LSE/CHE/SOP/071	
Test Completed on	14.09.2020	Sample Condition	Satisfactory	
Sampling Location	North corner of the project site	Sample Quantity	2 Kgs	

DISCIPLINE		CHEMICAL TESTING	<u> </u>	
PRODUC	CT GROUP	ENVIRONMENT & PC	LLUTION	
S. No.	PARAMETERS	UNIT	TEST METHOD	RESULTS
1	Soil Texture		ASTM D421/422	Sand
- <u>,</u>	рн @ 25°C		IS 2720 Part -26,	8.20
2	Bulk Density	gm/cc	ASTM D6683-14	1.24
3	Cation Exchange Capacity	meq/100g	IS 2720 Part -24	7.95
6	Water Holding Capacity	%	IS 14765	23.0
6	Total Organic Carbon	%	IS 2720 Part - 22	0.42
		%	IS 2720 Part -22	0.75
	Organic Matter	mg/l	IS 14684	182,31
8	Nitrogen	%	IS 10158	52.10
9:	Total Phosphorus as P		FAO 2007	248.50
10	Soluble Potassium as K	meq/100g	FAG 2007	2 10,00

Note: BDL: Below Detection Limit, DL: Detection Limit

VerifiedBy

M. BALAJI

Deputy Quality Manager

End of Report

For Life Shell Labs India Pvt. Ltd, Authorized signatory









ALC WILLIAM SHIPTER PRO

(The Complete Environments: Service Provider)
No. 20, Nehru Street, Maruta, Nagar, Phase I.
Lyvappanthangal, Chennae – 500077, Tanel Nadu
Tel. + 91(44, 48634849, 6380, 68684
Email: labs@lifeshell.in, lifeshelllabs@gmail.com
www.lifeshelllabs.com

TEST REPORT

Sample ID: 20012254	JOE: 577		Report Date: 14.09.2020
Customer Name	M/s. Tamil Nadu Polymer Industries Park Limited		
Address	S.F. NO. 143 & 189 of Puzhidivakkam Tiruvallur District, Tamil Nadu	Village, 2053B Part of Vayalu	ir Village, Ponneri Taluk,
Date of Sampling	07.09 2020	Sampled by	LSU
Sample Received on	08.09.2020	Sample Description	Soil
Test Commenced on	08.09.2020	Sampling Procedure	LSL/CHE/SOP/071
Test Completed on	14.09.2020	Sample Condition	Satisfactory
Sampling Location	West corner of the project site	Sample Quantity	2 Kgs

DISCIPLI	NE	CHEMICAL TESTING		
PRODUC	CT GROUP	ENVIRONMENT & PO	DLLUTION	
S. No.	PARAMETERS	UNIT	TEST METHOD	RESULTS
ï	Soil Texture		ASTM D421/422	Sandy Clay
3	pH @ 25°C		IS 2720 Part 26	7 10
3	Bulk Density	gm/cc	ASTM D6683-14	1.20
4	Cation Exchange Capacity	meq/100g	IS 2720 Part -24	5,95
5	Water Holding Capacity	%	IS 14765	28.10
6	Total Organic Carbon	%	IS 2720 Part 22	0.32
7	Organic Matter	%	IS 2720 Part -22	0.50
	- X	mg/l	IS 14684	127.0
8	Nitrogen	%	IS 10158	38 50
9	Total Phosphorus as P		FAO 2007	198 15
10	Soluble Potassium as K	meq/100g	FAO 2007	150 20

Note: BDL: Below Detection Limit, DL: Detection Limit

VerifiedBy

M. BALAJI

Deputy Quality Manager

CHENNAI 50 600 077.

For Life Shell Labs India Pvt. Ltd, Authorized signatory

k. Kaunhuth









A ST COMMENT OF STREET

(The Complete Environment) Service Provider;
No. 20, Nobus Succe: Manut a Nagar, Phase I. A
hypappanthangai, Chennai — 1997. Tamil Nadu
Tel 491(44) 48634849, 63800 (8684)
Email labs@ifreshell.m, lifesi elllabs@gmail.com
www.lifeshelllabs.com

TEST REPORT

Sample ID: 20012255	JOE: 577		Report Date: 14.09 2020
Customer Name	M/s. Tamil Nadu Polymer I		
Address	5 F. NO. 143 & 189 of Puzhio Tiruvallur District, Tamil Nac	divakkam Village, 2053B Part of Vayalı du	ir Village, Ponneri Taluk
Date of Sampling	07.09.2020	Sampled by	151
Sample Received on	08 09 2020	Sample Description	Ground Water
Test Commenced on	08.09.2020	Sampling Procedure	tSL/CHL/SOP/071
Test Completed on	14.09.2020	Sample Condition	Satisfactory
Sampling Location	Kattupalli	Sample Quantity	2 Liters

DISCIPLINE PRODUCT GROUP		CHEMICAL TESTING		
		WATER		
5. No.	PARAMETERS	UNIT	TEST METHOD	RESULTS
1	рН @ 25°C	74	IS 3025 Part 11	7.20
2	Total Hardness as CaCO	mg/I	IS 3025-Part 21	198
3	Total Dissolved Solids (TDS)	mg/l	IS 3025-Part 16	386
4	Total Suspended solids (TSS)	mg/l	IS 3025 part · 17	BDL(DL:1.0)
5	Sulphate as SO ₄	mg/l	APHA-23 rd Edn-2017	52.0
6	Nitrate as NO ₃	mg/l	IS 3025 part-34	1.5
7	Iron as Fe	mg/l	IS 3025 part-53	0.10
8	Zînc as Zn	mg/l	IS 3025-Part 49	BDL(DL:0.05
9	Total Chromium (as Cr)	mg/l	IS 3025-Part 52	BDL(DL:0.1)
10	Copper	mg/l	IS 3025 Part 42	BDL(DL 0.05
1.1	Lead as Pb	mg/l	IS 3025 Part 47	BDL(DL:0.01
12	Cadmium (as Cd)	mg/l	IS 3025-Part 41	BDL(Dt:0.01
13	Selenium as Sc	mg/l	APHA 23 rd Edn-2017	BDL(DL:0.01
14	Arsenic as As	mg/l	IS 3025 Part 37	BDL(DL-0.05
15	Mercury as Hg	mg/l	IS 3025 Part 48	BDL(DL:0.01
16	Nickel	mg/l	IS 3025 Part 54	BD1{DL-0.05
17	Barium as Ba	mg/l	APHA-23rd Edn 2017	BDL(DL.0.01

Note: BDL: Below Detection Limit, DL: Detection Limit, mg/l-Milligrams per liter.

VerifiedBy

M. BALAJI

Deputy Quality Manager

CHENNA! PV


For Life Shell Labs India Pvt. Ltd.
Authorized signatory

K Kaluhmith

K. KAMALANATHAN

Deputy Technical Manage











(The Complete Environments: Service Previdet)
No. 70 Nobru Street, Martin, Sagar, Phase I.

Iyyappanthangal, Cheunar — 9 007 Tani I Nadu
fel +91(44, 48634849, 6380 68684

www.lifeshelllabs.com

TEST REPORT

Sample ID_20012256	JOE: 577		Report Date: 14.09 2020
Customer Name	M/s. Tamil Nadu Polymer Indu		
Address	S.F. NO: 143 & 189 of Puzhidiva Firuvallur District, Tomil Nadu	ikkam Village, 2053B Part of Vayalu	u Milago, Ponneri Taluk:
Date of Sampling	07 09.2020	Sampled by	150
Sample Received on	08.09.2020	Sample Description	Ground Water
Test Commenced on	08.09.2020	Sampling Procedure	LSL/CHE/SOP/071
Test Completed on	14.09.2020	Sample Condition	Satisfactory
Sampling Location	Ulaganathapuram	Sample Quantity	2 Liters

DISCIPLINE		CHEMICAL TESTING				
PRODUCT GROUP		WATER				
S. No.	PARAMETERS	UNIT	TEST METHOD	RESULTS		
1	pH @ 25°C	-	IS 3025-Part 11	7.40		
2	Total Hardness as CaCO	mg/l	IS 3025-Part 21	320		
3	Total Dissolved Solids (TDS)	mg/l	15 3025-Part 16	910		
4	Total Suspended solids (TSS)	mg/l	IS 3025 part 17	1.1		
5	Sulphate as SO ₄	mg/l	APHA-23 rd Edn-2017	88.0		
6	Nitrate as NO ₃	mg/l	IS 3025 part-34	2.8		
7	Iron as Fe	mg/l	IS 3025 part-53	0.18		
8	Zinc as Zn	mg/l	IS 3025-Part 49	BDL(DL:0 05		
9	Total Chromium (as Cr)	mg/l	IS 3025-Part 52	BO1(D1:0 1)		
10	Copper	mg/l	IS 3025-Part 42	BDL(DL:0 05		
11	Lead as Pb	mg/l	IS 3025-Part 47	BDL(DL:0.01		
12	Cadmium (as Cd)	mg/I	IS 3025-Part 41	BDL(DL:0.01		
13	Selenium as Sc	mg/l	APHA-23 rd Edn-2017	BDL(DL:0 01		
14	Arsenic as As	mg/l	IS 3025 Part 37	BDL(DL 0 05		
15	Mercury as Hg	mg/I	IS 3025 Part 48	BDT(DT:0.01		
16	Nickel	mg/l	IS 3025-Part 54	BDI (DI 0 05		
17	Barium as Ba	mg/L	APHA 23rd Edn 2017	BDL(DL:0 01		

Note: BDL: Below Detection Limit, DL Detection Limit, mg/l Milligrams per liter VerifiedBy

M. BALAJI

Deputy Quality Manager

End of Report

For Life Shell Labs India Pvt. 1td. Authorized signatory

K. KAMALANATHAN
Deputy Technical Manager

Chennai 600 008

Page 1 of 1









(The Complete Environmental Service Previder)
186, 20, Nebra Street, Marina Nagar, Phase I.
187, 1864, 1863, 1864, 1864, 1868, 1865, 1866, 1868, 1868, 1866,

TEST REPORT

Sample ID: 20012257	JOE; 577		Report Date: 14.09.2020
Customer Name	M/s. Tamil Nadu Polymer Ind		
Address	S.F. NO. 143 & 189 of Puzhidiv Tiruvallur District, Tamil Nadu	akkam Village 2053B Part of Vayald	n Village, Pohneri Taluk
Date of Sampling	07 09 2020	Sampled by	151
Sample Received on	08.09-2020	Sample Description	Ground Water
Test Commenced on	08 09.2020	Sampling Procedure	LSL/CHE/SOP/071
Test Completed on	14.09.2020	Sample Condition	Satisfactory
Sampling Location	Govindanpalayam	Sample Quantity	2 Liters

DISCIPLINE		CHEMICAL TESTING				
PRODUCT GROUP		WATER				
S. No.	PARAMETERS	UNIT	TEST METHOD	RESULTS		
1	pH @ 25°C		IS 3025-Part 11	6,95		
2	Total Hardness as CaCO	mg/i	IS 3025 Part 21	2.70		
3	Total Dissolved Solids (TDS)	mg/l	IS 3025 Part 16	1210		
4	Total Suspended solids (TSS)	mg/l	IS 3025 part 17	2-1		
5	Sulphate as 50 ₄	mg/l	APHA-23 rd Edn-201-7	97.0		
6	Nitrate as NO	mg/l	IS 3025 part-34	2.8		
7	Iron as Fe	mg/l	IS 3025 part 53	0.13		
8	Zinc as 2n	mg/l	IS 3025 Part 49	BDL(DL.0.05)		
9	Total Chromium (as Cr)	mg/I	IS 3025 Part 52	BDL(Dt:0.1)		
10	Copper	mg/l	IS 3025-Part 42	BDL(DL.0.05)		
11	Lead as Pb	mg/l	IS 3025 Part 47	BDL(DL:0.01)		
12	Cadmium (as Cd)	mg/l	IS 3025 Part 41	BDL(DL.0.01)		
13	Selenium as Sc	mg/l	APHA-23 rd Edn-2017	BDL(DL 0 01)		
14	Arsenic as As	mg/l	IS 3025 Part 37	BDL(01.0.05		
15	Mercury as Hg	mg/l	IS 3025 Part 48	BDL(DL 0 01		
16	Nickel	mg/l	IS 3025-Part 54	BDL(DL.0.05		
17	Barium as Ba	mg/l	APHA 23rd Edn 2017	BDL(DL.0.01)		

Note: BDL Below Detection Limit, DL: Detection Limit, mg/l-Milligrams per liter

VerifiedBy

M. BALATI


Deputy Quality Manager

CHI MINA CHI For Life Shell Labs India Pvt. Ltd, Authorized signatory

K. KAMALANATHAN
Deputy Technical Manager

600 00E

Page 1 of 1









(The Complete Environment): Service Previder) No Je Nelma Steedt Maruro Syapar, Physic I. 180 Ivcapponthangal, Chenna - 60007° Tani I Nadu Tel: 191(44), 48634849, 63861 68684 www.liteshelllahs.com

TEST REPORT

Sampling Procedure	IS 9989:1981				
Sampling Location	Mentioned Below	RH during sampling	67% (Avg.)		
Test Completed on	14 09.2020	Ambient Temp during sampling	30°C (Avg.)		
Test Commenced on	08 09.2020	Sampling duration	24 hrs		
Sample Received on	08 09 2020	Sample Description	Noise Monitoring		
Date of Sampling	07.09 2020	Sampled by	t St		
Address	S.F. NO. 143 & 189 of Puzhidivakkam. Village, 20538 Part of Vayalo: Village. Pormen faluk. Tiruvallur District, Tamil Nadu.				
Customer Name	M/s. Tamil Nadu Polymer Industries Park Limited				
Sample ID 20012258	JOE . 577		Report Date: 14.09.2020		

Location Code	Sampling Location	LDay {dB(A)}	LNight (dB(A))	р ау Time	Night Time
N1	South corner of the Project Site	62.8	58.4		į.
N2	East corner of the Project Site	52.6	42.1	6.00 am to 10 00 pm	10 00 pm to 6 00 am
N3	North corner of the Project Site	54.8	44.5	6.00 am to 10 00 pm	10 00 pm (0 0 00 m)
N4	West corner of the Project Site	52.2	41.0		

Ambient Noise Standards-CPCB

Category Of Area	LDay {dB(A)}	LNigth (dB(A))
Industrial Area	75	7()
Commercial Area	65	60
Residential Area	55	45
Silence Zone	50	40

VerifiedBy

M. BALAJI Deputy Quality Manager

CHENNAL

For Life Shell Labs India Pvt. Ltd. Authorized signatory

K. Kauuhust. K. KAMALANATHAN Deputy Technical Manager





INDIA

THURSDAY () 9.() 1.2()2()

Tamil Nadu Polymer Industries Park Limited (A Joint venture of TIDCO & SIPCOT)

Polymer Industries Park, Tiruvallur District Environmental Clearance

Environmental Clearance has been issued by State Level Environment Impact Assessment Authority (SEIAA), Tamil Nadu for the proposed Polymer Industries Park in Voyalur and Puzhudivakkam Villages, Tiruvallur District vide their letter .No. SEIAA-TN/F.No.6957/EC/8(b)/683/2019 dated 11.12.2019.

The contents of the Environmental Clearance can be viewed in TPIPL website www.tnpolymerpark.com and also in the website of SEIAA, Tamil Nadu. Further, the copies of the Environmental Clearance could be obtained from the Head Office of Tamil Nadu Pollution Control Board (TNPCB).

Managing Director,
Tamilnadu Polymer Industries Park Limited (TPIPL),
19-A, Rukmani Lakshmipathy Road,

DIPR/64/Display/2020 Egmore, Chennai - 600008.



AICIVII AMARIID

BUDDELLE

தமிழ்நாடு பாலிமர் தொழிற் பூங்கா லிமிடெட் (A Joint Venture of TIDCO and SIPCOT)

பாலிமர் தொழிற்பூங்கா, திருவள்ளூர் மாவட்டம் சுற்றுச்சூழல் இசைவாணை

திருவள்ளூர் மாவட்டம், வாயலூர் மற்றும் புழுதிவாக்கம் கிராமங்களில் அமையவுள்ள பாலிமர் தொழிற் பூங்காவிற்கு மாநில அளவிலான சுற்றுச்சூழல் தாக்க மதிப்பீட்டு ஆணையம் (SEIAA), தமிழ்நாடு கடிதம் எண்: SEIAA-TN/F.No.6957/ EC/8(b)/683/2019 தேதி 11.12.2019 மூலம் சுற்றுச்சூழல் இசைவாணை வழங்கியுள்ளது.

இவ்விசைவாணையின் முழுவிவரத்தை தமிழ்நாடு பாலிமர் தொழிற் பூங்கா இணையதளமான <u>www.tnpolymerpark.com</u> மற்றும் மாநில சுற்றுச்சூழல் தாக்க மதிப்பீட்டு ஆணையம், தமிழ்நாடு இணையதளத்திலும் காணலாம். மேலும் இசைவாணையின் நகலினை தமிழ்நாடு மாசு கட்டுப்பாட்டு வாரியத் தலைமை அலுவலகத்தில் பெறலாம்.

> மேலாண்மை இயக்குனர், தமிழ்நாடு பாலிமர் தொழிற் பூங்கா லிமிடெட் 19-A, ருக்மணி லட்சுமிபதி சாலை, எழும்பூர், சென்னை—600008.

Ba. ம.தொ.**க**/ 64/வரைக்கை/2020







R. P. 54 (8)	DEPARTMEN	य डाक विभा ए or rosts	INDIA	
प्रोपक जानगर / वर्ग पाम मोहर Name stamp of office of posting				GROS-SILE
भेषत्रश्चाले	Tabilidade	Polyman I	To Note the second	Page Stamp
Senders - 1	A162 151 A	<u>. IP</u> towassau	Local Control	kunyi Resi
Addins Tip	And the same of the same	CHEST CONTRACTOR OF THE PROPERTY AND A STATE OF THE PROPERTY O		

This where (this) ACKNOWLENCEMENT In addition to a super state of the control of






प्राप्ति स्वीकृति (रसीद) ACKNOWLEDGEMENT पत्र/पोस्टकार्ड/पैकेट/पार्सल प्राप्त हुआ Registered Letter/Postcard/Packet/Parcel Insured THE पाने वाले का नाम Addressed to (Name) †बीमा का मुल्य (रुपयों में) finsured for Rupees वितरण की तारीख/Date of delivery अनावश्यक को काट दिया जाए! * Score out the matter not required. † केवल बीमा वस्तुओं के लिए। पाने वाले के हस्ताक्षरीश्राहामहत्तरहरू addressee + For Insured articles only.







ANNEQUEE 6









HOME ABOUT US

TENDERS

CAREER CONTACT US



ABOUT US

About Us

Tamid Nido is one of the most industrialised states in the country and also a favourable destination (or investors. Considering the scope for plastic and allied industries, Government of Tamil Nadu Look initiative to promote "Polymer Industries Park" exclusively for housing plastic and allied industries by dovetailing the grant available under centrally sponsored "Scheme for setting up of Polymer Parks" of Department of Chemicals and Petrochemicals (DC&PC), Government of India


Tamilnadu Industrial Development Corporation (TIDCO) & SIPCOT Jointly formed a Special Purpose Vehicle (SPV) in the name of "Tamilnadu Polymer Industries Park Ltd (TPIPL)" for setting up of the park. The SPV identified 265.66 acres of land in Puzhudivakkam and Voyalur Villages, Thiruvallur District close to Ennore Port which is in possession of TIDCO for the establishment of the park.

Environmental Clearance Certificate









அனுப்புந்

க.கோபால கிருஷ்ணன், B.E., உதவி இயக்குநர், மாவட்ட நகர் ஊரமைப்பு அலுவலகம், திருவள்ளூர் மாவட்டம், எண்.43/397A, இரண்டாம் தளம், அன்னை இந்திரா காந்தி சாலை, இராஜாஜிபுரம் பகுதி – II, திருவள்ளூர் - 602 001. தொலைபேசி - 044-27665657. email-tvlrregion@gmail.com புவூருப்

M/s.Tamil Nadu Polymer Industries Park Limited, No.19-A, Rukmini Lakshmipathy Road, Egmore, Chennai-600 008.

ஓ.மு.எண்.1232/2020/திவம2

நாள்.29.07.2020.

CHERNE

ஐயா,

பொருள்: நில உபயோகச் சான்று - மாவட்ட நகர் ஊரமைப்பு அலுவலகம்- திருவள்ளூர் மாவட்டம் - பொன்னேரி வட்டம் - புழுதிவாக்கம் கிராமம் - சர்வே எண்கள்.143,187, வயலூர் கிராமம் ச.எண்.205/3B -ற்கு நில உபயோகச் சான்று வழங்க கோரியது - தொடர்பாக.

பாா்வை:

தங்கள் கடிதம், நாள்.28.07.2020.

பார்வையில் கண்ட தங்கள் கடிதத்தில், திருவள்ளூர் மாவட்டம், பொன்னேரி வட்டம், புழுதிவாக்கம் கிராமம், சர்வே எண்கள்.143,187, வயலூர் கிராமம் ச.எண்.205/3B ஆகியவற்றிற்கு நில உபயோகச் சான்று வழங்க கோரப்பட்டதை தொடர்ந்து, கீழ்காண் விவரம் தெரிவிக்கலாகிறது.

மேற்படி, புழுதிவாக்கம் மற்றும் வயலூர் கிராமத்திற்கு நகர் ஊரமைப்புத் துறையால் எவ்வித நில உபயோகமும் வகைபடுத்தபடவில்லை என்ற விவரம் தெரிவிப்பதுடன் கீழ்காண் விவரங்கள் தெரிவிக்கலாகிறது.

- 1) இவ்விடத்தில் மனைப்பிரிவோ / நிறுவனமோ / கட்டிடமோ அல்லது எவ்வித அபிவிருத்தியோ செய்யும் முன்னர் நகர் ஊரமைப்புச் சட்டம் 1971, பிரிவு 47A-ன்படி, இத்துறையின் முன் அனுமதி பெறப்பட வேண்டும். அவ்வாறு அனுமதி பெறாமல் அபிவிருத்தி செய்யப்பட்டால் நகர் ஊரமைப்புச் சட்டம் 1971 பிரிவு 56 மற்றும் 57-ன் கீழ் நடவடிக்கை தொடரப்படும்.
- 2) அபிவிருத்திகளுக்கு அனுமதி பெறுவதை எளிமைப்படுத்தும் விதமாக அதிகபட்சம்
 7000 சதுர அடி பரப்பளவுள்ள குடியிருப்புக் கட்டிட உத்தேசம் மற்றும் அதிகபட்சம் 8

குடியிருப்புகளை உள்ளடக்கியதான மற்றும் அதிகபட்சம் தரைதளம் முதல்தளம், வரையிலான குடியிருப்புக் கட்டிடம் போன்றவற்றிற்கும் அதிகபட்சம் 2000 சதுர அடி வரையிலான வணிக உபயோகக் கட்டிடங்களுக்கு சம்மந்தப்பட்ட உள்ளாட்சியே இத்துறையின் சார்பாக அனுமதி வழங்கிட இத்துறையால் அதிகாரப்பகிர்வு வழங்கப்பட்டுள்ளது. மேற்காண் வகைக் கட்டிடங்கள் தவிர கூடுதல் பரப்பளவள்ள குடியிருப்புக் கட்டிடங்கள், வணிகக் உபயோகக் கட்டிட உத்தேசங்களுக்கு இவ்வலுவலகத்தின் அனுமதி பெறப்பட வேண்டும். இதர பொது வகைக் கட்டிடங்கள் போன்றவற்றிற்கு இத்துறையின் முன் அனுமதி பெறப்பட வேண்டும் எனவும் தெரிவிக்கப்படுகிறது.

- 3) புன்செய் நில அபிவிருத்திக்கு இணை இயக்குநர், வேள்ரண்மைத் துறை தடையின்மை சான்று பெறப்பட வேண்டும்.
- 4) நன்செய் நில அபிவிருத்திக்கு மாவட்ட ஆட்சியா் அவா்களின் தடையின்மைச் சான்று பெறப்பட வேண்டும்.
- 5) இச்சான்று தகவல் அளிக்கும் நோக்கத்தில் மட்டுமே வழங்கப்படுகிறது. இதனை சட்ட ரீதியான நடவடிக்கைகளுக்கு தேவையான நகர் ஊரமைப்பு துறையின் அனுமதியாக கருதக் கூடாது.

உதவி இயக்குநர், 29 7 2020 மாவட்ட நகர் ஊரமைப்பு அலுவலகம்,

திருவள்ளூர் மாவட்டம்.

AMNIXURE-9

TARIL MADU WATER SUPPLY AND BRAINAGE BOARD

E Trigue Aleva M.; Executive Engined, TWAD Board, Project Formulation Division No. 3, 6th Street, Gopalapurant Gandhi Nagar, Vellore-6

E mail: copfunvir6@gmail.com

Phone: 0416-2241178

The Additional Chief Secretary / Chairman and Managing Director, Tamil Nade Industrial Development Corpn.Ltd., 19-A, Rukmini Lakshmipathy Road.

Egmore,

Chennai - 600 008

Letter No.1609/F.CBIC/DO/PF Dn/VLR/date: 16.09.2015

Sir,

Sub: Water supply for the proposed Plastic Industries Park Project in the Voyalur / Kattupalli village, Ponneri Taluk, Thiruvallur district.

Ref: Lr (Ms) No. 47/MIA.1/2014, Industries (MIA.1) Dept. dt 14.5.2014.

Kindly refer to the discussions at the meeting between the Assistant Divisional Engineer and the Assistant Engineer of TWAD Board with Director (Projects) of TIDCO on 14.09.2015 regarding the water supply for the proposed Plastic Industries Park Project being implemented by Tamil Nadu Polymer Industries Park Ltd. (a Joint Venture of TIDCO and SIPCOT) in Kattupalli / Voyalur villages of Ponneri Taluk in Thiruvallur district.

We also refer to the discussions held on the water supply network design given in the Detailed Development Plan of Ponneri Industrial Node prepared by Japan International Cooperation Agency (JICA) as part of the Comprehensive Integrated Master Plan for the Chennai-Bengaluru Industrial Corridor (CBIC) Project sponsored by Govt. of Tamil Nadu and Dept. of Industrial Policy and Promotion, Govt. of India.

As mandated by Govt. of Tamil Nadu, TWAD Board has planned for a Comprehensive Water Supply Scheme for the industrial units in the Ponneri Industrial Node area and in the adjoining Industrial Clusters. As per the pre feasibility report completed, we are proposing a 92 MLD capacity Desalination Plant in the Ponneri Taluk in addition to other supply sources of STP from Kodungaiyur and Koyambedu viz the Tertiary Treatment Plants (TTRO) in Ponneri of 185 MLD for water supply to the industrial units in the CBIC region including the Ponneri Industrial Node.

The above proposals includes the requirement of domestic water for the proposed Plastic Industries Park Project i.e. namely about 2.2 MLD. We request you kindly furnish the details of the water supply network finalized for the Plastic Industries Park Project in the Detailed Project Report at the earliest.

Executive Engineer, TWAD Board P.F.Division Vellore-6

900 16191 =



