SIX MONTHLY ENVIRONMENTAL CLEARANCE COMPLIANCE REPORT

June 2021

SEIAA-TN/F.6957/EC/8(B)/683/2019 DATED:11.12.2019

LOCATION:

TAMIL NADU POLYMER INDUSTRIES PARK LIMITED (TPIPL) S.NO. 143 & 187 OF PUZHUDIVAKKAM VILLAGE AND 2053B(P) OF VOYALUR VILLAGE

TALUK: PONNERI

DISTRICT: THIRUVALLUR

STATE: TAMIL NADU

SUBMITTED BY:

TAMIL NADU POLYMER INDUSTRIES PARK LIMITED (TPIPL)

NO: 19 A, III FLOOR RUKUMANI LAKSHMIPATHY ROAD, EGMORE

CHENNAI, TAMILNADU

TABLE OF CONTENTS

S. No	List of Contents	Page No
1.	Location map	3
2.	Site photograph	4
3,	Six month environmental compliance statement	5
4.	Environmental Monitoring Details	20
5.	Conclusion	25


LIST OF ANNEXURES

S. No	List of Contents	
Annexure 1	Copy of Environmental Clearance	
Annexure 2	Consent to Establishment (CTE)	
Annexure 3	Screenshot of compliance report and EC copy uploaded in TPIPL website	
Annexure 4	Environmental Monitoring Report	
Annexure 5	Land use classification letter from District Town Planning Office	
Annexure 6	Newspaper Advertisement	
Annexure 7	Newspaper Advertisement submission acknowledgement at MoEF & CC ar SEIAA	
Annexure 8	nnexure 8 EC copy submission to local bodies	

PROJECT DETAILS

Name of the Proponent	M/s. Tamil Nadu Polymer Industries Park Ltd.		
Name of the Project	Tamil Nadu Polymer Industries Park at Ponneri		
EC No.	SEIAA-TN/F.6957/EC/8(b)/683/2019 dated 11.12. (Enclosed as Annexure 1)		11.12.2019
Total Built-up Area	239.82 Acres	*	

1.0 LOCATION MAP



2.0 SITE PHOTOGRAPHS





3.0 SIX MONTHLY ENVIRONMENTAL CLEARANCE COMPLIANCE STATEMENT

3.1 PART - A: Common conditions applicable for Pre-construction, Construction and Operational Phases:

S.NO	CONDITIONS	STATUS
1,	Any appeal against this environmental clearance shall	Yes. There is one appeal.
	lie with the Hon'ble National Green Tribunal, If	<u>Details:</u> Thiru.K.Saravanan,
	preferred, within a period of 30 days as prescribed	S/o.Kasinathan, Chennai – 90 has
	under section 16 of the National Green Tribunal Act,	filed a case in Appeal No.11 of 2020
	2010.	before the Hon'ble National Green
		Tribunal, Southern Zone at Chennai
		challenging the Environment
		Clearance (EC) issued by State Level
		Impact Assessment Authority
		(SEIAA) for establishment of Polymer
		Industries Park. TPIPL has received
	p:	the Notice in the said appeal on
		13.07.2020.
		Present Status: The next hearing is
	"	on 17.08.2021 for arguments and
		further hearing.
2	The construction of STP, Solid Waste Management	All the member units will be advised
	facility, E-waste management facility, DG sets, etc.,	to comply with.
	should be made in the earmarked area only. In any	
	case, the location of these utilities should not be	
	changed later on.	
3	The Environmental safeguards contained in the	
	application of the proponent/mentioned during the	all the conditions of EC.
	presentation before the State Level Environment	
	Impact Assessment Authority / State Level Expert	
×	Appraisal Committee should be implemented in the	
	letter and spirit.	
4	All other statutory clearances such as the approvals for	Condition is being complied. All the
	storage of diesel from Chief Controller of Explosives,	member units will be instructed to
-	fire and Rescue Services Department, Civil Aviation	obtain all necessary statutory
	Department, Forest Conservation Act, 1980 and Wild	clearances and approvals.
	Life (Protection) Act, 1972, State / Central Ground	
	Water Authority, Coastal Regulatory Zone Authority,	
	other statutory and other authorities as applicable to	

	The state of the s	
	the project shall be obtained by project proponent from the concerned competent authorities.	
5	The SEIAA reserves the right to add additional safeguard measures subsequently, if non-compliance of any of the EC conditions is found and to take action, including revoking of this Environmental Clearance as the case may be.	Condition accepted and noted.
6.	A proper record showing compliance of all the conditions of Environmental Clearance shall be maintained and made available at all the times.	Condition accepted and noted.
7.	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company. The status of compliance of environmental	Condition will be complied.
	clearance conditions and shall also be sent to the Regional Office of the Ministry of Environment and Forests, Chennai by e-mail.	
8.	The Regional Office of the Ministry located at Chennai shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data/information/monitoring reports.	Condition accepted and noted.
9.	"Consent for Establishment" shall be obtained from the Tamil Nadu Pollution Control Board and a copy shall be submitted to the SEIAA, Tamil Nadu.	Consent to Establishment has been obtained from TNPCB. CTE copy is enclosed as Annexure 2 .
10.	In the case of any change(s) in the scope of the project, a fresh appraisal by the SEAC/SEIAA shall be obtained before implementation.	Condition Accepted and Noted. There is no change in scope of the project.
11.	The conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability Insurance Act, 1991, along with their amendments ,draft Minor Mineral Conservation & Development Rules , 2010 framed under MMDR Act 1957,National Commission for protection of Child Right Rules ,2006 and rules made there under and also any other orders passed by the	Agreed to the condition.

	Hon 'ble Supreme Court of India/Hon'ble High Court of Madras and any other Courts of Law, including the Hon'ble National Green tribunal relating to the subject matter.	
12.	The Environmental Clearance shall not be cited for relaxing the other applicable rules to this project.	Condition Accepted and Noted.
13.	Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (protection) Act, 1986.	TPIPL is committed to comply with all the conditions of EC.
14.	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, Chennai, the respective Zonal Office of CPCB, Bengaluru and the TNPCB. The criteria pollutant levels namely; PMIO, PM2.5, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored.	Condition is being complied. Compliance report for the period October 2020 to March 2021 shall be uploaded in the website of TPIPL and the same has been given in Annexure – 4.
15.	The SEIAA, TN may cancel the environmental clearance granted to this project under the provisions of EIA Notification, 2006, if, at any stage of the validity of this environmental clearance, if it is found or if it comes to the knowledge of this SEIAA, TN that the deliberately concealed and/or submitted false or misleading information or inadequate data for obtaining the environmental clearance.	TPIPL is committed to comply with all the conditions of EC.
16.	The Environmental Clearance does not imply that the other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would be considering the project on merits and be taking decisions independently of the Environmental Clearance.	Condition Accepted and Noted.
17.	The SEIAA, TN may alter/modify the above conditions or stipulate any further condition in the interest of environment protection, even during the subsequent period.	Condition Accepted and Noted.
18.	The Environmental Clearance does not absolve the applicant/proponent of his obligation/requirement to obtain, other statutory and administrative clearances from other statutory and administrative authorities.	Condition Accepted and Noted.

	Wilele the trees heed to be	Condition Accepted and Noted.
	plantation in the ratio of 1:10 (i.e. planting of 10 trees	
	for every one tree that is cut) should be done with the	
	obligation to continue maintenance.	
20.	A separate environmental management	Condition being complied.
	suitable qualified personnel should be set-up under the	
	control of a Senior Executive who will report directly to	
	the Head of the Organization and the shortfall shall be	
	strictly reviewed and addressed.	
21.	The EMP cost of Rs. 1.09 crores shall be deposited in a	Condition will be complied.
	Nationalized bank by opening separate account and	
	the head wise expenses statement shall be submitted	
	to TNPCB with a copy to SEIAA annually.	
22.	The project activity should not cause any disturbance	Condition will be complied.
	& deterioration of the local bio diversity.	
23.	The project activity should not impact the water	Condition will be complied. Surface
	bodies. A detailed inventory of the water bodies and	water quality monitoring report is
	forest should be evaluated and fact reported to the	enclosed as Annexure - 4.
	Forest Department & PWD for monitoring.	
24.	All the assessed flora & fauna should be conserved and	Condition accepted and noted.
	protected.	
25.	The proponent should strictly comply with, Tamil Nadu	Condition will be complied. All the
	Government Order (Ms) No. 84 Environmental and	member units will be instructed to
	forest (EC 2) Department dated 25.06.2018 regarding	comply with.
	ban on one time use and throwaway plastics	
	irrespective of thickness with effect from 01.01.2019	
	under Environment (Protection) Act, 1986.	
26.	As per MoEF& CC, Gol, Office Memorandum dated	Not applicable.
,,,	30.03.2015, prior clearance from Forestry & Wildlife	_
	angle including clearance from obtaining committee of	
	the National Board for Wildlife as applicable shall be	
l)	obtained before starting the quarrying operation, if the	1
	project site is located within 10KM from National Park	
*	and Sanctuaries.	8
27.	Traffic congestion near the entry and exit points from	Condition will be complied.
	the roads adjoining the proposed project site must be	
	avoided.	
28.	The safety measures proposed in the report should be	Condition will be complied. All th
20.	strictly followed.	member units will be instructed t
		comply with.
29.	The Developer shall ensure that no allotment letter /	
1 47.	THE DEVELOPED SHALL CHOOSE WAS 110 WILLIAM 1	TI CONTRACTOR OF THE CONTRACTO

	A or category B industry as prescribed in the schedule of EIA notification 2006. However, in case any category A or category B type of industry as prescribed in the schedule of EIA notification 2006 is proposed then the individual unit shall apply and seek Environmental Clearance under the EIA notification 2006.	
30.	The project proponent must submit the permissible land use classification certificate obtained from competent authority for the proposed project before obtain the CTE from TNPCB.	Land use classification letter from District Town Planning Office is given in Annexure - 5 .
31.	The proponent shall obtain the necessary permission/NOC of water supply from the TWAD Board.	Condition will be complied.
32.	The Developer shall mandate the member industries of the Industrial Park to allot 33% of the plot area for green belt development and to install RWH structures.	Condition will be complied. All the member units will be instructed to comply with.
33.	The Developer has to ensure that all the member industries within the Industrial Park shall make their own arrangements to achieve zero discharge of the trade effluents, solid waste & E waste management, gaseous emission and noise control measures to achieve the standards prescribed by the TNPCB.	Condition will be complied. All the member units will be mandated to provide individual ETP with Zero Liquid Discharge system and to handle the domestic wastewater as per the prescribed standards.
34.	The project proponent shall ensure that the individual member units will not be allowed to carry out manufacturing of products stipulated in G.O. (Ms) No. 84 dated 25/06/2018 on banning of one time use on and throw away plastic.	Condition will be complied. All the member units will be instructed to comply with.
35.	The project proponent must submit the permissible land use classification certificate obtained from competent authority for the proposed project before obtain the CTE from TNPCB.	
36.	The CER fund shall be utilized as per the office memorandum of MoEF& CC dated 01.05.2018 before obtaining CTO from TNPCB.	
37.	The allotted industrial units shall obtain consent from the TNPCB separately for their establishment & operation in this industrial estate.	instructed to obtain all necessary statutory clearances and approvals.
38.	The project proponent shall ensure that 33% of the total area of the project site should be covered with green belt.	member units will be instructed to comply with.
39.	The proponent shall provide Rain Water Harvesting pits so as to recharge the ground water table.	Condition will be complied. All the member units will be instructed to comply with.

40	Diashan-	o of two stad serve	age shall conform to the	All the member units will be	
40.	norms 8	e of treated sewa & standards prescr Control Board.	All the member units will be instructed to comply with.		
41.	1			Condition will be complied. All th	
	0).	,	or greenbelt development	member units will be instructed to	
			ot pollute the soil/ ground	comply with.	
	1	djacent canals/ lake	· ·	Comply With	
42.			ure that all the member	Condition will be complied. All the	
	industrie	s within the Indus	trial Park shall make their	member units will be mandated to	
	own arra	angements to achie	eve zero discharge of the	provide individual ETP with Zero	
	trade Eff	luents.		Liquid Discharge system and to	
				handle the domestic wastewater as	
				per the prescribed standards.	
43.	The pro	ject proponent sl	hall ensure that all the	All the member units will be	
	member	units should treat	and dispose solid waste &	instructed to comply with.	
	E-waste	as per the Solid Was	ste Management Rule 2016		
	as amen	ded and E-Waste M	anagement Rules, 2016.		
44.	There sh	nall be no discharg	ge of effluent outside the	All the member units will be	
	Industria	l Park at any time.		instructed to comply with. All the	
				member units will be mandated to	
				provide individual ETP with Zero	
			Liquid Discharge system.		
45.	The Deve	eloper shall mandat	e the member units of the	Condition will be complied.	
	Industria	l Park to install a	dequate APC measures /	Individual industries will be advised	
7.50	Acoustic	to achieve air ei	missions standards within	to adopt Air Pollution Control	
	permissi	ble limits prescribed	measure to achieve air emissions		
				standards within permissible limits	
				prescribed by the statutory	
				authority.	
46.	The Proj	ect proponent Shal	embark the following Co-	Condition will be complied.	
	ordinates in the project site as per CRZ map issued by				
	IRS, Anna	a University and sha	š		
		-	a)	9	
	LABLE	LATTITUDE	LONGITUDE		
	A. B.	13°17'53.829"N 13°17'51.613"N	80°18'57.149"E 80°19'6.267"E		
	С.	13°17'31.613 N	80°19'17.462"E		
	D.	13°17'25.876"N	80°19'17.624"E		
	E.	13°17'0.406"N	80°19'11.241"E		
	F _x	13°16'45.849"N	80°19'2.924"E		
	G.	13°16'11.552"N	80°18'54.004"E		
	H.	13°16'10.676"N	80°18'48.620"E		

				h
	I.	13°16'15.943"N	80°18'48.161"E	
	J.	13°16'16.212"N	80°18'46.548"E	
	K.	13°16'39.554"N	80°18'52.076"E	
	L.	13°16'44.580"N	80°18'50.337"E	
	M,	13°16'56.035"N	80°18'44.163"E	
	N.	13°17'3.801"N	80°18'42.680"E	
	0.	13°17'5.139"N	80°18'43.162"E	
	P,	13°17'2.214"N	80°18'53.224"E	
	Q.	13°16'59.337"N	80°18'57.518"E	
	R.	13°16'59.532"N	80°19'3.514"E	
	S.	13°17'18.118"N	80°19'8.899"E	
	T.	13°17'26.234"N	80°19'9.191"E	
	U.	13°17'29.254"N	80°19'8.933"E	
	V.	13°17'30.657"N	80°19'6.172"E	
	W.	13°17'33.153"N	80°19'8.035"E	
47.	The Env	ironmental Cleara	nce issued only for the	Condition accepted and noted.
	revised p	roposal submitted	for the project site fall non	
-	CRZ area	as per CRZ (Ref.N	o.AU/IRS/CU/229-2019 Dt.	
	09.12.20	19) map issued by If	RS, Anna University.	

3.2 Specific Conditions - Pre construction phase

S.NO	CONDITIONS	STATUS OF COMPLIANCE
1,	The project authorities should advertise with basic	Condition complied. Newspaper
	details at least in two local newspapers widely	advertisement copy is enclosed as
	circulated, one of which shall be in the vernacular	Annexure 6.
	language of the locality concerned, within 7 days	The copy of the press release has been
	of the issue of clearance. The press releases also	forwarded to the Regional Office of the
	mention that copy of the clearance letter is	Ministry of Environment and Forests
	available with the state pollution Control Board	located at Chennai and SEIAA - TN.
	and also at website of SEIAA, TN. The copy of the	Acknowledgement copy of the same is
	press release should be forwarded to the Regional	enclosed as Annexure 7.
	Office of the Ministry of Environment and Forests	
	located at Chennai and SEIAA- TN.	
2.	In the case of any change(s) in the scope of the	Condition accepted and noted. There is
	project, a fresh appraisal by the SEAC/SEIAA shall	no change in scope of the project.
	be obtained before implementation	
3,	A copy of the clearance letter shall be sent by the	Condition complied. Acknowledgement
	proponent to the Local Body. The clearance letter	copy is attached as Annexure 8. The
	shall also be put on the website of the Proponent.	clearance letter has also uploaded on our
		website and screenshot is enclosed as
		Annexure 3.

4.	The approval of the competent authority shall be	Condition will be complied. Individual
4.	obtained for structural safety of the buildings	member units will be instructed to obtain
	during earthquake adequacy of fire fighting	all necessary statutory clearances and
	equipment's, etc as per National Building Code	approvals.
	including protection measures from lightning etc	approvais.
	before commencement of the work.	
_		Condition will be complied. All the
5.	All required sanitary and hygienic measures for the	'
	workers should be in place before starting	member units will be instructed to
	construction activities and they have to be	comply with.
_	maintained throughout the construction phase.	All the manufacturity will be incompated to
6.	Design of building should be in conformity with	All the member units will be instructed to
	the Seismic Zone Classifications.	comply with.
7.	The Construction of the structures should be	All the member units will be instructed to
	undertaken as per the plans approved by the	comply with.
	concerned local authorities/local administration.	
8.	No construction activity of any kind shall be taken	Condition will be complied.
	up in the OSR area.	
9	Consent of the local body concerned should be	Condition will be complied.
	obtained for using the treated sewage in the OSR	*
	area for gardening purpose. The quality of treated	
	sewage shall satisfy the bathing quality prescribed	
	by the CPCB.	
10.	The height and coverage of the constructions shall	All the member units will be instructed to
	be in accordance with the existing FSI/FAR norms	comply with.
	as per Coastal Regulation Zone Notification, 2011.	
11.	The Project Proponent shall provide car parking	All the member units will be instructed to
	exclusively for the visiting guest in the proposed	comply with.
	residential apartments as per CMDA norms.	
12.	The project proponent shall ensure the level of	Condition will be complied. All the
	basement shall be above maximum flood level.	member units will be instructed to
		comply with.
13.	The proponent shall prepare completion plans	Condition will be complied. All the
	showing Separate pipelines marked with different	member units will be instructed to
	colours with the following details	comply with.
	i. Location of STP, compost system,	
	underground sewer line	
	ii. Pipe Line conveying the treated effluent for	
	green belt development	
	iii. Pipe Line conveying the treated effluent	
	for toilet flushing	
	iv. Water supply pipeline	
	v. Gas supply pipe line, if proposed	

	vi. Telephone cable	
	vii. Power cable	
	viii. Strom water drains, and	
	ix. Rain water harvesting system, etc., and it	
	shall be made available to the owners.	22
14.	A First Aid Room shall be provided in the project	Condition will be complied. All the
	site during the entire construction and operation	member units will be instructed to
	phases of the project.	comply with.
15.	The present land use surrounding the project site	Condition will be complied.
	shall not be disturbed at any point of time.	
16.	The green belt area shall be planted with	Greenbelt will be developed with
	indigenous native trees.	indigenous native species.
17.	Natural vegetation listed particularly the trees	Condition accepted and noted.
	shall not be removed during the	
	construction/operation phase. In case any trees	
	are likely to be disturbed, shall be Replanted.	
18.	During the construction and operation phase,	Condition will be complied.
	there should be no disturbance to the aquatic eco-	
	system within and outside the area.	
19.	The Provisions of Forest conservation Act 1980,	Condition accepted and noted.
	Wild Life Protection Act 1972 & Bio diversity Act	
	2002 should not be violated.	
20.	There should be Firefighting plan and all required	Condition will be complied. All the
	safety plan.	member units will be instructed to
		comply with.
21,	Regular fire drills should be held to create	All the member units will be instructed to
	awareness among owners/ residents.	comply with.

3.3 Specific Condition Construction Phase

S.NO	CONDITIONS	STATUS OF COMPLIANCE	
1.	Construction Schedule:	4 (9)	
	i) The Project proponent shall have to furnish the	Condition accepted and noted.	
	probable date of commissioning of the project		
	supported with necessary bar charts to SEIAA-TN.		
2.	Labour Welfare:		
	i) All the labourers to be engaged for construction	Condition will be complied. All the	
	should be screened for health and adequately	member units will be instructed to	
	treated before and during their employment on	comply with.	
	the work at the site.		

ii) Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health Surveillance program of the workers should be undertaken periodically to observe any contradictions due to exposure to dust and take corrective measures, if needed.

Condition will be complied. All the member units will be instructed to comply with.

iii) Periodical medical examination of the workers engaged in the project shall be carried out and maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly. The workers shall be provided with personnel protective measures such as masks, gloves, boots, etc.

Condition will be complied. All the member units will be instructed to comply with.

3. Water Supply:

i) The entire water requirement during construction phase may be met from ground water source from the source with approval of the PWD Department of water resources/ may be out source.

Condition will be complied.

ii) Provision shall be made for the housing labour within the site with all necessary infrastructures and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.

Condition will be complied. All the member units will be instructed to comply with.

iii) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The treatment and disposal of waste water shall be through dispersion trench after treatment through septic tank. The MSW generated shall be disposed through Local Body and the identified dumpsite only.

Condition will be complied. All the member units will be instructed to comply with.

iv) Water demand during construction should be reduced by use of premixed concrete, curing agents and other best practices prevalent.

Condition will be complied. All the member units will be instructed to comply with.

v) Fixtures for showers, toilet flushing and drinking water should be of low flow type by adopting the use of aerators / pressure reducing devises / sensor-based control.

Condition will be complied. All the member units will be instructed to comply with.

4.	Solid Waste Management:	
	i) In the solid waste management plan, the STP	All the member units will be instructed
	sludge management plan for direct use as manure,	to comply with.
	gardens is not acceptable; it must be co-	
	composted with biodegradables.	<u> </u>
	ii) House hold hazardous wastes such as batteries,	All the member units will be instructed
	small electronics, CFL bulbs expired medicines and	to comply with.
	used cleaning solvent bottles should be segregated	
	at source, in a month from residences and	
	disposed as per the SWM rules 2016.	
	iii) Domestic solid wastes to be regularly collected	Condition will be complied. All the
	in bins or waste handling receptacles and solid	member units will be instructed to
	waste management rules 2016.	comply with.
	iv) No waste of any type disposed of in any	Condition will be complied. All the
	watercourse including drains, canals and the	member units will be instructed to
	surrounding environment.	
		comply with.
	v) E-waste shall be disposed through Authorized	Condition will be complied. All the
	vendor as per E-waste (Management and Handling)	member units will be instructed to
	Rules, 2016 and subsequent amendment.	comply with.
	Top Soil Management:	
	i) All the top soil excavated during construction	Condition will be complied. All the
	activities should be stored for use in horticulture/	member units will be instructed to
	landscape development within the project site.	comply with.
	Construction Debris disposal:	
	i) Disposal of construction debris during	
	construction phase should not create any adverse	member units will be instructed to
	effect on the neighbouring communities and be	comply with.
	disposed of only in approved sites, with the	
	approval of Competent Authority with necessary	
	precautions for general safety and health aspects	
	of the people, The construction and demolition	
	waste shall be managed as per Construction &	
	Demolition Waste Management rules, 2016.	
	ii) Construction spoils, including bituminous	Condition will be complied. All the
	materials and other hazardous materials must not	member units will be instructed to
	be allowed to contaminate watercourses. The	comply with.
	dump sites for such materials must be secured so	
	that they should not leach into the adjacent	
	land/lake/ stream etc.	
	Diesel Generator sets:	
(Condition is being complied.
	i) Low Sulphur Diesel shall be used for operating	Condition is being complied.

	diesel generator sets to be used during construction phase. The air and noise emission shall conform to the standards prescribed in the Rules under the Environment (Protection) Act, 1986, and the Rules framed thereon.	
	ii) The diesel required for stand by DG sets shall be stored in underground tanks fulfilling the safety norms and if required, clearance from Chief Controller of explosives shall be taken.	Condition accepted and noted.
	iii) The acoustic enclosures installed at all noise generating equipment's such as DG sets, air conditioning systems, cooling water tower etc.	Condition will be complied. All the member units will be instructed to comply with.
8.	Air & Noise Pollution Control:	
	i) Vehicles hired for bringing construction materials to the site should be in good condition and should conform to air and noise emission standards, prescribed by TNPCB/CPCB. The vehicles should be operated only during non-peak hours.	Condition will be complied. All the member units will be instructed to comply with.
	ii) Ambient air and noise levels should conform to residential standards prescribed by the TNPCB, both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during the construction phase. The pollution abatement measures shall be strictly implemented.	Condition is being complied. All the member units will be instructed to comply with. Ambient Air and Noise monitoring Reports are enclosed as Annexure 4.
	iii) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site shall be avoided. Parking shall be fully internalized and no public space should be utilized. Parking plan to be as per DTCP norms. The traffic department shall be consulted and any cost-effective traffic regulative facility shall be meet before commissioning	Condition will be complied. All the member units will be instructed to comply with.
2	iv) The buildings should have adequate distance between them to allow free movement of fresh air and passage of natural light, air and ventilation.	Condition accepted and noted. All the member units will be instructed to comply with.
9.	Building material:	
	i) Fly-ash blocks should be used as building material in the construction as per the provision of Fly ash Notification of September, 1999 and amended as on 27th August, 2003 and Notification No. S.O. 2807 (E) dated: 03.11.2009.	Condition will be complied. All the member units will be instructed to comply with.

	ii) Ready-mix concrete used in building construction and necessary cube tests should be conducted ascertain their quality.	Condition will be complied.
	iii) Use of glass shall be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, high quality double glass with special reflecting coating shall be used in windows.	All the member units will be instructed to comply with.
10.	Storm Water Drainage:	
	 i) Storm water management around the site and on site shall be established by following the guidelines laid down by the storm water manual. ii) Storm water management plan shall be obtained by engaging the services of Anna University/IIT. 	Condition accepted and noted. All the member units will be instructed to comply with. Condition complied. All the member units will be instructed to comply with.
11.	Energy Conservation Measures:	diffes will be instructed to comply with.
	i) Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material, to fulfil the requirement	All the member units will be instructed to comply with.
	ii) Opaque wall should meet prescribed requirement as per Energy Conservation Building Code which is mandatory for all air-conditioned spaces by use of appropriate thermal insulation material to fulfil the requirement.	All the member units will be instructed to comply with.
	iii) All norms of Energy Conservation Building Code (ECBC) and National Building Code, 2005 as energy conservation have to be adopted Solar lights shall be provided for illumination of common areas.	Condition will be complied. All the member units will be instructed to comply with.
	iv) Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting. A hybrids system or fully solar system for a portion of the apartments shall be provided.	Condition will be complied. All the member units will be instructed to comply with.
	v) A report on the energy conservation measures conforming to energy conservation norms prescribed by the Bureau of Energy Efficiency shall be prepared incorporating details about building materials & technology; R & U factors etc and submitted to the SEIAA in three months' time.	All the member units will be instructed to comply with.
	vi) Energy conservation measures like installation of CFLs/TFLs for lighting the areas outside the building should be integral part of the project design and should be in place before project	Condition will be complied. All the member units will be instructed to comply with.

	commissioning.	
12.	Fire Safety:	
	i) Adequate fire protection equipment's and rescue	All the member units will be instructed
	arrangements should be made as per the	to comply with.
	prescribed standards.	
	ii) Proper and free approach road for fire-fighting	Condition will be complied. All the
	vehicles upto the buildings and for rescue in the	member units will be instructed to
	event of emergency shall be made.	comply with.
13.	Green Belt Development:	
	i) The Project Proponent shall plant tree species	Condition accepted and noted.
	with large potential for carbon capture in the	·
	proposed green belt area based on the	
	recommendation of the Forest department well	
	before the project is completed.	
	ii) The purpose of Green belt around the project is	Condition will be complied. Greenbel
	to capture the fugitive emissions and to attenuate	will be developed with indigenous
	the noise generated, in addition to the	native species. All the member unit
		will be instructed to comply with.
	improvement in the aesthetics. A wild range of	
	indigenous plants species should be planted in and	
	around the premise in consultation with the DFO,	
	Viluppuram District / State Agriculture University.	
	The plants species should have thick canopy cover,	
	perennial green nature, native origin and large leaf	
	areas. Medium size trees and small trees	
	alternating with shrubs shall be plan ted. If possible	
	Miyawaki method of planting i.e planting different	
	types of trees at very close escapement may be	
	tried which will give a good green cover. A total of	
	15% of the plot area should be designated for	
	green belt which should be raised along the	
	boundaries of the plot and in between blocks in an	
	organized manner.	
	iii) The proponent shall develop the green belt as	Condition will be complied.
	per the plan furnished and area earmarked for the	22
	greenbelt shall not be alter at any point of time for	
	any other purpose.	
	iv) The proponent has to earmark the greenbelt	Condition will be complied.
	area with dimension and GPS coordinates for the	
	green belt area and the same shall be included in	
	the layout out plan to be submitted for DTCP	
	approval.	

Courage Treetment Plants	
i) The Sewage Treatment Plant (STP) installed should be certified by an independent expert/reputed academic institution for its adequacy and a report in this regard should be submitted to the SEIAA, TN before the project is commissioned for operation, Explore the less power consuming systems viz baffle reactor, etc., for the treatment of sewage. ii) The Proponent shall install STP as furnished. Any	All the member units will be instructed to comply with. All the member units will be instructed
alteration to satisfy the bathing quality shall be informed to SEIAA-TN.	to comply with. All the member units will be instructed
maintain the Sewage treatment Plant effectively to meet out the standards prescribed by the CPCB.	to comply with.
iv) The project proponent shall continuously operate and maintain the Sewage treatment plant to achieve the standards prescribed by the CPCB.	All the member units will be instructed to comply with.
v) The project proponent has to ensure the complete recycling of treated sewage after achieving the standards prescribed by the CPCB	All the member units will be instructed to comply with.
standby D.G set for the STP for the continuous operation of the STP in case of power failure.	All the member units will be instructed to comply with.
that roof rain water collected from the covered roof of the buildings, etc shall be harvested so as to ensure the maximum beneficiation of rain water harvesting by constructing adequate sumps so that 100% of the harvested water shall be reused.	Condition will be complied and All the member units will be instructed to comply with.
ii) Rain water harvesting for surface run-off, as per plan submitted should be implemented. Before recharging the surface run off, pre-treatment with screens, settlers etc. must be done to remove suspended matter, oil and grease, etc. iii) The project activity should not cause any	All the member units will be instructed to comply with. Condition accepted and noted.
disturbance & deterioration of the local bio diversity.	
	should be certified by an independent expert/ reputed academic institution for its adequacy and a report in this regard should be submitted to the SEIAA, TN before the project is commissioned for operation, Explore the less power consuming systems viz baffle reactor, etc., for the treatment of sewage. ii) The Proponent shall install STP as furnished. Any alteration to satisfy the bathing quality shall be informed to SEIAA-TN. iii) The project proponent shall operate and maintain the Sewage treatment Plant effectively to meet out the standards prescribed by the CPCB. iv) The project proponent shall continuously operate and maintain the Sewage treatment plant to achieve the standards prescribed by the CPCB. v) The project proponent has to ensure the complete recycling of treated sewage after achieving the standards prescribed by the CPCB vi) The project proponent has to provide separate standby D.G set for the STP for the continuous operation of the STP in case of power failure. Rain Water Harvesting: ii) The proponent/Owner of the Flats shall ensure that roof rain water collected from the covered roof of the buildings, etc shall be harvested so as to ensure the maximum beneficiation of rain water harvesting by constructing adequate sumps so that 100% of the harvested water shall be reused. iii) Rain water harvesting for surface run-off, as per plan submitted should be implemented. Before recharging the surface run off, pre-treatment with screens, settlers etc. must be done to remove suspended matter, oil and grease, etc. iii) The project activity should not cause any disturbance & deterioration of the local bio

16.	Building Safety:	
	Lightning arrester shall be properly designed and installed at top of the building and where ever is	
	necessary.	

4.0 ENVIRONMENTAL MONITORING DETAILS

the environmental monitoring was carried out at site by M/s. Life Shell Labs India Private Limited for the period of October 2020 – March 2021.


4.1 Ambient air quality monitoring


4.1.1 Ambient Air Quality Monitoring Stations


During construction phase, particulate matter and gaseous emissions are likely to arise from the site movement of vehicles, operation of DG sets etc., the ambient air quality parameters such as suspended Particulate matter (PM10), Respirable Particulate matter (PM 2.5), Sulphur dioxide, Oxides of Nitrogen (NOx), VOC, Hydro carbons and Carbon monoxide were monitored. The test report of ambient air quality for the period of October 2020 – March 2021 is enclosed as **Annexure 4**.

Table 4.1 Details of Ambient Air Quality Monitoring Stations

S.No	Location Code	Location description	Location coordinates
1	AAQ 1	In Site	13°16'15.5"N 80°18'47.2"E
2	AAQ 2	Kattupalli Village	13°18'24.2"N 80°19'44.0"E
3	AAQ 3	Athipattu Puthu Nagar	13°15'05.2"N 80°18'20.8"E







(Image 2: AAQ 2)



(Image 3: AAQ 3)

4.1.2 Ambient Air Quality Monitoring Methodology

Monitoring was conducted in respect of the following parameters:

- PM10
- PM2.5
- SO2
- NO2
- CO
- NH3
- 03
- Pb
- Ni
- 111
- AsC6H6
- BaP
- Ammonia Levels

4.2 Ambient Noise level monitoring


4.2.1 Ambient Noise Monitoring Locations

The main objective of noise monitoring in the study area is to assess the present ambient noise levels in project site. Ambient noise monitoring was conducted at twodifferent locations within the boundary of the project area as given in Table 4.2.

Table 4.2 Details of Ambient Noise Monitoring Stations

S.No	Location Code	Location description	Location coordinates
1	Noise 1	South Corner of Project Site	13°16'15.9"N 80°18'48.7"E
2	Noise 2	North Corner of Project Site	13°17'49.18"N 80°19'2.93"E







(Image 5: Noise Monitoring 2)

4.2.2 Methodology of Noise Monitoring

Noise levels were measured using integrated sound level meter. The integrating sound level meter is an integrating/ logging type with Octave filter attachment with frequency range of 31.5 to 16000 Hz. This instrument is capable of measuring the Sound Pressure Level (SPL), Leg and octave band frequency analysis.

4.2.3 Noise Test Parameters:

- The Source Noise
- Source Noise decibel

The test report of ambient noise recorded during the period of October 2020 – March 2021 is enclosed in **Annexure 4.**

4.3 Soil Analysis

4.3.1 Soil Monitoring Locations

The objective of the soil monitoring is to identify the impacts of ongoing project activities on soil quality and also predict impacts, which have arisen due to execution of various constructions allied activities. Accordingly, a study of assessment of the soil quality has been carried out.

To assess impacts of ongoing project activities on the soil in the area, the physico - chemical characteristics of soils were examined by obtaining soil samples from selected point and analysis of the same. Two samples of soil was collected from the project site for studying soil characteristics, the location of which is listed in Table 4.3.

Table 4.3 Soil Sample Collection

Table 4.5 Soil Sample Concetton				
Location Code	Location description	Location coordinates		
Soil 1	South Corner of Project Site	13°16'15.9"N 80°18'48.7"E		
Soil 2	North Corner of Project Site	13°17'50.07"N 80°19'01.83"E		
	Soil 1	Soil 1 South Corner of Project Site		



(Image 6: Soil 1)



(Image 7: Soil2)

The samples have been analyzed as per the established scientific methods for physicochemical parameters. The heavy metals have been analyzed by using Atomic Absorption Spectro-photometer and Inductive Coupled Plasma Analyzer. The sample collected and analyzed is enclosed as Annexure 3.

4.3.2 Soil Parameters:


- Soil Texture
- Ph at 25C @ 10% solution
- Bulk Density
- Cation exchange capacity
- Water Holding Capacity
- Total organic Carbon
- Organic matter
- Nitrogen
- Phosphorus
- Potassium and other

4.4 Ground water quality monitoring

During construction phase the ground water may get polluted due to infiltration of rainwater mixed with soil contaminants in the site. The ground water was tested at two locations for various water quality parameters during October 2020 – March 2021. The test report of bore well water collected and analyzed is enclosed as **Annexure 4.** The results are within the stipulated norms when compared with Baseline data. Ground water collected location given as Table 4.4

Table 4.4 Details of Ground Water Sample Collection

S.No	Location Code	Location description	Location coordinates
1	Ground Water 1	In Site	13°16'13.9"N 80°18'47.1"E
2	Ground Water 2	Kattupalli village	13°18'24.2"N 80°19'44.0"E



(Image 8: Ground Water 1)

(Image 9:Ground Water2)

4.4.1 Ground water parameters:

- pH (at 25C)
- total hardness as CaCO3
- TDS
- SO4
- NO3
- Fe
- Zn
- Cr
- Cu
- Cd
- Pb
- Se
- As
- Hg
- TSS
- Nickel
- Ba and other parameters as per NABL standards

4.5 Surface water quality monitoring

The surface water is collected and tested at two locations for various water quality parameters during October 2020 – March 2021. The test report of surface water collected and analyzed is enclosed as **Annexure 4.** The results are within the stipulated norms when compared with Baseline data. Surface water collected location given as Table 4.5

Table 4.5 Details of Surface Water Sample Collection

S.No	Location Code	Location description	Location coordinates
1	Surface Water 1	Buckingham Canal Upstream (Vallur Thermal Power Plant)	13°16'42.8"N 80°19'30.4"E
2	Surface Water 2	Buckingham Canal Downstream (Adani Port Kattupalli)	13°14'54.26"N 80°18'49.38"E



(Image 10: Surface Water1)



(Image 11:Surface Water2)

4.5.1 Surface Water Parameters

- pH (at 25°C)
- TDS
- Nitrate as NO3
- TSS and other parameters as per NABL standards

5.0 CONCLUSION

The environmental monitoring was carried out at site during the period of October 2020 – March 2021 and the results are found to be satisfactory as per the standards of MoEF&CC.

All the conditions stipulated in Environmental Clearance are being complied / will be complied.

MANAGING DIRECTOR Tamil Nadu Polymer Industries Park Ltd.



Dr. JAYANTHI. M, I.F.S MEMBER SECRETARY

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY – TAMIL NADU

3rd Floor, Panagal Maaligai, No.1 Jeenis Road, Saidapet, Chennai-15. Phone No.044-24359973 Fax No. 044-24359975

ENVIRONMENTAL CLEARANCE (EC) Letter No. SEIAA-TN/F. 6957/EC/ 8(b)/683/2019 dated: 11.12.2019.

To

The Managing Director

M/s. Tamil Nadu Polymer Industries Park Ltd.

19-A, Rukmani Lakshmipathy Road

Post Box No.7223

Egmore

Chennai-600 008

Sir,

Sub: SEIAA, TN - Environmental Clearance - Proposed establishment of Polymer Industries Park at Voyalur & Puzhidivakkam by M/s. Tamil Nadu Polymer Industries Park Ltd at S.F. No. 143 & 187 of Puzhidivakkam village, 2053B part of Voyalur Village, Ponneri Taluk, Tiruvallur District, Tamil Nadu - Issued - Regarding.

Ref: 1. Your application for Terms of Reference dated: 22.07.2019

- ToR Issued by SEIAA-TN Vide Lr. No. SEIAA/TN/F.No.6957/ SEAC/ ToR-654/2019 dated: 31.10.2019
- 3. Proponent EIA report submitted to SEIAA-TN on 20.11.2019
- 4. Minutes of the 139th SEAC Meeting held on 23.11.2019

5. Minutes of the 100 ASTA Meeting held on 27.11.2019

1 1 DEC 2019

MEMBER SECRETARY
SEIAA-TN

Page 1 of 26

- 6. Proponent revised EIA report submitted to SEIAA-TN on 09.12.2019
- 7. Minutes of the 363rd SEIAA Meeting held on 11.12.2019

This has reference to your application 3rd cited, the proposal is for obtaining Environmental Clearance to establish a construction project under Category B2 and Schedule S.No. 8(b) under the Environment Impact Assessment Notification, 2006, as amended.

The Competent Authority and Authorized signatory furnished detailed information in Form 1 and Form 1A and liquidate enclosures are as Annexures:

Annexure 1

	PROJECT I	DETAILS
SL No	Description	Details
1)	Name of the Project proponent and address	The Managing Director Tamilnadu Polymer Industries Park Limited, 19/A, Rukmani Lakshmipathy Road, Egmore, Chennai – 600 008
2)	Proposed Activity	Proposed establishment of Polymer Industries Park at Voyalur & Puzhidivakkam Villages
3)	Schedule No.	8(b)
4)	Project Location	
	i)Survey No	143 & 187 of Puzhidivakkam village, 2053B part of Voyalur Village
	ii)Revenue Village	Puzhidivakkam & Voyalur Village
	iii)Taluk	Ponneri
	iv)District	Tiruvallur
5)	Area of the Land	239.82 acres
6)	Built up Area	

1 1 DEC 2019

	Sl.No.	Description	Area (Acres)
	1	Plot area	167.2
	2	OSR	24.38
	3	Amenities	5.0
	4	Logistics (Truck Terminal)	6.00
	5	Solid Waste Management	9.00
	6	Road, Water supply, Storm water drain & Street Lights	25.22
	7	Utility Corridor	3.00
		Total area	-
7)	The prope of roads,	cription of the project osal is an infrastructure development project. It involves water supply, storm water drainage, street lights, green tent, and such other amenities.	ves developmen
7)	The proper of roads, developmed Industrial 2006 and Potential English	osal is an infrastructure development project. It involves water supply, storm water drainage, street lights, greetent, and such other amenities. Park will house industries which do not fall under Bamendments thereof. The proposed industries include allymer and Plastic Components/Parts/Products agineering Manufacturing / Production, specifically, specifically, specifically, specifically, specifically, sp	ves development n belt EIA Notification the following:
7)	The proposition of roads, developmed Industrial 2006 and En Plate Co.	osal is an infrastructure development project. It involves water supply, storm water drainage, street lights, greet ent, and such other amenities. Park will house industries which do not fall under Examendments thereof. The proposed industries include allymer and Plastic Components/Parts/Products	ves development no belt EIA Notification the following: Machines for and Surface



9) Green Belt				
	Sl.No.	Description		Area
				(Acres) 24.38
	1.	In OSR		
	2.	By Member Industries (33 % of the total plot area allotted to Member Industries) i.e 33% of 167.21 Ha		56.30
		Total	AND ALL LINES	80.68
		Percentage of Green Belt among Total Area of Industrial Park i.e 239.82 hectares		33.09%
10)	U	TILITIES-WATER		
	a)	Total Water Requirements	1 N	MLD
) Source from where the	Tamil Nadu Water	Supply and Drainag
	0	water is proposed to be drawn	Board (TWAD)	
		c) Sewage system	water for recycle/re and green belt deve The quantity of s generated from SI office will be man followed by soak p	id Discharge" base to Plants to reclain euse in their utilitie lopment. sewage that will be PCOT administration aged in septic tartit.
8		d) ETP & Recycle line	install "Zero Liqu Effluent Treatment water for recycle/s and green belt deve	
11)	So	olid Waste Management		s been earmarked f d waste manageme



		SIPCOT will identify a TSDF provider and facilitate to establish such a treatment, storage and disposal facility(TSDF) in line with guidelines of CPCB & MoEF & CC.
		Solid waste generated will be disposed to the approved Municipal Solid Waste Management or else SIPCOT will set up its facility through renowned agencies by outsourcing their services on annual contract basis
12)	Power requirement	50MW from TANGEDCO
13)	Project Cost	Rs. 216.91 Crores
14)	EMP Cost	For Operation Phase: Capital Cost -72.76 lakhs Operation cost- 36.60 Lakhs per annum

Annexure 2- Affidavit

The Proponent has furnished affidavit in Twenty Rupees stamp paper attested by the Notary stating that

I, Dr. S. AneeshSekhar, IAS, Managing Director, Authorised Signatory, represent M/s. Tamil Nadu Polymer Industries Park Ltd (TPIPL), 19-A, RukmaniLakshmipathy Road, Egmore, Chennai – 600008. We have proposed to establish a polymer industries park over an extent of 239.82acres at Voyalur and Puzhudivakkam Villages, Ponneri taluk, Thiruvallur District. An application submitted by us seeking Environmental Clearance under the EIA Notification, 2006 is under scrutiny in the Authority. I am furnishing the following undertaking to the Authority, hereby solemnly affirm and state as follows:-

1. We commit to SEIAA that will develop Green belt in 10.16% of the total area i.e 24.38 acres. Further, we will also ensure the development of green belt in 33% of the allotted area by the member units i.e 55.18 acres, which is 23.01% of total area. It will be made as a mandatory condition in the land allotment order as well as the lease deed to be executed between TPIPL and allottees. The net area of

1 1 DEC 2019

- green belt of the proposed industrial park in the post project scenario will be 79.56 acres, which is 33.17% of the total area of the park.
- 2. We commit to SEIAA that the area proposed for the park does not fall under CRZ area. The co-ordinates of the site as per the map prepared by Institute of Remote Sensing, Anna University superimposing the site on approved CZMP as per CRZ notification 2011 vide Ref.No.AU/IRS/CU/229-2019 are as follows:

Label	Latitude	Longitude
A	13°17′53.829"N	80°18'57.149"E
В	13 ⁰ 17'51.613"N	80°19'6.267"E
С	13 ⁰ 17'29.520"N	80°19'17.462"E
D	13°17'25.876"N	80°19'17.624"E
Е	13 ⁰ 17'0.406"N	80°19'11.241"E
F	13 ⁰ 16'45.849"N	80°19'2.924"E
G	13°16'11.552"N	80°18'54.004"E
Н	13°16'10.676"N	80°18'48.620"E
I	13°16'15.943"N	80°18'48.161"E
J	13°16'16.212"N	80°18'46.548"E
K	13 ⁰ 16'39.554"N	80°18'52.076"E
L	13°16'44.580"N	80°18'50.337"E
M	13°16'56.035"N	80°18'44.163"E
N	13°17'3.801"N	80°18'42.680"E
0	13°17'5.139"N	80°18'43.162"E
P	13°17'2.214"N	80°18'53.224"E
Q	13°16'59.337"N	80°18'57.518"E
R	13°16'59.532"N	80°19'3.514"E
S	13°17'18.118"N	80°19'8.899"E
T	13°17'26.234"N	80°19'9.191"E
U	13°17'29.254"N	80°19'8.933"E
V	13°17,30168777N	80°19'6.172"E

1 1 DEC 2019

W	13°17'33.153"N	80°19'8.035"E
---	----------------	---------------

- 3. We commit to SEIAA that the total water requirement for the park is 1MLD, which will be obtained from Tamil Nadu Water Supply and Drainage Board (TWAD). TWAD Board has already issued approval for 2.2 MLD (Letter No. 1609/F.CBIC/DO/PF Dn/VLR/date: 16.09.2015.
- 4. We commit to SEIAA that all member units will be mandated to install "Zero Liquid Discharge" based Effluent Treatment Plants to reclaim water for recycle/reuse in their utilities and green belt development. We will mandate to member units to manage the sewage as per TNPCB norms. The solid waste stream will be sent to TNPCB approved vendors/TSDF for proper and ultimate disposal. The quantity of sewage that will be generated from TPIPL administrative office will only be 1000litres/day and it will be managed in septic tank followed by soak pit as onsite construction.
- 5. We commit to SEIAA that all member units will be mandated to provide rain water harvesting structures as per norms. TPIPL will construct percolation tanks for harvesting the rainwater in the project office.
- 6. We commit to SEIAA that we will provide storm water drainage system as open concrete channels, all along the road side for ensuring proper collection of storm water and will let out in the nearby water bodies. We also assure that the storm water drain would not carry any untreated or treated sewage.
- 7. We commit to SEIAA that we will undertake CER activities as per norms with the approval of board of TPIPL.
- 8. We also assure that our project site does not encroach any water bodies such as rivers, canals, nallas, lakes, ponds, tanks, etc., from its original boundary.
- 9. We are aware that we can be prosecuted under relevant Act and Rules, if we are not ensuring the adherence of the above commitment

The project activity is covered in 8(b) of the Schedule and is of B2 category. It does not require Public Consultation as per Para 7 III Stage (3) (i) (d) of EIA WT IMPACT ASSE

Notification, 2006.

11 DEC 2019

MEMBER SECRETARY

The Authority after consideration all the requisite documents with status and data and based on SEAC appraisal and recommendations for issue of Environmental Clearance in its 139th meeting held on 23.11.2019, SEIAA placed the proposal in the 363rd SEIAA meeting held on 19.12.2019 hereby conveyed Environmental Clearance along with the conditions containing four parts namely

Part - A -Common conditions applicable for Pre-construction, Construction and Operational Phases

Part - B - Specific Conditions - Pre construction phase

Part - C - Specific Conditions - Construction phase

Part - D - Specific Conditions - Operational Phase/Post constructional


Phase / Entire life of the project.

Validity:

The SEIAA hereby accords Environmental Clearance to the above project under the provisions of EIA Notification dated 14th September, 2006 as amended, with validity for Seven years from the date of issue of EC, subject to the compliance of the terms and conditions stipulated below:

Part - A - Common conditions applicable for Pre-construction, Construction and Operational Phases:

- Any appeal against this environmental clearance shall lie with the Hon'ble National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- 2. The construction of STP, Solid Waste Management facility, E-waste management facility, DG sets, etc., should be made in the earmarked area only. In any case, the location of these utilities should not be changed later on.
- 3. The Environmental safeguards contained in the application of the proponent /mentioned during the presentation before the State Level Environment Impact



- Assessment Authority / State Level Expert Appraisal Committee should be implemented in the letter and spirit.
- 4. All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire and Rescue Services Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wild Life (Protection) Act, 1972, State / Central Ground Water Authority, Coastal Regulatory Zone Authority, other statutory and other authorities as applicable to the project shall be obtained by project proponent from the concerned competent authorities.
- 5. The SEIAA reserves the right to add additional safeguard measures subsequently, if non-compliance of any of the EC conditions is found and to take action, including revoking of this Environmental Clearance as the case may be.
- 6. A proper record showing compliance of all the conditions of Environmental Clearance shall be maintained and made available at all the times.
- 7. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company. The status of compliance of environmental clearance conditions and shall also be sent to the Regional Office of the Ministry of Environment and Forests, Chennai by e-mail.
- 8. The Regional Office of the Ministry located at Chennai shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.
- 9. "Consent for Establishment" shall be obtained from the Tamil Nadu Pollution Control Board and a copy shall be submitted to the SEIAA, Tamil Nadu.
- 10. In the case of any change(s) in the scope of the project, a fresh appraisal by the SEAC/SEIAA shall be obtained before implementation.

11. The conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Polymers, 1974, the Air (Prevention & Control of

1 1 DEC 2019

Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Public Liability Insurance Act, 1991, along with their amendments, draft Minor Mineral Conservation & Development Rules, 2010 framed under MMDR Act 1957, National Commission for protection of Child Right Rules, 2006 and rules made there under and also any other orders passed by the Hon'ble Supreme Court of India/Hon'ble High Court of Madras and any other Courts of Law, including the Hon'ble National Green Tribunal relating to the subject matter.

- 12. The Environmental Clearance shall not be cited for relaxing the other applicable rules to this project.
- 13. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.
- 14. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, Chennai, the respective Zonal Office of CPCB, Bengaluru and the TNPCB. The criteria pollutant levels namely; PM10, PM2.5, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored.
- 15. The SEIAA, TN may cancel the environmental clearance granted to this project under the provisions of EIA Notification, 2006, if, at any stage of the validity of this environmental clearance, if it is found or if it comes to the knowledge of this SEIAA, TN that the project proponent has deliberately concealed and/or submitted false or misleading information or inadequate data for obtaining the environmental clearance.
- 16. The Environmental Clearance does not imply that the other statutory / administrative clearances shall be granted to the project by the concerned authorities. Such authorities would be considering the project on merits and be taking decisions independently of the Environmental Clearance.



- 17. The SEIAA, TN may alter/modify the above conditions or stipulate any further condition in the interest of environment protection, even during the subsequent period.
- 18. The Environmental Clearance does not absolve the applicant/proponent of his obligation/requirement to obtain other statutory and administrative clearances from other statutory and administrative authorities.
- 19. Where the trees need to be cut, compensation plantation in the ratio of 1:10 (i.e. planting of 10 trees for every one tree that is cut) should be done with the obligation to continue maintenance.
- 20. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive who will report directly to the Head of the Organization and the shortfall shall be strictly reviewed and addressed.
- 21. The EMP cost of Rs.1.09 Crores shall be deposited in a Nationalized bank by opening separate account and the head wise expenses statement shall be submitted to TNPCB with a copy to SEIAA annually.
- 22. The project activity should not cause any disturbance & deterioration of the local bio diversity.
- 23. The project activity should not impact the water bodies. A detailed inventory of the water bodies and forest should be evaluated and fact reported to the Forest Department & PWD for monitoring.
- 24. All the assessed flora & fauna should be conserved and protected.
- 25. The proponent should strictly comply with, Tamil Nadu Government Order (Ms) No.84 Environment and forests (EC.2) Department dated 25.06.2018 regarding ban on one time use and throwaway plastics irrespective of thickness with effect from 01.01.2019 under Environment (Protection) Act, 1986.
- 26. As per MoEF & CC, GoI, Office Memorandum dated 30.03.2015, prior clearance from Forestry & Wildlife angle including clearance from obtaining committee of the National Board for Wildlife as applicable shall be obtained



- before starting the quarrying operation, if the project site is located within 10KM from National Park and Sanctuaries.
- 27. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided.
- 28. The safety measures proposed in the report should be strictly followed.
- 29. The Developer shall ensure that no allotment letter/ sale deed in any form shall be made to house category A or category B industry as prescribed in the schedule of EIA notification 2006. However, in case any category A or category B type of industry as prescribed in the schedule of EIA notification 2006 is proposed then the individual unit shall apply and seek Environmental Clearance under the EIA notification 2006.
- 30. The project proponent must submit the permissible land use classification certificate obtained from competent authority for the proposed project before obtain the CTE from TNPCB.
- 31. The proponent shall obtain the necessary permission/ NOC of water supply from the TWAD board
- 32. The Developer shall mandate the member industries of the Industrial Park to allot 33% of the plot area for green belt development and to install RWH structures.
- 33. The Developer has to ensure that all the member industries within the Industrial Park shall make their own arrangements to achieve zero discharge of the trade effluents, solid waste & E waste management, gaseous emission and noise control measures to achieve the standards prescribed by the TNPCB.
- 34. The project proponent shall ensure that the individual member units will not be allowed to carry out manufacturing of products stipulated in G.O. (Ms) No. 84 dated 25/06/2018 on banning of one time use on and throwaway plastics.
- 35. The project proponent must submit the permissible land use classification certificate obtained from competent authority for the proposed project before obtain the CTE from TNPCB.



- 36. The CER fund shall be utilized as per the office memorandum of MoEF & CC dated 01.05.2018 before obtaining CTO from TNPCB.
- 37. The allotted industrial units shall obtain consent from the TNPCB separately for their establishment & operation in this industrial estate.
- 38. The project proponent shall ensure that 33% of the total area of the project site should be covered with green belt.
- 39. The proponent shall provide Rain Water Harvesting pits so as to recharge the ground water table.
- 40. Discharge of treated sewage shall conform to the norms & standards prescribed by the Tamil Nadu Pollution Control Board.
- 41. It is the sole responsibility of the proponent that the treated sewage disposed for green belt development/ avenue plantation should not pollute the soil/ ground water/ adjacent canals/ lakes/ ponds, etc.
- 42. The Developer has to ensure that all the member industries within the Industrial Park shall make their own arrangements to achieve zero discharge of the trade effluents,
- 43. The project proponent shall ensure that all the member units should treat and dispose solid waste & E-waste as per the Solid Waste Management Rule2016 as amended and E-Waste Management Rules, 2016
- 44. There shall be no discharge of effluent outside the Industrial Park at any time.
- 45. The Developer shall mandate the member units of the Industrial Park to install adequate APC measures/Acoustic to achieve air emissions standards within permissible limits prescribed by the CPCB.
- 46. The Project proponent shall earmark the following Co ordinates in the project site as per CRZ map issued by IRS, Anna University and shall provide with pillar stone.

LABLE	LATITUDE	LONGITUDE
A	13°17'53.829"N	80°18'57.149"E
В	13°17'51.613"N	80°19'6.267"E
C	13°17'29.520"N	80°19'17.462"E
D	13°17'25.876"N	80°19'17.624"E
E	13°17'0.406"N	80°19'11.241"E

1 1 DEC 2019

F	13°16'45.849"N	80°19'2.924"E
G	13°16'11.552"N	80°18'54.004"E
H	13°16'10.676"N	80°18'48.620"E
I	13°16'15.943"N	80°18'48.161"E
J	13°16'16.212"N	80°18'46.548"E
K	13°16'39.554"N	80°18'52.076"E
L	13°16'44.580"N	80°18'50.337"E
M	13°16'56.035"N	80°18'44.163"E
N	13°17'3.801"N	80°18'42.680"E
0	13°17'5.139"N	80°18'43.162"E
P	13°17'2.214"N	80°18'53.224"E
0	13°16'59.837"N	80°18'57.518"E
R	13°16'59.6329N	80°19'3.514"E
S	13°17'18#18"N	80°19'8.899"E
T	13°17'26.234"N@	80°19'9.191"E
U	13°17'29/254'JN	80°19'8.933"E
V	13°17'30.657"N	80°19'6.172"E
W	13°17'33.153"N	80°19'8.035"E

47. The Environmental Clearance issued only for the revised proposal submitted by the proponent for the project site fall non CRZ area as per CRZ (Ref.No AU/IRS/CU/229-2019 Dt.9.12.2019) map issued by IRS, Anna University.

Part - B - Specific Conditions - Pre construction phase:

- 1. The project authorities should advertise with basic details at least in two local newspapers widely circulated, one of which shall be in the vernacular language of the locality concerned, within 7 days of the issue of clearance. The press releases also mention that a copy of the clearance letter is available with the State Pollution Control Board and also at website of SEIAA, TN. The copy of the press release should be forwarded to the Regional Office of the Ministry of Environment and Forests located at Chennai and SEIAA-TN.
- 2. In the case of any change(s) in the scope of the project, a fresh appraisal by the SEAC/SEIAA shall be obtained before implementation.
- 3. A copy of the clearance letter shall be sent by the proponent to the Local Body.

 The clearance letter shall also be put on the website of the Proponent.

4. The approval of the competent authority shall be obtained for structural safety of the buildings during earthquake approval of fire fighting equipments, etc as per

1 1 DEC 2019

National Building Code including protection measures from lightning etc before commencement of the work.

- 5. All required sanitary and hygienic measures for the workers should be in place before starting construction activities and they have to be maintained throughout the construction phase.
- 6. Design of buildings should be in conformity with the Seismic Zone Classifications.
- 7. The Construction of the structures should be undertaken as per the plans approved by the concerned local authorities/local administration.
- 8. No construction activity of any kind shall be taken up in the OSR area.
- 9. Consent of the local body concerned should be obtained for using the treated sewage in the OSR area for gardening purpose. The quality of treated sewage shall satisfy the bathing quality prescribed by the CPCB.
- 10. The height and coverage of the constructions shall be in accordance with the existing FSI/FAR norms as per Coastal Regulation Zone Notification, 2011.
- 11. The Project Proponent shall provide car parking exclusively for the visiting guest in the proposed residential apartments as per CMDA norms.
- 12. The project proponent shall ensure the level of basement shall be above maximum flood level.
- 13. The proponent shall prepare completion plans showing Separate pipelines marked with different colours with the following details
 - i. Location of STP, compost system, underground sewer line.
 - ii. Pipe Line conveying the treated effluent for green belt development.
 - iii. Pipe Line conveying the treated effluent for toilet flushing
 - iv. Water supply pipeline
 - v. Gas supply pipe line, if proposed
 - vi. Telephone cable
 - vii. Power cable
 - viii. Strom water drains, and

- ix. Rain water harvesting system, etc.,. and it shall be made available to the owners
- 14. A First Aid Room shall be provided in the project site during the entire construction and operation phases of the project.
- 15. The present land use surrounding the project site shall not be disturbed at any point of time.
- 16. The green belt area shall be planted with indigenous native trees.
- 17. Natural vegetation listed particularly the trees shall not be removed during the construction/operation phase. In case any trees are likely to be disturbed, shall be replanted.
- 18. During the construction and operation phase, there should be no disturbance to the aquatic eco-system within and outside the area.
- 19. The Provisions of Forest conservation Act 1980, Wild Life Protection Act 1972& Bio diversity Act 2002 should not be violated.
- 20. There should be Fire fighting plan and all required safety plan.
- 21. Regular fire drills should be held to create awareness among owners/ residents.

Part - C - Specific Conditions - Construction phase:

1. Construction Schedule:

 The Project proponent shall have to furnish the probable date of commissioning of the project supported with necessary bar charts to SEIAA-TN.

2. Labour Welfare:

- All the labourers to be engaged for construction should be screened for health and adequately treated before and during their employment on the work at the site.
- ii) Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to

1 1 DEC 2019

- observe any contradictions due to exposure to dust and take corrective measures, if needed.
- iii) Periodical medical examination of the workers engaged in the project shall be carried out and records maintained. For the purpose, schedule of health examination of the workers should be drawn and followed accordingly. The workers shall be provided with personnel protective measures such as masks, gloves, boots etc.

3. Water Supply:

- i) The entire water requirement during construction phase may be met from ground water source from the source with approval of the PWD Department of water resources/ may be out sourced.
- ii) Provision shall be made for the housing labour within the site with all necessary infrastructures and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- iii) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The treatment and disposal of waste water shall be through dispersion trench after treatment through septic tank. The MSW generated shall be disposed through Local Body and the identified dumpsite only.
- iv) Water demand during construction should be reduced by use of premixed concrete, curing agents and other best practices prevalent.
- v) Fixtures for showers, toilet flushing and drinking water should be of low flow type by adopting the use of aerators / pressure reducing devises / sensor based control.

4. Solid Waste Management:

 In the solid waste management plan, the STP sludge management plan for direct use as manure for gardens is not acceptable; it must be cocomposted with biodegradables.



- ii) House hold hazardous waste such as batteries, small electronics, CFL bulbs, expired medicines and used cleaning solvent bottles should be segregated at source, collected once in a month from residences and disposed as per the SWM rules 2016.
- iii) Domestic solid wastes to be regularly collected in bins or waste handling receptacles and disposed as per the solid waste management rules 2016.
- iv) No waste of any type to be disposed of in any watercourse including drains, canals and the surrounding environment.
- v) E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016 and subsequent amendment.

. 5. Top Soil Management:

 i) All the top soil excavated during construction activities should be stored for use in horticulture/ landscape development within the project site.

6. Construction Debris disposal:

- i) Disposal of construction debris during construction phase should not create any adverse effect on the neighboring communities and be disposed off only in approved sites, with the approval of Competent Authority with necessary precautions for general safety and health aspects of the people. The construction and demolition waste shall be managed as per Construction & Demolition Waste Management Rules, 2016.
- ii) Construction spoils, including bituminous materials and other hazardous materials, must not be allowed to contaminate watercourses. The dump sites for such materials must be secured so that they should not leach into the adjacent land/ lake/ stream etc.

7. Diesel Generator sets:

i) Low Sulphur Diesel shall be used for operating diesel generator sets to be used during construction phase. The air and noise emission shall conform to the standards prescribed in the Rules under the Environment (Protection) Act was white the standards prescribed framed thereon.

1 1 DEC 2019

- ii) The diesel required for operating stand by DG sets shall be stored in underground tanks fulfilling the safety norms and if required, clearance from Chief Controller of Explosives shall be taken.
- iii) The acoustic enclosures shall be installed at all noise generating equipments such as DG sets, air conditioning systems, cooling water tower etc.

8. Air & Noise Pollution Control:

- i) Vehicles hired for bringing construction materials to the site should be in good condition and should conform to air and noise emission standards, prescribed by TNPCB/CPCB. The vehicles should be operated only during non-peak hours.
- ii) Ambient air and noise levels should conform to residential standards prescribed by the TNPCB, both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during the construction phase. The pollution abatement measures shall be strictly implemented.
- iii) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site shall be avoided. Parking shall be fully internalized and no public space should be utilized. Parking plan to be as per DTCP norms. The traffic department shall be consulted and any cost effective traffic regulative facility shall be met before commissioning.
- iv) The buildings should have adequate distance between them to allow free movement of fresh air and passage of natural light, air and ventilation.

9. Building material:

- i) Fly-ash blocks should be used as building material in the construction as per the provision of Fly ash Notification of September, 1999 and amended as on 27th August, 2003 and Notification No. S.O. 2807 (E) dated: 03.11.2009.
- ii) Ready-mix concrete shall alone be used in building construction and necessary cube-tests should be conducted to ascertain their quality.



iii) Use of glass shall be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, high quality double glass with special reflecting coating shall be used in windows.

10. Storm Water Drainage:

- i) Storm water management around the site and on site shall be established by following the guidelines laid down by the storm water manual.
- ii) Storm water management plan shall be obtained by engaging the services of Anna University/IIT.

11. Energy Conservation Measures:

- Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material, to fulfill the requirement.
- ii) Opaque wall should meet prescribed requirement as per Energy Conservation Building Code which is mandatory for all air conditioned spaces by use of appropriate thermal insulation material to fulfill the requirement.
- iii) All norms of Energy Conservation Building Code (ECBC) and National Building Code, 2005 as energy conservation have to be adopted Solar lights shall be provided for illumination of common areas.
- iv) Application of solar energy should be incorporated for illumination of common areas, lighting for gardens and street lighting. A hybrids system or fully solar system for a portion of the apartments shall be provided.
- v) A report on the energy conservation measures conforming to energy conservation norms prescribed by the Bureau of Energy Efficiency shall be prepared incorporating details about building materials & technology; R & U factors etc and submitted to the SEIAA in three month's time.
- vi) Energy conservation measures like installation of CFLs/TFLs for lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning.

12. Fire Safety:

1 1 DEC 2019

- i) Adequate fire protection equipments and rescue arrangements should be made as per the prescribed standards.
- ii) Proper and free approach road for fire-fighting vehicles upto the buildings and for rescue operations in the event of emergency shall be made.

13. Green Belt Development:

- i) The Project Proponent shall plant tree species with large potential for carbon capture in the proposed green belt area based on the recommendation of the Forest department well before the project is completed.
- ii) The purpose of Green belt around the project is to capture the fugitive emissions and to attenuate the noise generated, in addition to the improvement in the aesthetics. A wild range of indigenous plants species should be planted in and around the premise in consultation with the DFO, Viluppuram District / State Agriculture University. The plants species should have thick canopy cover, perennial green nature, native origin and large leaf areas. Medium size trees and small trees alternating with shrubs shall be planted. If possible Miyawaki method of planting i.e planting different types of trees at very close escapement may be tried which will give a good green cover. A total of 15% of the plot area should be designated for green belt which should be raised along the boundaries of the plot and in between blocks in an organized manner
- iii) The proponent shall develop the green belt as per the plan furnished and area earmarked for the greenbelt shall not be alter at any point of time for any other purpose.
- iv) The proponent has to earmark the greenbelt area with dimension and GPS coordinates for the green belt area and the same shall be included in the layout out plan to be submitted for DTCP approval

14. Sewage Treatment Plant:



- i) The Sewage Treatment Plant (STP) installed should be certified by an independent expert/ reputed Academic institutions for its adequacy and a report in this regard should be submitted to the SEIAA, TN before the project is commissioned for operation. Explore the less power consuming systems viz baffle reactor, etc., for the treatment of sewage.
- ii) The Proponent shall install STP as furnished. Any alteration to satisfy the bathing quality shall be informed to SEIAA-TN.
- iii) The project proponent shall operate and maintain the Sewage treatment Plant effectively to meet out the standards prescribed by the CPCB.
- iv) The project proponent shall continuously operate and maintain the Sewage treatment plant to achieve the standards prescribed by the CPCB.
- v) The project proponent has to ensure the complete recycling of treated sewage after achieving the standards prescribed by the CPCB.
- vi) The project proponent has to provide separate standby D.G set for the STP for the continuous operation of the STP in case of power failure.

15. Rain Water Harvesting:

- i) The proponent/ Owner of the Flats shall ensure that roof rain water collected from the covered roof of the buildings, etc shall be harvested so as to ensure the maximum beneficiation of rain water harvesting by constructing adequate sumps so that 100% of the harvested water shall be reused.
- ii) Rain water harvesting for surface run-off, as per plan submitted should be implemented. Before recharging the surface run off, pre-treatment with screens, settlers etc. must be done to remove suspended matter, oil and grease, etc.
- iii) The project activity should not cause any disturbance & deterioration of the local bio diversity.

16. Building Safety:

Lightning arrester shall be properly designed and installed at top of the building and where the building are the building and where the building and where the building are the building and where the building and where the building and where the building are the

1 1 DEC 2019

<u>Part - D - Specific Conditions - Operational Phase/Post constructional</u> <u>phase/Entire life of the project:</u>

- 1. There should be Fire fighting plan and all required safety plan.
- 2. Regular fire drills should be held to create awareness among owners/ residents.
- House hold hazardous waste such as batteries, small electronics, CFL bulbs, expired medicines and used cleaning solvent bottles should be segregated at source, collected once in a month from residences and disposed as per the SWM rules 2016.
- 4. The building should not spoil the green views and aesthetics of surroundings and should provide enough clean air space.
- 5. The project proponent has to furnish the certificate stating that the proposed site had not encroached any water body (rivers, canals, lakes, ponds, tanks, etc) from its original boundary shall be obtained from the competent authority before obtaining CTE from TNPCB.
- 6. The project proponent shall obtain the necessary permission for drawl of ground water / surface water required for the project from the competent authority.
- 7. Solar energy saving shall be increased to atleast 10% of total energy utilization.
- 8. The project proponent shall comply with the provisions contained in this Ministry's OM vide F.No. 22-65/2017-IA.III dated 1st May 2018, as applicable, regarding Corporate Environment Responsibility.
- 9. The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest / wildlife norms / conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF & CC as a part of sixmonthly report.



- 10. The EMP cost shall be printed in the Brochure / Pamphlet for the preparation of the sale of the property and should also mention the component involved.
- 11. The Project proponent shall get due permission from the wetland Authority before the commencement of the work, if applicable.
- 12. The project activities should in no way disturb the manmade structures.
- 13. The Proponent shall do afforestation/ restoration programme contemplated to strengthen the open spaces shall preferably include native species along with the financial forecast for planting and maintenance for 5 years.
- 14. "Consent to Operate" should be obtained from the Tamil Nadu pollution Control Board before the start of the operation of the project and copy shall be submitted to the SEIAA-TN.
- 15. Raw water quality to be checked for portability and if necessary RO plant shall be provided.
- 16. The Proponent should be responsible for the maintenance of common facilities including greening, rain water harvesting, sewage treatment and disposal, solid waste disposal and environmental monitoring including terrace gardening for a period of 3 years. Within one year after handing over the flats to all allottees a viable society or an association among the allottees shall be formed to take responsibility of continuous maintenance of all facilities with required agreements for compliance of all conditions furnished in Environment Clearance (EC) order issued by the SEIAA-TN or the Proponent himself shall maintain all the above facilities for the entire period. The copy of MOU between the buyers Association and proponent shall be communicated to SEIAA-TN.
- 17. The ground water level and its quality should be monitored and recorded regularly in consultation with Ground Water Authority.
- 18. Treated effluent emanating from STP shall be recycled / reused to the maximum extent possible. The treated sewage shall conform to the norms and standards for bathing quality laid down by CPCB irrespective of any use. Necessary measures should be made to mitigate the odour and mosquito problem from STP.

1 1 DEC 2019

INT IMPACT ASS

- 19. The Proponent shall operate STP continuously by providing stand by DG set in case of power failure.
- 20. Adequate measures should be taken to prevent odour emanating from solid waste processing plant and STP.
- 21. The E waste generated should be collected and disposed to a nearby authorized e-waste centre as per E- waste (Management & Handling), Rules 2016 as amended.
- 22. Diesel power generating sets proposed as source of back-up power during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets.
- 23. The noise level shall be maintained as per MoEF/CPCB/TNPCB guidelines/norms both during day and night time.
- 24. Spent oil from D.G sets should be stored in HDPE drums in an isolated covered facility and disposed as per the Hazardous & other Wastes (Management & Transboundary Movement) Rules 2016. Spent oil from D.G sets should be disposed off through registered recyclers.
- 25. The proponent is required to provide a house hold hazardous waste / E-waste collection and disposal mechanism.
- 26. The proponent/ Owner of the Flats shall ensure that storm water drain provided at the project site shall be maintained without choking or without causing stagnation and should also ensure that the storm water shall be properly disposed off in the natural drainage / channels without disrupting the adjacent public. Adequate harvesting of the storm water should also be ensured.
- 27. Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.
- 28. A copy of the Environmental clearance (EC) letter shall be made available to all the allottees along with the allotment order / sale deed.



29. Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.

MEMBER SECRETARY
SEIAA-TN

Copy to:

- 1. The Principal Secretary to Government, Environment & Forests Dept, Govt. of Tamil Nadu, Fort St. George, Chennai 9.
- The Chairman, Central Pollution Control Board, Parivesh Bhavan,
 CBD Cum-Office Complex, East Arjun Nagar, New Delhi 110032.
- The Member Secretary, Tamil Nadu Pollution Control Board,
 Mount Salai, Guindy, Chennai-600 032.
- The APCCF (C), Regional Office, Ministry of Environment & Forest (SZ),
 HEPC Building, 1st & 2nd Floor, Cathedral Garden Road, Nungambakkam,
 Chennai 34.
- Monitoring Cell, I A Division, Ministry of Environment & Forests, Paryavaran Bhavan, CGO Complex, New Delhi 110003.
- 6. The District Collector, Tiruvallur District
- 7. Stock File.





Category of the Industry:

RED

CONSENT ORDER NO. 2101232436303

DATED: 22/03/2021.

PROCEEDINGS NO.T2/TNPCB/F.0929GMP/RL/GMP/A/2021 DATED: 22/03/2021



SUB: TNPC Board-Consent for Establishment-M/s. TAMILNADU POLYMER INDUSTRIES PARK LIMITED, S.F. No. SF.No.143(part) and 187(part) of Puzhuthivakkam Village, and 2053B (part) of Voyalur Village, PUZHUTHIVAKKAM village, Ponneri Taluk and Tiruvallur District - for the establishment or take steps to establish the industry under Section 21 of the Air(Prevention and control of Pollution) Act, 1981, as amended in 1987 (Central Act. 14 of 1981)-Issued -Reg.

REF: 1. Unit's application for CTE – New on 24.06.2020/ 02.02.2021 2. IR.No: F.0929GMP/RL/AE (M)/GMP/2020 dated 22/12/2020 3. Minutes of TSC Resolution No. 185-05 Dated 20.01.2021

- 4. Minutes of TSC Resolution No. 186 02 Dated 10.03.2021

Consent to establish or take steps to establish is hereby granted under Section 21 of the Air (Prevention and control of Pollution) Act, 1981, as amended in 1987 and the Rules and Orders made there under to

The Managing Director,

M/s. TAMILNADU POLYMER INDUSTRIES PARK LIMITED

S.F.No.SF.No.143(part) and 187(part) of Puzhuthivakkam Village, and 2053B (part) of Voyalur Village,

PUZHUTHIVAKKAM Village,

Ponneri

Taluk,

Tiruvallur District.

Authorizing occupier to establish or take steps to establish the industry in the site mentioned below:

S.F No. SF.No.143(part) and 187(part) of Puzhuthivakkam Village, and 2053B (part) of Voyalur Village.

PUZHUTHIVAKKAM Village,

Ponneri

Taluk.

Tiruvallur District.

This Consent to establish is valid upto March 31, 2025, or till the industry obtains consent to operate under Section 21 of the Air (Prevention and control of Pollution) Act, 1981, as amended in 1987 whichever is earlier subject to special and general conditions enclosed.

S. Ragupathi Date: 2021.03.23 13:54:27 +05'30'

For Member Secretary, Tamil Nadu Pollution Control Board, Chennal

To

The Managing Director.

M/s.TAMILNADU POLYMER INDUSTRIES PARK LIMITED.

Tamilnadu Polymer Industries Park Limited

III Floor, 19-A, Rukmini Lakshmipathy Road

Egmore, Chennai,

Pin: 600008



Copy to:

- 1. The Commissioner, MEENJUR-Panchayat Union, Ponneri
- Taluk, Tiruvallur District.
- 2. The District Environmental Engineer, Tamil Nadu Pollution Control Board, GUMMIDIPOONDI.
- 3. The JCEE-Monitoring, Tamil Nadu Pollution Control Board, Chennai.
- 4. File



1. This consent to establish is valid for establishing the facility for the manufacture of products/ byproducts (Col. 2) at the rate (Col 3) mentioned below. Any change in the product/byproduct and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Sl. No.	Description	Quantity	Unit
	Product Details		
1.	It is an industrial park involving development of infrastructure such as roads, water supply, storm water drainage, street lights, green belt etc., to house industries including engineering, manufacturing/production specifically for polymer components and any other industries that are not fall under EIA Notification 2006 and amendments thereof.	97.05	Hectares

2. This consent to establish is valid for establishing the facility with the below mentioned emission/noise sources along with the control measures and/or stack. Any change in the emission source/control measures/change in stack height has to be brought to the notice of the Board and fresh consent has to be obtained if necessary.

I	Point source emission with stack:					
Stack No.	Point Emission Source	Air pollution Control measures	Stack height from Ground Level in m	Gaseous Discharge in Nm3/hr		
II	Fugitive/Noise emission:	the and the state of				
Sl. No.	Fugitive or Noise Emission sources	Type of emission	Control measures	×		

3. Special Additional Conditions:

The unit shall install the approved retrofit emission control device/equipment with at least 70% Particulate matter reduction efficiency on all DG sets with capacity of 125 KVA and above or otherwise the unit shall be shift to gas based generators within the time frame prescribed in the notification No. TNPCB/Labs/DD(L)02151/2019 dated 10.06.2020 issued by TNPCB.

4. Additional Conditions:

1. The unit shall comply with the conditions as stipulated in the Environmental Clearance obtained from SEIAA, TN vide Lr.No.SEIAA-TN/F.6957/EC/8(b)/683/2019 Dated 11.12.2019.

2. The unit shall conduct Ambient Noise level survey report and Ambient Air Quality survey report for base line data to assess the quality of Ambient Air and Ambient Noise level and submit the report within one month's time.

3. The unit shall comply with the E- waste Management Rules, 2016. E-waste as listed in Schedule – I generated by them shall be channelized through collection centre or dealer of authorized producer or dismantler or recycler or through the designated take back service provider of the producer to authorized dismantler or recycler. The unit shall maintain records of e- waste generated by them in Form – 2 and make such records available for scrutiny by the TNPCB. The unit shall file annual returns in Form -3, to the TNPCB on or before the 30th day of June following the financial year. 4. The unit shall develop adequate greenbelt (33% of its total area) in and around the unit premises.

5. The unit shall remit consent fee in case of revision by the Government.

S. Ragupathi Digitally signed by S. Ragupathi Date: 2021.03.23 13:55:07 +05'30'

For Member Secretary, Tamil Nadu Pollution Control Board, Chennai

_



GENERAL CONDITIONS

- 1. This consent to establish cannot be construed as consent to operate and the unit shall not commence the operation without obtaining the Consent to operate.
- 2. The applicant shall make a request for grant of consent to operate at least thirty days, before the commissioning of trial production.
- Any Change in the details furnished in the conditions has to be brought to the notice of the Board and got approved by the Board, before obtaining consent to operate under the said Act.
- 4. The unit has to comply with the provisions of Public Liability Insurance Act, 1991 to provide immediate relief in the event of any hazard to human beings, other living creatures/plants and properties while handling and storage of hazardous substances (wherever applicable).
- 5. Consent to operate will not be issued unless the unit complies with the conditions of consent to establish.
- 6. The unit shall provide adequate water sprinklers for the control of dust emission during the loading and unloading of construction material so as to minimize the dust emission.
- 7. The unit shall provide water sprinklers along the temporary roads inside the premises to avoid fugitive dust emission during the vehicle movements.
- 8. The unit shall develop green belt of adequate width around the premises.
- 9. In case there is any change in the management, the unit shall inform the change with relevant documents immediately.

S. Ragupathi Date: 2021.03.23 13:55:38 +05'30'

For Member Secretary, Tamil Nadu Pollution Control Board, Chennal



Category of the Industry:

RED

CONSENT ORDER NO. 2101132436303

DATED: 22/03/2021.

PROCEEDINGS NO.T2/TNPCB/F.0929GMP/RL//GMP/W/2021 DATED: 22/03/2021



SUB: TNPC Board-Consent for Establishment-M/S TAMILNADU POLYMER INDUSTRIES PARK LIMITED S.F. No. SF.No. 143(part) and 187(part) of Puzhuthivakkam Village, and 2053B (part) of Voyalur Village, PUZHUTHIVAKKAM Village, Ponneri Taluk, Tiruvallur District - for the establishment or take steps to establish the industry under Section 25 of the Water (Prevention and control of Pollution)Act, 1974, as amended in 1988(Central Act 6 of 1974)- Issued-Reg.

REF: 1. Unit's application for CTE - New on 24.06.2020/02.02.2021

- 2. IR.No: F.0929GMP/RL/AE (M)/GMP/2020 dated 22/12/2020
- 3. Minutes of TSC Resolution No. 185-05 Dated 20.01.2021
- 4. Minutes of TSC Resolution No. 186 02 Dated 10.03.2021

Consent to establish or take steps to establish is hereby granted under Section 25 of the Water (Prevention and control of Pollution) Act, 1974, as amended in 1988 (Central Act 6 of 1974) (hereinafter referred to as 'The Act') and the Rules and Orders made there under to

The Managing Director,

TAMILNADU POLYMER INDUSTRIES PARK LIMITED

Authorizing occupier to establish or take steps to establish the industry in the site mentioned below:

S.F. No.SF.No.143(part) and 187(part) of Puzhuthivakkam Village, and 2053B (part) of Voyalur Village,

PUZHUTHIVAKKAM Village,

Ponneri

Taluk,

Tiruvallur District.

This Consent to establish is valid upto March 31, 2025, or till the industry obtains consent to operate under Section 25 of the Water (Prevention and control of Pollution) Act, 1974, as amended in 1988 whichever is earlier subject to special and general conditions enclosed.

S. Ragupathi Digitally signed by S. Ragupathi Date: 2021.03.23 13:51:54 +05:30

For Member Secretary, Tamil Nadu Pollution Control Board, Chennai

To

The Managing Director,

M/s.TAMILNADU POLYMER INDUSTRIES PARK LIMITED,

Tamilnadu Polymer Industries Park Limited

III Floor, 19-A, Rukmini Lakshmipathy Road

Egmore, Chennai,

Pin: 600008

Copy to:

1. The Commissioner, MEENJUR-Panchayat Union, Ponneri

Taluk, Tiruvallur District.

- 2. The District Environmental Engineer, Tamil Nadu Pollution Control Board, GUMMIDIPOONDI.
- 3. The JCEE-Monitoring, Tamil Nadu Pollution Control Board, Chennai.
- 4. File

,



1. This consent to establish is valid for establishing the facility for the manufacture of products/byproducts (Col. 2) at the rate (Col 3) mentioned below. Any change in the product/byproduct and its quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

SI. No.	Description	Quantity	Unit
	Product Details	DANIERO LO LESTE	Dar Assault
1.	It is an industrial park involving development of infrastructure such as roads, water supply, storm water drainage, street lights, green belt etc., to house industries including engineering, manufacturing/production specifically for polymer components and any other industries that are not fall under EIA Notification 2006 and amendments thereof.	97.05	Hectares

2. The unit shall provide Sewage Treatment Plant and /or Effluent Treatment Plant as indicated below.

a	Sewage Treatment Plant:		
finis wa	Treatment sta	tus: Septic Tank and SP	/DT
SL. No.	Name of the Treatment Unit	No. of Units	Dimensions in metres
1,	Septic Tank		4.2 x 2.3 x 1.9
2.	Soak Pit	To and DESTROY OF	1 m dia x 2.5 m Ht
ATEL TO	Treatmen	t status: Individual STP	
SL. No.	Name of the Treatment Unit	No. of Units	Dimensions in metres
1.	Member industries will install their own STP	0	0
b	Effluent Treatment Plant:		
- 2	Treatmen	t status: Individual ETP	
SL. No.	Name of the Treatment Unit	No. of Units	Dimensions in metres
Trame And	Member Industries will install their own ETP	0	0

3. This consent to establish is valid for establishing the facility with the below mentioned outlets for the discharge of sewage/trade effluent. Any change in the outlets and the quantity has to be brought to the notice of the Board and fresh consent has to be obtained.

Outlet No.	Description of Outlet	Maximum daily discharge in KLD	Point of disposal
Effluent Ty	pe : Sewage		-1 TY 1
1, 11	Sewage	0.57	On Industrys own land
Effluent Ty	pe : Trade Effluent	Summer of the man	Carlotte Carlotte

4. Additional Conditions:



TAMILIADO POLLUTION CONTROL BOARD

1. The unit shall comply with the conditions as stipulated in the Environmental Clearance obtained from SEIAA, TN vide Lr.No.SEIAA-TN/F.6957/EC/8(b)/683/2019 Dated 11.12.2019.

2. The issue of CTE to the project shall not be construed as CTO and shall not commission the project without obtaining CTO from the Board.

3. The unit shall not carry out any establishment activity in the CRZ area adjacent to the site.

4. The unit shall start its establishment activities only after getting the necessary project/building approvals from the competent authorities.

5. This consent order does not absolve from obtaining necessary permission / Clearance from other Authority or under other statutes as applicable.

6. The stability of the entire building/STP does not falls under the purview of the TNPC Board.

7. The unit shall obtain planning permission and building plan approval from the competent authority and furnish the same to the Board.

8. The unit shall submit baseline data for ground water to assess the quality of ground water for 1 KM radius outside the boundary of the project and also inside available open wells within a month's time. 9. The unit shall allot 5% (4.85 Hectare) of the total area (97.05 Hectare) for Solid Waste Management

as reported in the unit's letter dated 02.02,2021.

- 10. The unit has to ensure that all the member Industries within the industrial Park shall make their own arrangements to achieve zero discharge of the trade effluents, solid waste & E waste management, gaseous emission and noise control measures to achieve the standards prescribed by the TNPCB.
- 11. The unit shall ensure that the allotted industrial units obtain consent from the TNPCB separately for their establishment & operation in this industrial estate.

12. The unit shall develop adequate green belt by planting native trees of 30m width adjacent to CRZ

13. The unit shall install septic tank and soak pit arrangements for the disposal of sewage generated from the unit.

14. The unit shall ensure that there is no trade effluent generated from its activity.

15. The bio degradable solid waste, non bio degradable solid waste, STP sludge, etc generated from the project activity shall be properly collected, segregated and disposed as per the provision of Solid waste(Management and Handling) Rules, 2016.

16. The plastic wastes shall be segregated and disposed as per the provisions of Plastic Waste

(Management and Handling) Rules, 2016.

17. The unit shall provide rain water harvesting facility in the premises. 18. The unit shall remit consent fee in case of revision by the Government.

S. Ragupathi Digitally signed by S. Ragupathi Date: 2021.03.23 13:52:25 +05'30'

For Member Secretary, Tamil Nadu Pollution Control Board, Chennai



TAMILNADU POLLUTION CONTROL BOARD

- 1. This consent to establish cannot be construed as consent to operate and the unit shall not commence the operation without obtaining the Consent to operate.
- 2. The applicant shall make a request for grant of consent to operate at least thirty days, before the commissioning of trial production.
- 3. Any Change in the details furnished in the conditions has to be brought to the notice of the Board and got approved by the Board, before obtaining consent to operate under the said Act.
- 4. The unit has to comply with the provisions of Public Liability Insurance Act, 1991 to provide immediate relief in the event of any hazard to human beings, other living creatures/plants and properties while handling and storage of hazardous substances (wherever applicable).
- 5. Consent to operate will not be issued unless the unit complies with the conditions of consent to establish.
- 6. The unit shall provide adequate water sprinklers for the control of dust emission during the loading and unloading of construction material so as to minimize the dust emission.
- 7. The unit shall provide water sprinklers along the temporary roads inside the premises to avoid fugitive dust emission during the vehicle movements.
- 8. The unit shall develop green belt of adequate width around the premises.
- 9. In case there is any change in the management, the unit shall inform the change with relevant documents immediately.

S. Ragupathi Date: 2021.03.23 13:53:08 +05'30'

For Member Secretary, Tamil Nadu Pollution Control Board, Chennai

A Government of Tambinadu Enterprise

Home

Careers

Contact Us



About Us



Tamil Nadu is one of the most industrialised states in the country and also a favourable destination for investors. Considering the scope for plastic and allied Industries, Government of Tamil Nadu took initiative to promote "Polymer Industries Park" exclusively for housing plastic and allied industries by dovetailing the grant available under centrally sponsored "Scheme for setting up of Polymer Parks" of Department of Chemicals and Petrochemicals (DC&PC), Government of India.

"Tamilnadu Polymer Industries Park Ltd (TPIPL)" for setting up of the park. The SPV identified 265.66 acres of land in Puzhudivakkam Tamilhadu Industrial Development Corporation (TIDCO) & SIPCOT Jointly formed a Special Purpose Vehicle (SPV) in the name of and Voyalur Villages, Thiruvallur District close to Ennore Port which is in possession of TIDCO for the establishment of the park



EC Compliance Report



Environmental Clearance (EC)



NABL Accredited, ISO 9001: 2015, OSHAS 18001: 2007 Certified Company

LIFE SHELL LABS INDIA PVT. LTD.

ANGKURE-4

(The Complete Environmental Service Provider)
No. 20, Nehru Street, Maruthi Nagar, Phase I,
Iyyappanthangal, Chennai – 600077. Tamil Nadu
Tel: +91(44) 48634849, 63809 68684
Email: labs@lifeshell.in, lifeshelllabs@gmail.com
www.lifeshelllabs.com

TEST REPORT

	· · · · · · · · · · · · · · · · · ·					
Sample ID: 2103250	JOE: 699	Report Date: 31.03.2021				
Customer Name	M/s. Tamil Nadu Polymer Industr	M/s. Tamil Nadu Polymer Industries Park Limited				
Address	S.NO: 143 & 187 Part of Puzhudivakkam Villages, and 2053 of Voyalur Village, Ponneri Taluk, Tiruvallur District, Tamil Nadu.					
Date of Sampling	26.03.2021	26.03.2021 Sampled by LSL				
Sample Received on	27.03.2021	Sample Description	Ambient Air Quality - 1			
Test Commenced on	27.03.2021	Sampling duration	24 hrs			
Test Completed on	31.03.2021	Ambient Temp during sampling	33°C (Avg.)			
Sampling Location	South Corner Of the Project Site	RH during sampling	65% (Avg.)			
Sampling Procedure	Prescribed as per Test Method					

DISCIPLI	NE	CHEMICA	L TESTING			
PRODUC	CT GROUP	ATMOSP	HERIC POLLUTION			
S. No	PARAMETERS	UNIT	TEST METHOD	RESULTS	*NAAQ STAND	ARDS:2009
1	Particulate Matter in (PM ₁₀)	μg/m³	IS 5182 (Part 23)	68.9	100 (24 Hours)	60 (Annual)
2	Particulate Matter in (PM _{2.5})	μg/m³	EPA-Appendix-L (Part-50)	22.8	60 (24 Hours)	40 (Annual)
3	Sulphur dioxide as SO₂	μg/m³	IS 5182 (Part 2)	5.60	80 (24 Hours)	50 (Annual)
4	Nitrogen Dioxide as NO₂	μg/m³	IS 5182 (Part 6)	13.1	80 (24 Hours)	40 (Annual)
5	Ozone as O ₃	μg/m³	IS 5182 (Part 9)	8.45	180 (1 Hours)	100 (8Hours
6	Ammonia as NH ₃	μg/m³	CPCB Manual-2013	26.9	400 (24 Hours)	100 (Annual
7	Carbon Monoxide as CO (1hr)	mg/m³	IS 5182 (Part 10)	BDL (DL:1.15)	4 (1 Hours)	2 (1 Hours)
8	Lead as Pb	μg/m³	IS 5182 (Part 22)	BDL (DL:0.5)	1 (24 Hours)	0.5 (Annual)
9	Benzene as C ₆ H ₆	μg/m³	IS 5182 (Part 11)	BDL (DL:1-0)	5 (Annual)	5 (Annual)
10	Arsenic as As	ng/m³	IS 5182 (Part 22)	BDL (DL:1.0)	6 (Annual)	6 (Annual)
11	Nickel as Ni	ng/m³	IS 5182 (Part 22)	BDL (DL:1.0)	20 (Annual)	20 (Annual)
12	Benzo(a)Pyrene in C ₂₀ H ₁₂	ng/m³	IS 5182 (Part 12)	BDL (DL:1.0)	1 (Annual)	1 (Annual)

Note: BDL: Below Detectable Limit; DL: Detectable Limit, µg/m³-Micrograms per cubic meter, ng/m³- Nanograms per cubic meter.

*NAAQ: National Ambient Air Quality.

Verified by

M BALAJI Deputy Quality Manager CHENNAI COO 077.

For Life Shell Labs India Pvt. Ltd.

Authorized Signatory

Deputy Technical Manager

******End of Report*****

Page 1 of 1



NABL Accredited, ISO 9001: 2015, OSHAS 18001: 2007 Certified Company

LIFE SHELL LABS INDIA PVT. LTD.

(The Complete Environmental Service Provider)
No. 20, Nehru Street, Maruthi Nagar, Phase I,
Iyyappanthangal, Chennai – 600077. Tamil Nadu
Tel: +91(44) 48634849, 63809 68684
Email: labs@lifeshell.in, lifeshelllabs@gmail.com

www.lifeshelllabs.com

TEST REPORT

Sample ID: 2103251	JOE: 699		Report Date: 31.03.2021			
Customer Name	M/s. Tamil Nadu Polymer Industries Park	M/s. Tamil Nadu Polymer Industries Park Limited				
Address	S.NO: 143 & 187 Part of Puzhudivakkam Villages, and 2053 of Voyalur Village, Ponneri Taluk, Tiruvallur District, Tamil Nadu.					
Date of Sampling	26.03.2021 Samp	led by	LSL			
Sample Received on	27.03.2021 Samp	le Description	Ambient Air Quality – 2			
Test Commenced on	27.03.2021 Samp	ling duration	24 hrs			
Test Completed on	31.03.2021 Ambie	ent Temp during sampling	33°C (Avg.)			
Sampling Location	Kattupalli Village RH du	ring sampling	64% (Avg.)			
Sampling Procedure	Prescribed as per Test Method					

NE	CHEMICAL TESTING					
CT GROUP	ATMOSP	HERIC POLLUTION				
PARAMETERS	UNIT	TEST METHOD	RESULTS	*NAAQ STAND	ARDS:2009	
Particulate Matter in (PM ₁₀)	μg/m³	IS 5182 (Part 23)	53.4	100 (24 Hours)	60 (Annual)	
Particulate Matter in (PM _{2.5})	μg/m³	EPA-Appendix-L (Part-50)	16.1	60 (24 Hours)	40 (Annual)	
Sulphur dioxide as SO ₂	μg/m³	IS 5182 (Part 2)	5.20	80 (24 Hours)	50 (Annual)	
Nitrogen Dioxide as NO ₂	μg/m³	IS 5182 (Part 6)	11.8	80 (24 Hours)	40 (Annual)	
Ozone as O ₃	μg/m³	IS 5182 (Part 9)	8.65	180 (1 Hours)	100 (8Hours	
Ammonia as NH ₃	μg/m³	CPCB Manual-2013	26.3	400 (24 Hours)	100 (Annual)	
Carbon Monoxide as CO (1hr)	mg/m³	IS 5182 (Part 10)	BDL (DL:1,15)	4 (1 Hours)	2 (1 Hours)	
Lead as Pb	μg/m³	IS 5182 (Part 22)	BDL (DL:0.5)	1 (24 Hours)	0.5 (Annual)	
Benzene as C ₆ H ₆	μg/m³	IS 5182 (Part 11)	BDL (DL:1.0)	5 (Annual)	5 (Annual)	
Arsenic as As	ng/m³	IS 5182 (Part 22)	BDL (DL:1.0)	6 (Annual)	6 (Annual)	
Nickel as Ni	ng/m³	IS 5182 (Part 22)	BDL (DL:1.0)	20 (Annual)	20 (Annual)	
Benzo(a)Pyrene in C ₂₀ H ₁₂	ng/m³	IS 5182 (Part 12)	BDL (DL:1.0)	1 (Annual)	1 (Annual)	
	PARAMETERS Particulate Matter in (PM ₁₀) Particulate Matter in (PM _{2.5}) Sulphur dioxide as SO ₂ Nitrogen Dioxide as NO ₂ Ozone as O ₃ Ammonia as NH ₃ Carbon Monoxide as CO (1hr) Lead as Pb Benzene as C ₆ H ₆ Arsenic as As Nickel as Ni	PARAMETERS Particulate Matter in (PM ₁₀) Particulate Matter in (PM _{2.5}) Particulate Matter in (PM _{2.5}) Sulphur dioxide as SO ₂ Nitrogen Dioxide as NO ₂ Ozone as O ₃ Ammonia as NH ₃ Carbon Monoxide as CO (1hr) Lead as Pb Benzene as C ₆ H ₆ Arsenic as As Nickel as Ni NICKEL MATTERS UNIT μg/m³ ηg/m³	PARAMETERS Particulate Matter in (PM ₁₀) Particulate Matter in (PM _{2.5}) Particulate Matter in (PM _{2.5}) Particulate Matter in (PM _{2.5}) Sulphur dioxide as SO ₂ µg/m³ IS 5182 (Part 2) Nitrogen Dioxide as NO ₂ µg/m³ IS 5182 (Part 2) Nitrogen Dioxide as NO ₂ µg/m³ IS 5182 (Part 6) Ozone as O ₃ µg/m³ CPCB Manual-2013 Carbon Monoxide as CO (1hr) µg/m³ IS 5182 (Part 10) Lead as Pb µg/m³ IS 5182 (Part 12) Benzene as C ₆ H ₆ µg/m³ IS 5182 (Part 22) Benzenic as As ng/m³ IS 5182 (Part 22) Nickel as Ni Nickel as Ni	PARAMETERS Particulate Matter in (PM ₁₀) Particulate Matter in (PM _{2.5}) µg/m³ EPA-Appendix-L (Part-50) 16.1 Sulphur dioxide as SO ₂ µg/m³ IS 5182 (Part 2) 5.20 Nitrogen Dioxide as NO ₂ µg/m³ IS 5182 (Part 6) 11.8 Ozone as O ₃ µg/m³ IS 5182 (Part 9) 8.65 Ammonia as NH ₃ µg/m³ CPCB Manual-2013 26.3 Carbon Monoxide as CO (1hr) mg/m³ IS 5182 (Part 10) BDL (DL:1.15) Lead as Pb µg/m³ IS 5182 (Part 22) BDL (DL:0.5) Benzene as C ₆ H ₆ µg/m³ IS 5182 (Part 21) BDL (DL:1.0) Arsenic as As ng/m³ IS 5182 (Part 22) BDL (DL:1.0)	T GROUP ATMOSPHERIC POLLUTION PARAMETERS UNIT TEST METHOD RESULTS *NAAQ STAND Particulate Matter in (PM10) μg/m³ IS 5182 (Part 23) 53.4 100 (24 Hours) Particulate Matter in (PM2.5) μg/m³ EPA-Appendix-L (Part-50) 16.1 60 (24 Hours) Sulphur dioxide as SO2 μg/m³ IS 5182 (Part 2) 5.20 80 (24 Hours) Nitrogen Dioxide as NO2 μg/m³ IS 5182 (Part 6) 11.8 80 (24 Hours) Ozone as O3 μg/m³ IS 5182 (Part 9) 8.65 180 (1 Hours) Ammonia as NH3 μg/m³ CPCB Manual-2013 26.3 400 (24 Hours) Carbon Monoxide as CO (1hr) mg/m³ IS 5182 (Part 10) BDL (DL:1.15) 4 (1 Hours) Lead as Pb μg/m³ IS 5182 (Part 22) BDL (DL:0.5) 1 (24 Hours) Benzene as C ₆ H ₆ μg/m³ IS 5182 (Part 21) BDL (DL:1.0) 5 (Annual) Arsenic as As ng/m³ IS 5182 (Part 22) BDL (DL:1.0) 6 (Annual) Nickel as Ni ng/m³ IS 51	

Note: BDL: Below Detectable Limit; DL: Detectable Limit, μg/m³-Micrograms per cubic meter, ng/m³- Nanograms per cubic meter.

*NAAQ: National Ambient Air Quality.

Verified by

M. BALAJI Deputy Quality Manager CHENNAL Y

For Life Shell Labs India Pvt. Ltd.

Authorized Signatory

Deputy Technical Manager

******End of Report*****

Page 1 of 1



NABL Accredited, ISO 9001: 2015, OSHAS 18001: 2007 Certified Company

LIFE SHELL LABS INDIA PVT. LTD.

(The Complete Environmental Service Provider)
No. 20, Nehru Street, Maruthi Nagar, Phase I,
Iyyappanthangal, Chennai – 600077. Tamil Nadu
Tel: +91(44) 48634849, 63809 68684

Email: labs@lifeshell.in, lifeshelllabs@gmail.com www.lifeshelllabs.com

TEST REPORT

Sample ID: 2103252	JOE: 699		Report Date: 31.03.2021		
Customer Name	M/s. Tamil Nadu Polymer Industries Park Limited				
Address	S.NO: 143 & 187 Part of Puzhudivakkam Villages, and 2053 of Voyalur Village, Ponneri Taluk, Tiruvallur District, Tamil Nadu.				
Date of Sampling	26.03.2021 Sampled by		LSL		
Sample Received on	27.03.2021	Sample Description	Ambient Air Quality –3		
Test Commenced on	27.03.2021	Sampling duration	24 hrs		
Test Completed on	31.03.2021	Ambient Temp during sampling	33°C (Avg.)		
Sampling Location	Athipattu Pudhu Nagar RH during sampling 58% (Avg.)				
Sampling Procedure	Prescribed as per Test Method	±			

DISCIPLI	NE	CHEMICA	L TESTING			
PRODUC	CT GROUP	ATMOSP	HERIC POLLUTION		,	
S. No PARAMETERS		UNIT TEST METHOD		RESULTS	*NAAQ STAND	ARDS:2009
1	Particulate Matter in (PM ₁₀)	μg/m³	IS 5182 (Part 23)	66.3	100 (24 Hours)	60 (Annual)
2	Particulate Matter in (PM _{2,5})	μg/m³	EPA-Appendix-L (Part-50)	23.8	60 (24 Hours)	40 (Annual)
3	Sulphur dioxide as SO₂	μg/m³	IS 5182 (Part 2)	6.80	80 (24 Hours)	50 (Annual)
4	Nitrogen Dioxide as NO ₂	μg/m³	IS 5182 (Part 6)	15.1	80 (24 Hours)	40 (Annual)
5	Ozone as O ₃	μg/m³	IS 5182 (Part 9)	8.90	180 (1 Hours)	100 (8Hours
6	Ammonia as NH₃	μg/m³	CPCB Manual-2013	26.7	400 (24 Hours)	100 (Annual
7	Carbon Monoxide as CO (1hr)	mg/m³	IS 5182 (Part 10)	BDL (DL:1,15)	4 (1 Hours)	2 (1 Hours)
8	Lead as Pb	μg/m³	IS 5182 (Part 22)	BDL (DL:0.5)	1 (24 Hours)	0.5 (Annual)
9	Benzene as C ₆ H ₆	μg/m³	IS 5182 (Part 11)	BDL (DL:1.0)	5 (Annual)	5 (Annual)
10	Arsenic as As	ng/m³	IS 5182 (Part 22)	BDL (DL:1.0)	6 (Annual)	6 (Annual)
11	Nickel as Ni	ng/m³	IS 5182 (Part 22)	BDL (DL:1.0)	20 (Annual)	20 (Annual)
12	Benzo(a)Pyrene in C ₂₀ H ₁₂	ng/m³	IS 5182 (Part 12)	BDL (DL:1.0)	1 (Annual)	1 (Annual)

Note: BDL: Below Detectable Limit; DL: Detectable Limit, μg/m³-Micrograms per cubic meter, ng/m³- Nanograms per cubic meter.

*NAAQ: National Ambient Air Quality.

Verified by

Deputy Quality Manager

CHENNAI 600 077. For Life Shell Labs India Pvt. Ltd.

Authorized Signatory

K. KAMALANATHAN

******End of Report*****

Page 1 of 1



NABL Accredited, ISO 9001: 2015, OSHAS 18001: 2007 Certified Company

LIFE SHELL LABS INDIA PVT. LTD.

(The Complete Environmental Service Provider)
No. 20, Nehru Street, Maruthi Nagar, Phase I,
Iyyappanthangal, Chennai – 600077. Tamil Nadu
Tel: +91(44) 48634849, 63809 68684
Email: labs@lifeshell.in, lifeshelllabs@gmail.com
www.lifeshelllabs.com

TEST REPORT

Sample ID: 2103253	JOE: 699		Report Date: 31.03.2021		
Customer Name	M/s. Tamil Nadu Polymer Industries Park Limited				
Address	S.NO: 143 & 187 Part of Puzhudivakkam Villages, and 2053 of Voyalur Village, Ponn Tiruvallur District, Tamil Nadu.				
Date of Sampling	26.03.2021	Sampled by	LSL		
Sample Received on	27.03.2021	Sample Description	Noise Monitoring		
Test Commenced on	27.03.2021	Sampling duration	24 hrs		
Test Completed on	31.03.2021	Ambient Temp during sampling	33°C (Avg.)		
Sampling Location	Mentioned Below	RH during sampling	61% (Avg.)		
Sampling Procedure	IS 9989:1981				

Location Code	Sampling Location	LDay {dB(A)}	LNight {dB(A)}	Day Time	Night Time
N1	South corner of the Project Site	54.9	50.1	6.00 am to 10.00 pm	10.00 pm to 6.00 am
N2	North corner of the Project Site	49.7	45.9	6.00 am to 10.00 pm	10.00 pm to 6.00 am

Ambient Noise Standards-CPCB

Category Of Area	LDay {dB(A)}	LNigth {dB(A)}
Industrial Area	75	70
Commercial Area	65	60
Residential Area	55	45
Silence Zone	50	40

VerifiedBy

Deputy Quality Manager

For Life Shell Labs India Pvt. Ltd, Authorized signatory

be. Learnanhart

Deputy Technical Manager

******End of Report*****



NABL Accredited, ISO 9001: 2015, OSHAS 18001: 2007 Certified Company

LIFE SHELL LABS INDIA PVT. LTD.

(The Complete Environmental Service Provider)
No. 20, Nehru Street, Maruthi Nagar, Phase I,
Iyyappanthangal, Chennai – 600077. Tamil Nadu
Tel: +91(44) 48634849, 63809 68684
Email: labs@lifeshell.in, lifeshelllabs@gmail.com
www.lifeshelllabs.com

TEST REPORT

Sample ID: 2103254	JOE: 699	Report Date: 31.03.2021			
Customer Name	M/s. Tamil Nadu Polymer Industries Park Limited				
Address	S.NO: 143 & 187 Part of Puzhudivakka Tiruvallur District, Tamil Nadu.	m Villages, and 2053 of Voyal	ur Village, Ponneri Taluk,		
Date of Sampling	26.03.2021	Sampled by	LSL		
Sample Received on	27.03.2021	Sample Description	Surface Water		
Test Commenced on	27.03.2021	Sampling Procedure	LSL/CHE/SOP/071		
Test Completed on	31.03.2021	Sample Condition	Satisfactory		
Sampling Location	Buckingham canal Up Stream (Vallur Thermal Power)	Sample Quantity	2 liters		

DISCIPLINE		CHEMICAL TES	CHEMICAL TESTING			
RODU	CT GROUP	WATER				
S. No	PARAMETERS	UNIT	TEST METHOD	RESULTS		
1	pH @ 25°C	441	IS 3025-Part 11	7.68		
2	Total Dissolved Solids (TDS)	mg/l	IS 3025-Part 16	9840		
3	Nitrate as No ₃	mg/l	IS 3025-Part 34	4.85		
4	Total Suspended solids (TSS)	mg/l	IS 3025 part-17	32.0		

Note: BDL: Below Detectable Limit; DL: Detectable Limit, mg/l-Milligrams per liter.

Verified by

M. BALAJI Deputy Quality Manager For Life Shell Labs India Pvt. Ltd.

Authorized Signatory

Donney Tochnical Manager

******End of Report*****



NABL Accredited, ISO 9001 : 2015, OSHAS 18001 : 2007 Certified Company

LIFE SHELL LABS INDIA PVT. LTD.

(The Complete Environmental Service Provider)
No. 20, Nehru Street, Maruthi Nagar, Phase I,
Iyyappanthangal, Chennai – 600077. Tamil Nadu
Tel: +91(44) 48634849, 63809 68684
Email: labs@lifeshell.in, lifeshelllabs@gmail.com
www.lifeshelllabs.com

TEST REPORT

Sample ID: 2103255	JOE: 699		Report Date: 31.03.2021
Customer Name	M/s. Tamil Nadu Polymer Industries Park Limited		
Address	S.NO: 143 & 187 Part of Puzhudiva Tiruvallur District, Tamil Nadu.	kkam Villages, and 2053 of \	oyalur Village, Ponneri Taluk,
Date of Sampling	26.03.2021	Sampled by	LSL
Sample Received on	27.03.2021	Sample Description	Surface Water
Test Commenced on	27.03.2021	Sampling Procedure	LSL/CHE/SOP/071
Test Completed on	31.03.2021	Sample Condition	Satisfactory
Sampling Location	Buckingham canal Down Stream (Adani pord Kattupalli)	Sample Quantity	2 liters

DISCIPLINE PRODUCT GROUP		CHEMICAL TESTING			
		WATER			
S. No	PARAMETERS	UNIT	TEST METHOD	RESULTS	
1	pH @ 25°C	fie:	IS 3025-Part 11	7.88	
2	Total Dissolved Solids (TDS)	mg/l	IS 3025-Part 16	20400	
3	Nitrate as No ₃	mg/l	IS 3025-Part 34	6.80	
4	Total Suspended solids (TSS)	mg/l	IS 3025 part-17	12.0	

Note: BDL: Below Detectable Limit; DL: Detectable Limit, mg/l-Milligrams per liter

Verified by

M. BALAJI Deputy Quality Manager For Life Shell Labs India Pvt. Ltd.

1

Nanagel Managel

******End of Report*****

CHENNA



NABL Accredited, ISO 9001: 2015, OSHAS 18001: 2007 Certified Company

LIFE SHELL LABS INDIA PVT. LTD.

(The Complete Environmental Service Provider)

No. 20, Nehru Street, Maruthi Nagar, Phase I, Iyyappanthangal, Chennai – 600077. Tamil Nadu Tel: +91(44) 48634849, 63809 68684 Email: labs@lifeshell.in, lifeshelllabs@gmail.com www.lifeshelllabs.com

TEST REPORT

Sample ID: 2103256	JOE: 699		Report Date: 31.03.2021	
Customer Name	M/s. Tamil Nadu Polymer Indust			
Address	S.NO: 143 & 187 Part of Puzhudivakkam Villages, and 2053 of Voyalur Village, Ponneri Talu Tiruvallur District, Tamil Nadu.			
Date of Sampling	26.03.2021	Sampled by	LSL	
Sample Received on	27.03.2021	Sample Description	Ground Water	
Test Commenced on	27.03.2021	Sampling Procedure	LSL/CHE/SOP/071	
Test Completed on	31.03.2021	Sample Condition	Satisfactory	
Sampling Location	Kattupalli	Sample Quantity	2 Liters	

DISCIPLI	NE	CHEMICAL TESTIN	G		
PRODUC	CT GROUP	WATER			
S. No.	PARAMETERS	UNIT	TEST METHOD	RESULTS	
1	pH @ 25°C		IS 3025-Part 11	7.33	
2	Total Hardness as CaCO ₃	mg/l	IS 3025-Part 21	320	
3	Total Dissolved Solids (TDS)	mg/l	IS 3025-Part 16	710	
4	Total Suspended solids (TSS)	mg/i	IS 3025 part-17	BDL(DL:1.0)	
5	Sulphate as SO ₄	mg/l	APHA-23 rd Edn-2017	72.0	
6	Nitrate as NO ₃	mg/l	IS 3025 part-34	2.8	
7	Iron as Fe	mg/l	IS 3025 part-53	0.66	
8	Zinc as Zn	mg/l	IS 3025-Part 49	BDL(DL:0.05)	
9	Total Chromium (as Cr)	mg/l	IS 3025-Part 52	BDL(DL:0.1)	
10	Copper	mg/l	IS 3025-Part 42	BDL(DL:0.05)	
11	Lead as Pb	mg/l	IS 3025-Part 47	BDL(DL:0.01)	
12	Cadmium (as Cd)	mg/l	IS 3025-Part 41	BDL(DL:0.01)	
13	Selenium as Sc	mg/l	APHA-23 rd Edn-2017	BDL(DL:0.01)	
14	Arsenic as As	mg/l	IS 3025-Part 37	BDL(DL:0.05)	
15	Mercury as Hg	mg/l	IS 3025-Part 48	BDL(DL:0.01)	
16	Nickel	mg/l	IS 3025-Part 54	BDL(DL:0.05)	
17	Barium as Ba	mg/l	APHA-23rd Edn-2017	BDL(DL:0.01)	

Note: BDL: Below Detection Limit, DL: Detection Limit, mg/I-Milligrams per liter.

VerifiedBy

M. BALAJI Deputy Quality Manager CHENNAI 5 600 077.

******End of Report*****

For Life Shell Labs India Pvt. Ltd, Authorized signatory

Deputy Technical Manager



NABL Accredited, ISO 9001: 2015, OSHAS 18001: 2007 Certified Company

LIFE SHELL LABS INDIA PVT. LTD.

(The Complete Environmental Service Provider)
No. 20, Nehru Street, Maruthi Nagar, Phase I,
Iyyappanthangal, Chennai – 600077. Tamil Nadu
Tel: +91(44) 48634849, 63809 68684
Email: labs@lifeshell.in, lifeshelllabs@gmail.com
www.lifeshelllabs.com

TEST REPORT

Sample ID: 2103257	JOE: 699		Report Date: 31.03.2021	
Customer Name	er Name M/s. Tamil Nadu Polymer Industries Park Limited		'	
Address	S.NO: 143 & 187 Part of Puzhudivakkam Villages, and 2053 of Voyalur Village, Ponneri Taluk Tiruvallur District, Tamil Nadu.			
Date of Sampling	26.03.2021	Sampled by	LSL	
Sample Received on	27.03.2021	Sample Description	Ground Water	
Test Commenced on	27.03.2021	Sampling Procedure	LSL/CHE/SOP/071	
Test Completed on	31.03.2021	Sample Condition	Satisfactory	
Sampling Location	Project Site	Sample Quantity	2 Liters	

DISCIPLI	NE	CHEMICAL TESTIN	G		
PRODUC	CT GROUP	WATER			
S. No.	PARAMETERS	UNIT	TEST METHOD	RESULTS	
1	pH @ 25°C		IS 3025-Part 11	7.06	
2	Total Hardness as CaCO₃	mg/l	IS 3025-Part 21	212	
3	Total Dissolved Solids (TDS)	mg/l	IS 3025-Part 16	480	
4	Total Suspended solids (TSS)	mg/l	IS 3025 part-17	BDL(DL:1.0)	
5	Sulphate as SO₄	mg/l	APHA-23 rd Edn-2017	59.0	
6	Nitrate as NO ₃	mg/l	IS 3025 part-34	2.0	
7	Iron as Fe	mg/l	IS 3025 part-53	0.16	
8	Zinc as Zn	mg/l	IS 3025-Part 49	BDL(DL:0.05)	
9	Total Chromium (as Cr)	mg/I	IS 3025-Part 52	BDL(DL:0.1)	
10	Copper	mg/l	IS 3025-Part 42	BDL(DL:0.05)	
11	Lead as Pb	mg/l	IS 3025-Part 47	BDL(DL:0.01)	
12	Cadmium (as Cd)	mg/l	IS 3025-Part 41	BDL(DL:0.01)	
13	Selenium as Sc	mg/l	APHA-23 rd Edn-2017	BDL(DL:0.01)	
14	Arsenic as As	mg/l	IS 3025-Part 37	BDL(DL:0.05)	
15	Mercury as Hg	mg/l	IS 3025-Part 48	BDL(DL:0.01)	
16	Nickel	mg/l	IS 3025-Part 54	BDL(DL:0.05)	
17	Barium as Ba	mg/l	APHA-23rd Edn-2017	BDL(DL:0.01)	

VenifiedBy

M. BALAJI Denuty Quality Manager CHENNAI 2

For Life Shell Labs India Pvt. Ltd, Authorized signatory

Deputy Technical Manager

******End of Report*****



NABL Accredited, ISO 9001: 2015, OSHAS 18001: 2007 Certified Company

LIFE SHELL LABS INDIA PVT. LTD.

(The Complete Environmental Service Provider)
No. 20, Nehru Street, Maruthi Nagar, Phase I,
Iyyappanthangal, Chennai – 600077. Tamil Nadu
Tel: +91(44) 48634849, 63809 68684
Email: labs@lifeshell.in, lifeshelllabs@gmail.com
www.lifeshelllabs.com

TEST REPORT

Sample ID: 2103258	JOE: 699		Report Date: 31.03.2021
Customer Name	M/s. Tamil Nadu Polymer Industries Park Limited		
Address	S.NO: 143 & 187 Part of Puzhudivakkam Villages, and 2053 of Voyalur Village, Ponneri Taluk, Tiruvallur District, Tamil Nadu.		
Date of Sampling	26.03.2021	Sampled by	LSL
Sample Received on	27.03.2021	Sample Description	Soil
Test Commenced on	27.03.2021	Sampling Procedure	LSL/CHE/SOP/074
Test Completed on	31.03.2021	Sample Condition	Satisfactory
Sampling Location	South corner of the Project Site	Sample Quantity	2 Kgs

DISCIPLINE PRODUCT GROUP		CHEMICAL TESTING ENVIRONMENT & POLLUTION			
1	Soil Texture	HE:	ASTM D421/422	Sandy Clay	
2	pH @ 25°C		IS 2720 Part -26	8.68	
3	Bulk Density	gm/cc	ASTM D6683-14	1.12	
4	Cation Exchange Capacity	meq/100g	IS 2720 Part -24	5.95	
5	Water Holding Capacity	%	IS 14765	15.8	
6	Total Organic Carbon	%	IS 2720 Part -22	0.62	
7	Organic Matter	%	IS 2720 Part -22	1.09	
8	Nitrogen	mg/l	IS 14684	182.8	
9	Total Phosphorus as P	%	IS 10158	54.6	
10	Soluble Potassium as K	mg/kg	FAO 2007	172	
Note: BD	L: Below Detection Limit, DL: Detec	tion Limit.			

VerifiedBy

M. BALAJI

Deputy Quality Manager

For Life Shell Labs India Pvt. Ltd, Authorized signatory

Kkumht

Leputy Technical Manager

*****End of Report*****

HEMNAI



NABL Accredited, ISO 9001 : 2015, OSHAS 18001 : 2007 Certified Company

LIFE SHELL LABS INDIA PVT. LTD.

(The Complete Environmental Service Provider)
No. 20, Nehru Street, Maruthi Nagar, Phase I,
Iyyappanthangal, Chennai – 600077. Tamil Nadu
Tel: +91(44) 48634849, 63809 68684
Email: labs@lifeshell.in, lifeshelllabs@gmail.com
www.lifeshelllabs.com

TEST REPORT

Sample ID: 2103259	JOE: 699		Report Date: 31.03.2021
Customer Name	M/s. Tamil Nadu Polymer Industries	Park Limited	1.
Address	S.NO: 143 & 187 Part of Puzhudivakka Tiruvallur District, Tamil Nadu.	nm Villages, and 2053 of Voy	ralur Village, Ponneri Taluk,
Date of Sampling	26.03.2021	Sampled by	LSL
Sample Received on	27.03.2021	Sample Description	Soil
Test Commenced on	27.03.2021	Sampling Procedure	LSL/CHE/SOP/074
Test Completed on	31.03.2021	Sample Condition	Satisfactory
Sampling Location	North corner of the Project Site	Sample Quantity	2 Kgs

DISCIPLINE PRODUCT GROUP		CHEMICAL TESTING ENVIRONMENT & POLLUTION			
1	Soil Texture	-	ASTM D421/422	Sandy Clay	
2	pH @ 25°C		IS 2720 Part -26	8.57	
3	Bulk Density	gm/cc	ASTM D6683-14	1.18	
4	Cation Exchange Capacity	meq/100g	IS 2720 Part -24	5.62	
5	Water Holding Capacity	%	IS 14765	16.5	
6	Total Organic Carbon	%	IS 2720 Part -22	0.68	
7	Organic Matter	%	IS 2720 Part -22	1.17	
8	Nitrogen	mg/l	IS 14684	179.5	
9	Total Phosphorus as P	%	IS 10158	52.6	
10	Soluble Potassium as K	mg/kg	FAO 2007	186	

VerifiedBy

N. BALAJI Deputy Quality Manager

******End of Report*****

For Life Shell Labs India Pvt. Ltd, Authorized signatory

Authorized signatory

Kolumbut

K. KAMALANATHAN

Deputy Technical Manager

அனுப்புநர்

க.கோபால கிருஷ்ணன், B.E., உதவி இயக்குநர், மாவட்ட நகர் ஊரமைப்பு அலுவலகம், திருவள்ளூர் மாவட்டம், எண்.43/397A, இரண்டாம் தளம், அன்னை இந்திரா காந்தி சாலை, இராஜாஜிபுரம் பகுதி — II, திருவள்ளூர் - 602 001. தொலைபேசி - 044-27665657. email-tvlrregion@gmail.com

பெறுநர்

M/s.Tamil Nadu Polymer Industries Park Limited, No.19-A, Rukmini Lakshmipathy Road, Egmore, Chennai-600 008.

ஓ.மு.எண்.1232/2020/<u>திவம</u>2

Бпен.29.07.2020.

ஐயா,

பொருள்: நில உபயோகச் சான்று - மாவட்ட நகர் ஊரமைப்பு அலுவலகம்- திருவள்ளூர் மாவட்டம் - பொன்னேரி வட்டம் - புழுதிவாக்கம் கிராமம் - சர்வே எண்கள்.143,187, வயலூர் கிராமம் ச.எண்.205/3B -ற்கு நில உபயோகச் சான்று வழங்க கோரியது - தொடர்பாக.

பாா்வை: தங்கள் கடிதம், நாள்.28.07.2020.

பார்வையில் கண்ட தங்கள் கடிதத்தில், திருவள்ளூர் மாவட்டம், பொன்னேரி வட்டம், புழுதிவாக்கம் கிராமம், சர்வே எண்கள்.143,187, வயலூர் கிராமம் ச.எண்.205/3B ஆகியவற்றிற்கு நில உபயோகச் சான்று வழங்க கோரப்பட்டதை தொடர்ந்து, கீழ்காண் விவரம் தெரிவிக்கலாகிறது.

மேற்படி, புழுதிவாக்கம் மற்றும் வயலூர் கிராமத்திற்கு நகர் ஊரமைப்புத் துறையால் எவ்வித நில உபயோகமும் வகைபடுத்தபடவில்லை என்ற விவரம் தெரிவிப்பதுடன் கீழ்காண் விவரங்கள் தெரிவிக்கலாகிறது.

- 1) இவ்விடத்தில் மனைப்பிரிவோ / நிறுவனமோ / கட்டிடமோ அல்லது எவ்வித அபிவிருத்தியோ செய்யும் முன்னா் நகா் ஊரமைப்புச் சட்டம் 1971, பிரிவு 47A-ன்படி, இத்துறையின் முன் அனுமதி பெறப்பட வேண்டும். அவ்வாறு அனுமதி பெறாமல் அபிவிருத்தி செய்யப்பட்டால் நகா் ஊரமைப்புச் சட்டம் 1971 பிரிவு 56 மற்றும் 57-ன் கீழ் நடவடிக்கை தொடரப்படும்.
- 2) அபிவிருத்திகளுக்கு அனுமதி பெறுவதை எளிமைப்படுத்தும் விதமாக அதிகபட்சம் 7000 சதுர அடி பரப்பளவுள்ள குடியிருப்புக் கட்டிட உத்தேசம் மற்றும் அதிகபட்சம் 8

குடியிருப்புகளை உள்ளடக்கியதான மற்றும் அதிகபட்சம் தரைதளம் மற்றும் முதல்தளம், வரையிலான குடியிருப்புக் கட்டிடம் போன்றவற்றிற்கும் அதிகபட்சம் 2000 சதுர அடி வரையிலான வணிக உபயோகக் கட்டிடங்களுக்கு சம்மந்தப்பட்ட உள்ளாட்சியே இத்துறையின் சார்பாக அனுமதி வழங்கிட இத்துறையால் அதிகாரப்பகிர்வு வழங்கப்பட்டுள்ளது. மேற்காண் வகைக் கட்டிடங்கள் தவிர கூடுதல் பரப்பளவுள்ள குடியிருப்புக் கட்டிடங்கள், வணிகக் உபயோகக் உத்தேசங்களுக்கு இவ்வலுவலகத்தின் அனுமதி பெறப்பட வேண்டும். இதர பொது வகைக் கட்டிடங்கள் போன்றவற்றிற்கு இத்துறையின் முன் அனுமதி பெறப்பட வேண்டும் எனவும் தெரிவிக்கப்படுகிறது.

- 3) புன்செய் நில அபிவிருத்திக்கு இணை இயக்குநர், வேளாண்மைத் துறை தடையின்மை சான்று பெறப்பட வேண்டும்.
- 4) நன்செய் நில அ<mark>பிவிருத்திக்கு மாவட்ட ஆட்சியர் அவர்களின் தடையின்மைச் சான்று</mark> பெறப்பட வேண்டும்.
- 5) இச்சான்று தகவல் அளிக்கும் நோக்கத்தில் மட்டுமே வழங்கப்படுகிறது. இதனை சட்ட ரீதியான நடவடிக்கைகளுக்கு தேவையான நகர் ஊரமைப்பு துறையின் அனுமதியாக கருதக் கூடாது.

உதவி இயக்குநர், 29/7/2020 மாவட்ட நகர் ஊரமைப்பு அலுவலகம், திருவள்ளூர் மாவட்டம்.

8000 1-020 000171-020



INDIA

THURSDAY () 9.()].2()2()

Tamil Nadu Polymer Industries Park Limited (A Joint venture of TIDCO & SIPCOT)

Polymer Industries Park, Tiruvallur District

Environmental Clearance

Environmental Clearance has been issued by State Level Environment Impact Assessment Authority (SEIAA), Tamil Nadu for the proposed Polymer Industries Park in Voyalur and Puzhudivakkam Villages, Tiruvallur District vide their letter .No. SEIAA-TN/F.No.6957/EC/8(b)/683/2019 dated 11.12.2019.

The contents of the Environmental Clearance can be viewed in TPIPL website www.tnpolymerpark.com and also in the website of SEIAA, Tamil Nadu. Further, the copies of the Environmental Clearance could be obtained from the Head Office of Tamil Nadu Pollution Control Board (TNPCB).

Managing Director,

Tamilnadu Polymer Industries Park Limited (TPIPL), 19-A, Rukmani Lakshmipathy Road,

DIPR/64/Display/2020

Egmore, Chennai - 600008.

BUDGETO

தமிழ்நாடு பாலிமர் தொழிற் பூங்கா லிமிடெட் (A Joint Venture of TIDCO and SIPCOT)

பாலிமர் தொழிற்பூங்கா, திருவள்ளூர் மாவட்டம் சுற்றுச்சூழல் இசைவாணை

திருவள்ளூர் மாவட்டம், வாயலூர் மற்றும் புழுதிவாக்கம் கிராமங்களில் அமையவுள்ள பாலிமர் தொழிற் பூங்காவிற்கு மாநில அளவிலான சுற்றுச்சூழல் தாக்க மதிப்பீட்டு ஆணையம் (SEIAA), தமிழ்நாடு கடிதம் எண்: SEIAA-TN/F.No.6957/ EC/8(b)/683/2019 தேதி 11.12.2019 மூலம் சுற்றுச்சூழல் இசைவாணை வழங்கியுள்ளது.


இவ்விசைவாணையின் முழுவிவரத்தை தமிழ்நாடு பாலிமர் தொழிற் பூங்கா இணையதளமான <u>www.tnpolymerpark.com</u> மற்றும் மாநில சுற்றுச்சூழல் தாக்க மதிப்பீட்டு ஆணையம், தமிழ்நாடு இணையதளத்திலும் காணலாம். மேலும் இசைவாணையின் நகலினை தமிழ்நாடு மாசு கட்டுப்பாட்டு வாரியத் தலைமை அலுவலகத்தில் பெறலாம்.

> மேலாண்மை இயக்குனர், தமிழ்நாடு பாலிமர் தொழிற் பூங்கா லிமிடெட் 19-A, ருக்மணி லட்சுமிபதி சாலை, எழும்பூர், சென்னை—600008.


செ.**ம.தொ.கி/ 64/வரைக்கை/2**020

ANNEXUR! +

पाने वाले के हस्ताक्ष्म (signification)



+ For Insured articles only.



आर. भी 544 (एस) R. 8-54 (8) भारतीय जाक विभाग DEPARTMENT OF POSTS INDIA mals A हर होते आसा सोहर Alams stamp of other stamp of the stamp New York and the Control of the Cont पंजन नाले BATOMENT PARTY PROCESSION OF THE PARTY PROCESSION OF THE PARTY PROCESSION OF THE PARTY PROCESSION OF THE PARTY PARTY PROCESSION OF THE PARTY PARTY PARTY PROCESSION OF THE PARTY PAR Edward Color St. Color MENERGE CERC CHEBB/GCF/14 446 (A. 76) 400 Pres

nien wildelig (wils): 40% (MaxVI.d.) ic in en en

विकासी पर्यामास्य काट (पन्छेड्/आहोती आस्त कटा) nuep -

Tien Registeren Registeren Lenergionie margielengene

ninė Preparatorė į Šaras sidys irdenias s

पाने अहि। नेहा नामा iliandhimeanneann Pasiculare Diminicularea Admissi warung (Vitime)

Yanador : Robbier an west Pandovolano a segui

हर्त्वाचा का पंतर (इत्साह है)

ference all subterance or duvery

्रभागवण्यकः को अन्य विद्यार जीएक अरुक्ताः भागीक matter not required :

t five of the area of the force of the control of t

पानः जात्वा के अस्पताक्षर/Signature of addresses